

APRIL 2021

| Article no. | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                         | Bury Tank<br>minimum | Total<br>Plates | Total<br>Boltsets | Plate Thickness per Ring |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |        |
|-------------|---------------|-------------|----------------------------|-------------------------------------|----------------------|-----------------|-------------------|--------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|--------|
|             |               |             |                            |                                     |                      |                 |                   | Bottom Ring<br>0,81m     | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |        |
| WS0182159   | 1.82          | 1.59        | 4                          | Watertank WS galvanized min. 0.8 mm |                      | 4               | 104               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 |                     | 101.00             | 76.00  |
| WS0182236   | 1.82          | 2.36        | 6                          | Watertank WS galvanized min. 0.8 mm |                      | 6               | 156               | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 139.00             | 114.00 |
| WS0182312   | 1.82          | 3.12        | 8                          | Watertank WS galvanized min. 0.8 mm |                      | 8               | 208               | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 177.00             | 152.00 |
| WS0182388   | 1.82          | 3.88        | 10                         | Watertank WS galvanized min. 0.8 mm |                      | 10              | 260               | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 214.00             | 189.00 |
| WS0182464   | 1.82          | 4.64        | 12                         | Watertank WS galvanized min. 0.8 mm |                      | 12              | 312               | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 252.00             | 227.00 |
| WS0273159   | 2.73          | 1.59        | 9                          | Watertank WS galvanized min. 0.8 mm |                      | 6               | 156               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 |                     | 139.00             | 114.00 |
| WS0273236   | 2.73          | 2.36        | 14                         | Watertank WS galvanized min. 0.8 mm |                      | 9               | 234               | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 195.00             | 170.00 |
| WS0273312   | 2.73          | 3.12        | 18                         | Watertank WS galvanized min. 0.8 mm |                      | 12              | 312               | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 252.00             | 227.00 |
| WS0273388   | 2.73          | 3.88        | 23                         | Watertank WS galvanized min. 0.8 mm |                      | 15              | 390               | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 308.00             | 283.00 |
| WS0273464   | 2.73          | 4.64        | 27                         | Watertank WS galvanized min. 0.8 mm |                      | 18              | 468               | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 365.00             | 340.00 |
| WS0364159   | 3.64          | 1.59        | 17                         | Watertank WS galvanized min. 0.8 mm |                      | 8               | 208               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 |                     | 177.00             | 152.00 |
| WS0364236   | 3.64          | 2.36        | 25                         | Watertank WS galvanized min. 0.8 mm |                      | 12              | 312               | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 252.00             | 227.00 |
| WS0364312   | 3.64          | 3.12        | 32                         | Watertank WS galvanized min. 0.8 mm |                      | 16              | 416               | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 327.00             | 302.00 |
| WS0364388   | 3.64          | 3.88        | 40                         | Watertank WS galvanized min. 0.8 mm |                      | 20              | 520               | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 403.00             | 378.00 |
| WS0364464   | 3.64          | 4.64        | 48                         | Watertank WS galvanized min. 0.8 mm |                      | 24              | 624               | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 478.00             | 453.00 |
| WS0455159   | 4.55          | 1.59        | 26                         | Watertank WS galvanized min. 0.8 mm |                      | 10              | 260               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 |                     | 214.00             | 189.00 |
| WS0455236   | 4.55          | 2.36        | 38                         | Watertank WS galvanized min. 0.8 mm |                      | 15              | 390               | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 308.00             | 283.00 |
| WS0455312   | 4.55          | 3.12        | 51                         | Watertank WS galvanized min. 0.8 mm |                      | 20              | 520               | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 403.00             | 378.00 |
| WS0455388   | 4.55          | 3.88        | 63                         | Watertank WS galvanized min. 0.8 mm |                      | 25              | 650               | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 497.00             | 472.00 |
| WS0455464   | 4.55          | 4.64        | 75                         | Watertank WS galvanized min. 0.8 mm |                      | 30              | 780               | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 591.00             | 566.00 |
| WS0546159   | 5.46          | 1.59        | 37                         | Watertank WS galvanized min. 0.8 mm |                      | 12              | 312               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 |                     | 252.00             | 227.00 |
| WS0546236   | 5.46          | 2.36        | 55                         | Watertank WS galvanized min. 0.8 mm |                      | 18              | 468               | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 365.00             | 340.00 |
| WS0546312   | 5.46          | 3.12        | 73                         | Watertank WS galvanized min. 0.8 mm |                      | 24              | 624               | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 478.00             | 453.00 |
| WS0546388   | 5.46          | 3.88        | 91                         | Watertank WS galvanized min. 0.8 mm |                      | 30              | 780               | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 591.00             | 566.00 |
| WS0546464   | 5.46          | 4.64        | 109                        | Watertank WS galvanized min. 0.8 mm |                      | 36              | 936               | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 705.00             | 680.00 |
| WSU0611159  | 6.11          | 1.59        | 46                         | Watertank WS galvanized min. 0.8 mm |                      | 14              | 364               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 |                     | 280.00             | 255.00 |
| WSU0611236  | 6.11          | 2.36        | 69                         | Watertank WS galvanized min. 0.8 mm |                      | 21              | 546               | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 407.00             | 382.00 |
| WSU0611312  | 6.11          | 3.12        | 91                         | Watertank WS galvanized min. 0.8 mm |                      | 28              | 728               | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 534.00             | 509.00 |
| WSU0611388  | 6.11          | 3.88        | 113                        | Watertank WS galvanized min. 0.8 mm |                      | 35              | 910               | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 662.00             | 637.00 |
| WSU0611464  | 6.11          | 4.64        | 136                        | Watertank WS galvanized min. 0.8 mm |                      | 42              | 1092              | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 789.00             | 764.00 |
| WS0637159   | 6.37          | 1.59        | 51                         | Watertank WS galvanized min. 0.8 mm |                      | 14              | 364               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 |                     | 290.00             | 265.00 |
| WS0637236   | 6.37          | 2.36        | 75                         | Watertank WS galvanized min. 0.8 mm |                      | 21              | 546               | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 422.00             | 397.00 |
| WS0637312   | 6.37          | 3.12        | 99                         | Watertank WS galvanized min. 0.8 mm |                      | 28              | 728               | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 554.00             | 529.00 |
| WS0637388   | 6.37          | 3.88        | 124                        | Watertank WS galvanized min. 0.8 mm |                      | 35              | 910               | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 686.00             | 661.00 |
| WS0637464   | 6.37          | 4.64        | 148                        | Watertank WS galvanized min. 0.8 mm |                      | 42              | 1092              | 1,0 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 850.00             | 825.00 |
| WSU0698159  | 6.98          | 1.59        | 61                         | Watertank WS galvanized min. 0.8 mm |                      | 16              | 416               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 |                     | 316.00             | 291.00 |
| WSU0698236  | 6.98          | 2.36        | 90                         | Watertank WS galvanized min. 0.8 mm |                      | 24              | 624               | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 462.00             | 437.00 |
| WSU0698312  | 6.98          | 3.12        | 119                        | Watertank WS galvanized min. 0.8 mm |                      | 32              | 832               | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 607.00             | 582.00 |
| WSU0698388  | 6.98          | 3.88        | 148                        | Watertank WS galvanized min. 0.8 mm |                      | 40              | 1040              | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 753.00             | 728.00 |
| WSU0698464  | 6.98          | 4.64        | 177                        | Watertank WS galvanized min. 0.8 mm |                      | 48              | 1248              | 1,0 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 933.00             | 908.00 |
| WS0728159   | 7.28          | 1.59        | 66                         | Watertank WS galvanized min. 0.8 mm |                      | 16              | 416               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 |                     | 327.00             | 302.00 |
| WS0728236   | 7.28          | 2.36        | 98                         | Watertank WS galvanized min. 0.8 mm |                      | 24              | 624               | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 478.00             | 453.00 |

APRIL 2021

| Article no. | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                         | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 |  | Gross weight<br>kgs | Nett Weight<br>kgs |
|-------------|---------------|-------------|----------------------------|-------------------------------------|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|--|---------------------|--------------------|
|             |               |             |                            |                                     | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |  |                     |                    |
| WS0728312   | 7.28          | 3.12        | 130                        | Watertank WS galvanized min. 0.8 mm |                          | 32              | 832               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |  | 629.00              | 604.00             |
| WS0728388   | 7.28          | 3.88        | 162                        | Watertank WS galvanized min. 0.8 mm |                          | 40              | 1040              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |  | 780.00              | 755.00             |
| WS0728464   | 7.28          | 4.64        | 193                        | Watertank WS galvanized min. 0.8 mm |                          | 48              | 1248              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |  | 967.00              | 942.00             |
| WSU0785159  | 7.85          | 1.59        | 77                         | Watertank WS galvanized min. 0.8 mm |                          | 18              | 468               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |  | 353.00              | 328.00             |
| WSU0785236  | 7.85          | 2.36        | 114                        | Watertank WS galvanized min. 0.8 mm |                          | 27              | 702               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |  | 516.00              | 491.00             |
| WSU0785312  | 7.85          | 3.12        | 151                        | Watertank WS galvanized min. 0.8 mm |                          | 36              | 936               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |  | 680.00              | 655.00             |
| WSU0785388  | 7.85          | 3.88        | 188                        | Watertank WS galvanized min. 0.8 mm |                          | 45              | 1170              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |  | 883.00              | 858.00             |
| WSU0785464  | 7.85          | 4.64        | 224                        | Watertank WS galvanized min. 0.8 mm |                          | 54              | 1404              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |  | 1124.00             | 1099.00            |
| WS0819159   | 8.19          | 1.59        | 84                         | Watertank WS galvanized min. 0.8 mm |                          | 18              | 468               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |  | 365.00              | 340.00             |
| WS0819236   | 8.19          | 2.36        | 124                        | Watertank WS galvanized min. 0.8 mm |                          | 27              | 702               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |  | 535.00              | 510.00             |
| WS0819312   | 8.19          | 3.12        | 164                        | Watertank WS galvanized min. 0.8 mm |                          | 36              | 936               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |  | 705.00              | 680.00             |
| WS0819388   | 8.19          | 3.88        | 204                        | Watertank WS galvanized min. 0.8 mm |                          | 45              | 1170              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |  | 915.00              | 890.00             |
| WS0819464   | 8.19          | 4.64        | 244                        | Watertank WS galvanized min. 0.8 mm |                          | 54              | 1404              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |  | 1166.00             | 1141.00            |
| WS0910159   | 9.10          | 1.59        | 103                        | Watertank WS galvanized min. 0.8 mm |                          | 20              | 520               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |  | 403.00              | 378.00             |
| WS0910236   | 9.10          | 2.36        | 153                        | Watertank WS galvanized min. 0.8 mm |                          | 30              | 780               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |  | 591.00              | 566.00             |
| WS0910312   | 9.10          | 3.12        | 203                        | Watertank WS galvanized min. 0.8 mm |                          | 40              | 1040              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |  | 780.00              | 755.00             |
| WS0910388   | 9.10          | 3.88        | 252                        | Watertank WS galvanized min. 0.8 mm |                          | 50              | 1300              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |  | 1014.00             | 989.00             |
| WS0910464   | 9.10          | 4.64        | 302                        | Watertank WS galvanized min. 0.8 mm |                          | 60              | 1560              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |  | 1293.00             | 1268.00            |
| WS1001159   | 10.01         | 1.59        | 125                        | Watertank WS galvanized min. 0.8 mm |                          | 22              | 572               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |  | 441.00              | 416.00             |
| WS1001236   | 10.01         | 2.36        | 186                        | Watertank WS galvanized min. 0.8 mm |                          | 33              | 858               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |  | 648.00              | 623.00             |
| WS1001312   | 10.01         | 3.12        | 246                        | Watertank WS galvanized min. 0.8 mm |                          | 44              | 1144              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |  | 906.00              | 881.00             |
| WS1001388   | 10.01         | 3.88        | 305                        | Watertank WS galvanized min. 0.8 mm |                          | 55              | 1430              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |  | 1212.00             | 1187.00            |
| WS1001464   | 10.01         | 4.64        | 365                        | Watertank WS galvanized min. 0.8 mm |                          | 66              | 1716              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |  | 1544.00             | 1494.00            |
| WS1092159   | 10.92         | 1.59        | 149                        | Watertank WS galvanized min. 0.8 mm |                          | 24              | 624               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |  | 478.00              | 453.00             |
| WS1092236   | 10.92         | 2.36        | 221                        | Watertank WS galvanized min. 0.8 mm |                          | 36              | 936               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |  | 705.00              | 680.00             |
| WS1092312   | 10.92         | 3.12        | 292                        | Watertank WS galvanized min. 0.8 mm |                          | 48              | 1248              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |  | 986.00              | 961.00             |
| WS1092388   | 10.92         | 3.88        | 363                        | Watertank WS galvanized min. 0.8 mm |                          | 60              | 1560              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |  | 1345.00             | 1295.00            |
| WS1092464   | 10.92         | 4.64        | 435                        | Watertank WS galvanized min. 0.8 mm |                          | 72              | 1872              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |  | 1679.00             | 1629.00            |
| WS1183159   | 11.83         | 1.59        | 175                        | Watertank WS galvanized min. 0.8 mm |                          | 26              | 676               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |  | 516.00              | 491.00             |
| WS1183236   | 11.83         | 2.36        | 259                        | Watertank WS galvanized min. 0.8 mm |                          | 39              | 1014              | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |  | 761.00              | 736.00             |
| WS1183312   | 11.83         | 3.12        | 343                        | Watertank WS galvanized min. 0.8 mm |                          | 52              | 1352              | 1,2 mm S350          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |  | 1123.00             | 1098.00            |
| WS1183388   | 11.83         | 3.88        | 426                        | Watertank WS galvanized min. 0.8 mm |                          | 65              | 1690              | 1,2 mm S350          | 1,2 mm S350     | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |  | 1511.00             | 1461.00            |
| WS1183464   | 11.83         | 4.64        | 510                        | Watertank WS galvanized min. 0.8 mm |                          | 78              | 2028              | 1,5 mm S350          | 1,2 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |  | 1958.00             | 1908.00            |
| WS1275159   | 12.75         | 1.59        | 203                        | Watertank WS galvanized min. 0.8 mm |                          | 28              | 728               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |  | 554.00              | 529.00             |
| WS1275236   | 12.75         | 2.36        | 301                        | Watertank WS galvanized min. 0.8 mm |                          | 42              | 1092              | 1,0 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |  | 882.00              | 857.00             |
| WS1275312   | 12.75         | 3.12        | 398                        | Watertank WS galvanized min. 0.8 mm |                          | 56              | 1456              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |  | 1272.00             | 1247.00            |
| WS1275388   | 12.75         | 3.88        | 495                        | Watertank WS galvanized min. 0.8 mm |                          | 70              | 1820              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |  | 1687.00             | 1637.00            |
| WS1275464   | 12.75         | 4.64        | 592                        | Watertank WS galvanized min. 0.8 mm |                          | 84              | 2184              | 1,5 mm S350          | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |  | 2168.00             | 2118.00            |
| WS1366159   | 13.66         | 1.59        | 233                        | Watertank WS galvanized min. 0.8 mm |                          | 30              | 780               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |  | 591.00              | 566.00             |
| WS1366236   | 13.66         | 2.36        | 346                        | Watertank WS galvanized min. 0.8 mm |                          | 45              | 1170              | 1,0 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |  | 943.00              | 918.00             |
| WS1366312   | 13.66         | 3.12        | 457                        | Watertank WS galvanized min. 0.8 mm |                          | 60              | 1560              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |  | 1386.00             | 1336.00            |
| WS1366388   | 13.66         | 3.88        | 569                        | Watertank WS galvanized min. 0.8 mm |                          | 75              | 1950              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |  | 1902.00             | 1852.00            |
| WS1366464   | 13.66         | 4.64        | 680                        | Watertank WS galvanized min. 0.8 mm |                          | 90              | 2340              | 1,5 mm S350          | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |  | 2443.00             | 2368.00            |

APRIL 2021

| Article no. | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                         | Bury Tank<br>minimum | Total<br>Plates | Total<br>Boltsets | Plate Thickness per Ring |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |
|-------------|---------------|-------------|----------------------------|-------------------------------------|----------------------|-----------------|-------------------|--------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|
|             |               |             |                            |                                     |                      |                 |                   | Bottom Ring<br>0,81m     | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |
| WS1457159   | 14.57         | 1.59        | 265                        | Watertank WS galvanized min. 0.8 mm |                      | 32              | 832               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 629.00              | 604.00             |
| WS1457236   | 14.57         | 2.36        | 393                        | Watertank WS galvanized min. 0.8 mm |                      | 48              | 1248              | 1,0 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 1004.00             | 979.00             |
| WS1457312   | 14.57         | 3.12        | 520                        | Watertank WS galvanized min. 0.8 mm |                      | 64              | 1664              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1475.00             | 1425.00            |
| WS1457388   | 14.57         | 3.88        | 647                        | Watertank WS galvanized min. 0.8 mm |                      | 80              | 2080              | 1,5 mm S350              | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 2025.00             | 1975.00            |
| WS1457464   | 14.57         | 4.64        | 773                        | Watertank WS galvanized min. 0.8 mm |                      | 96              | 2496              | 1,85 mm S350             | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 | 2718.00             | 2643.00            |
| WS1548159   | 15.48         | 1.59        | 299                        | Watertank WS galvanized min. 0.8 mm |                      | 34              | 884               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 667.00              | 642.00             |
| WS1548236   | 15.48         | 2.36        | 444                        | Watertank WS galvanized min. 0.8 mm |                      | 51              | 1326              | 1,0 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 1065.00             | 1040.00            |
| WS1548312   | 15.48         | 3.12        | 587                        | Watertank WS galvanized min. 0.8 mm |                      | 68              | 1768              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1564.00             | 1514.00            |
| WS1548388   | 15.48         | 3.88        | 730                        | Watertank WS galvanized min. 0.8 mm |                      | 85              | 2210              | 1,5 mm S350              | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 2149.00             | 2099.00            |
| WS1639159   | 16.39         | 1.59        | 335                        | Watertank WS galvanized min. 0.8 mm |                      | 36              | 936               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 705.00              | 680.00             |
| WS1639236   | 16.39         | 2.36        | 498                        | Watertank WS galvanized min. 0.8 mm |                      | 54              | 1404              | 1,2 mm S350              | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 1206.00             | 1181.00            |
| WS1639312   | 16.39         | 3.12        | 658                        | Watertank WS galvanized min. 0.8 mm |                      | 72              | 1872              | 1,2 mm S350              | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1733.00             | 1683.00            |
| WS1639388   | 16.39         | 3.88        | 819                        | Watertank WS galvanized min. 0.8 mm |                      | 90              | 2340              | 1,5 mm S350              | 1,2 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 | 2352.00             | 2302.00            |
| WS1730159   | 17.30         | 1.59        | 374                        | Watertank WS galvanized min. 0.8 mm |                      | 38              | 988               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 742.00              | 717.00             |
| WS1730236   | 17.30         | 2.36        | 555                        | Watertank WS galvanized min. 0.8 mm |                      | 57              | 1482              | 1,2 mm S350              | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 1272.00             | 1247.00            |
| WS1730312   | 17.30         | 3.12        | 733                        | Watertank WS galvanized min. 0.8 mm |                      | 76              | 1976              | 1,5 mm S350              | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1951.00             | 1901.00            |
| WS1730388   | 17.30         | 3.88        | 912                        | Watertank WS galvanized min. 0.8 mm |                      | 95              | 2470              | 1,85 mm S350             | 1,5 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 | 2768.00             | 2693.00            |
| WS1821159   | 18.21         | 1.59        | 414                        | Watertank WS galvanized min. 0.8 mm |                      | 40              | 1040              | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 780.00              | 755.00             |
| WS1821236   | 18.21         | 2.36        | 615                        | Watertank WS galvanized min. 0.8 mm |                      | 60              | 1560              | 1,2 mm S350              | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 1362.00             | 1312.00            |
| WS1821312   | 18.21         | 3.12        | 813                        | Watertank WS galvanized min. 0.8 mm |                      | 80              | 2080              | 1,5 mm S350              | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                 | 2051.00             | 2001.00            |
| WS1912159   | 19.12         | 1.59        | 457                        | Watertank WS galvanized min. 0.8 mm |                      | 42              | 1092              | 1,0 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 913.00              | 888.00             |
| WS1912236   | 19.12         | 2.36        | 678                        | Watertank WS galvanized min. 0.8 mm |                      | 63              | 1638              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 | 1524.00             | 1474.00            |
| WS1912312   | 19.12         | 3.12        | 896                        | Watertank WS galvanized min. 0.8 mm |                      | 84              | 2184              | 1,5 mm S350              | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 | 2271.00             | 2196.00            |
| WS2003159   | 20.03         | 1.59        | 501                        | Watertank WS galvanized min. 0.8 mm |                      | 44              | 1144              | 1,0 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 956.00              | 931.00             |
| WS2003236   | 20.03         | 2.36        | 744                        | Watertank WS galvanized min. 0.8 mm |                      | 66              | 1716              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 | 1594.00             | 1544.00            |
| WS2003312   | 20.03         | 3.12        | 983                        | Watertank WS galvanized min. 0.8 mm |                      | 88              | 2288              | 1,5 mm S350              | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 | 2376.00             | 2301.00            |
| WS2094159   | 20.94         | 1.59        | 548                        | Watertank WS galvanized min. 0.8 mm |                      | 46              | 1196              | 1,0 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 998.00              | 973.00             |
| WS2094236   | 20.94         | 2.36        | 813                        | Watertank WS galvanized min. 0.8 mm |                      | 69              | 1794              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 | 1664.00             | 1614.00            |
| WS2094312   | 20.94         | 3.12        | 1074                       | Watertank WS galvanized min. 0.8 mm |                      | 92              | 2392              | 1,85 mm S350             | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 | 2648.00             | 2573.00            |
| WS2185159   | 21.85         | 1.59        | 596                        | Watertank WS galvanized min. 0.8 mm |                      | 48              | 1248              | 1,0 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 1040.00             | 1015.00            |
| WS2185236   | 21.85         | 2.36        | 885                        | Watertank WS galvanized min. 0.8 mm |                      | 72              | 1872              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 | 1734.00             | 1684.00            |
| WS2185312   | 21.85         | 3.12        | 1170                       | Watertank WS galvanized min. 0.8 mm |                      | 96              | 2496              | 1,85 mm S350             | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 | 2760.00             | 2685.00            |
| WS2276159   | 22.76         | 1.59        | 647                        | Watertank WS galvanized min. 0.8 mm |                      | 50              | 1300              | 1,0 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 1083.00             | 1058.00            |
| WS2276236   | 22.76         | 2.36        | 960                        | Watertank WS galvanized min. 0.8 mm |                      | 75              | 1950              | 1,5 mm S350              | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 | 1968.00             | 1918.00            |
| WS2367159   | 23.67         | 1.59        | 700                        | Watertank WS galvanized min. 0.8 mm |                      | 52              | 1352              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 | 1240.00             | 1215.00            |
| WS2367236   | 23.67         | 2.36        | 1038                       | Watertank WS galvanized min. 0.8 mm |                      | 78              | 2028              | 1,5 mm S350              | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 | 2160.00             | 2110.00            |
| WS2458159   | 24.58         | 1.59        | 754                        | Watertank WS galvanized min. 0.8 mm |                      | 54              | 1404              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 | 1287.00             | 1262.00            |
| WS2458236   | 24.58         | 2.36        | 1120                       | Watertank WS galvanized min. 0.8 mm |                      | 81              | 2106              | 1,5 mm S350              | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 | 2241.00             | 2191.00            |
| WS2549159   | 25.49         | 1.59        | 811                        | Watertank WS galvanized min. 0.8 mm |                      | 56              | 1456              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 | 1359.00             | 1309.00            |
| WS2549236   | 25.49         | 2.36        | 1204                       | Watertank WS galvanized min. 0.8 mm |                      | 84              | 2184              | 1,5 mm S350              | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 | 2347.00             | 2272.00            |
| WS2640159   | 26.40         | 1.59        | 870                        | Watertank WS galvanized min. 0.8 mm |                      | 58              | 1508              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 | 1406.00             | 1356.00            |
| WS2640236   | 26.40         | 2.36        | 1292                       | Watertank WS galvanized min. 0.8 mm |                      | 87              | 2262              | 1,5 mm S350              | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 | 2429.00             | 2354.00            |
| WS2731159   | 27.31         | 1.59        | 931                        | Watertank WS galvanized min. 0.8 mm |                      | 60              | 1560              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 | 1452.00             | 1402.00            |

APRIL 2021

| Article no. | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                         | Bury Tank<br>minimum | Total<br>Plates | Total<br>Boltsets | Plate Thickness per Ring |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |         |
|-------------|---------------|-------------|----------------------------|-------------------------------------|----------------------|-----------------|-------------------|--------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|---------|
|             |               |             |                            |                                     |                      |                 |                   | Bottom Ring<br>0,81m     | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |         |
| WS2731236   | 27.31         | 2.36        | 1382                       | Watertank WS galvanized min. 0.8 mm |                      | 90              | 2340              | 1,5 mm S350              | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2510.00            | 2435.00 |
| WS2822159   | 28.22         | 1.59        | 994                        | Watertank WS galvanized min. 0.8 mm |                      | 62              | 1612              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1499.00            | 1449.00 |
| WS2822236   | 28.22         | 2.36        | 1476                       | Watertank WS galvanized min. 0.8 mm |                      | 93              | 2418              | 1,85 mm S350             | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2842.00            | 2742.00 |
| WS2913159   | 29.13         | 1.59        | 1060                       | Watertank WS galvanized min. 0.8 mm |                      | 64              | 1664              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1546.00            | 1496.00 |
| WS2913236   | 29.13         | 2.36        | 1573                       | Watertank WS galvanized min. 0.8 mm |                      | 96              | 2496              | 1,85 mm S350             | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2931.00            | 2831.00 |
| WS3004159   | 30.04         | 1.59        | 1127                       | Watertank WS galvanized min. 0.8 mm |                      | 66              | 1716              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1593.00            | 1543.00 |
| WS3004236   | 30.04         | 2.36        | 1673                       | Watertank WS galvanized min. 0.8 mm |                      | 99              | 2574              | 1,85 mm S350             | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 3019.00            | 2919.00 |
| WS3095159   | 30.95         | 1.59        | 1196                       | Watertank WS galvanized min. 0.8 mm |                      | 68              | 1768              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1639.00            | 1589.00 |
| WS3095236   | 30.95         | 2.36        | 1776                       | Watertank WS galvanized min. 0.8 mm |                      | 102             | 2652              | 1,85 mm S350             | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 3108.00            | 3008.00 |

|              |      |      |     |  |  |    |      |        |        |        |        |        |        |  |  |        |        |
|--------------|------|------|-----|--|--|----|------|--------|--------|--------|--------|--------|--------|--|--|--------|--------|
| WS1C0182159  | 1.82 | 1.59 | 4   | Watertank WS bottomring coated min. 0.8 mm |  | 4  | 104  | 0,8 mm | 0,8 mm |        |        |        |        |  |  | 102.00 | 77.00  |
| WS1C0182236  | 1.82 | 2.36 | 6   | Watertank WS bottomring coated min. 0.8 mm |  | 6  | 156  | 0,8 mm | 0,8 mm | 0,8 mm |        |        |        |  |  | 139.00 | 114.00 |
| WS1C0182312  | 1.82 | 3.12 | 8   | Watertank WS bottomring coated min. 0.8 mm |  | 8  | 208  | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |        |  |  | 177.00 | 152.00 |
| WS1C0182388  | 1.82 | 3.88 | 10  | Watertank WS bottomring coated min. 0.8 mm |  | 10 | 260  | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |  |  | 215.00 | 190.00 |
| WS1C0182464  | 1.82 | 4.64 | 12  | Watertank WS bottomring coated min. 0.8 mm |  | 12 | 312  | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |  |  | 253.00 | 228.00 |
| WS1C0273159  | 2.73 | 1.59 | 9   | Watertank WS bottomring coated min. 0.8 mm |  | 6  | 156  | 0,8 mm | 0,8 mm |        |        |        |        |  |  | 140.00 | 115.00 |
| WS1C0273236  | 2.73 | 2.36 | 14  | Watertank WS bottomring coated min. 0.8 mm |  | 9  | 234  | 0,8 mm | 0,8 mm | 0,8 mm |        |        |        |  |  | 196.00 | 171.00 |
| WS1C0273312  | 2.73 | 3.12 | 18  | Watertank WS bottomring coated min. 0.8 mm |  | 12 | 312  | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |        |  |  | 253.00 | 228.00 |
| WS1C0273388  | 2.73 | 3.88 | 23  | Watertank WS bottomring coated min. 0.8 mm |  | 15 | 390  | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |  |  | 309.00 | 284.00 |
| WS1C0273464  | 2.73 | 4.64 | 27  | Watertank WS bottomring coated min. 0.8 mm |  | 18 | 468  | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |  |  | 366.00 | 341.00 |
| WS1C0364159  | 3.64 | 1.59 | 17  | Watertank WS bottomring coated min. 0.8 mm |  | 8  | 208  | 0,8 mm | 0,8 mm |        |        |        |        |  |  | 178.00 | 153.00 |
| WS1C0364236  | 3.64 | 2.36 | 25  | Watertank WS bottomring coated min. 0.8 mm |  | 12 | 312  | 0,8 mm | 0,8 mm | 0,8 mm |        |        |        |  |  | 253.00 | 228.00 |
| WS1C0364312  | 3.64 | 3.12 | 32  | Watertank WS bottomring coated min. 0.8 mm |  | 16 | 416  | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |        |  |  | 329.00 | 304.00 |
| WS1C0364388  | 3.64 | 3.88 | 40  | Watertank WS bottomring coated min. 0.8 mm |  | 20 | 520  | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |  |  | 404.00 | 379.00 |
| WS1C0364464  | 3.64 | 4.64 | 48  | Watertank WS bottomring coated min. 0.8 mm |  | 24 | 624  | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |  |  | 480.00 | 455.00 |
| WS1C0455159  | 4.55 | 1.59 | 26  | Watertank WS bottomring coated min. 0.8 mm |  | 10 | 260  | 0,8 mm | 0,8 mm |        |        |        |        |  |  | 216.00 | 191.00 |
| WS1C0455236  | 4.55 | 2.36 | 38  | Watertank WS bottomring coated min. 0.8 mm |  | 15 | 390  | 0,8 mm | 0,8 mm | 0,8 mm |        |        |        |  |  | 310.00 | 285.00 |
| WS1C0455312  | 4.55 | 3.12 | 51  | Watertank WS bottomring coated min. 0.8 mm |  | 20 | 520  | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |        |  |  | 404.00 | 379.00 |
| WS1C0455388  | 4.55 | 3.88 | 63  | Watertank WS bottomring coated min. 0.8 mm |  | 25 | 650  | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |  |  | 499.00 | 474.00 |
| WS1C0455464  | 4.55 | 4.64 | 75  | Watertank WS bottomring coated min. 0.8 mm |  | 30 | 780  | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |  |  | 593.00 | 568.00 |
| WS1C0546159  | 5.46 | 1.59 | 37  | Watertank WS bottomring coated min. 0.8 mm |  | 12 | 312  | 0,8 mm | 0,8 mm |        |        |        |        |  |  | 254.00 | 229.00 |
| WS1C0546236  | 5.46 | 2.36 | 55  | Watertank WS bottomring coated min. 0.8 mm |  | 18 | 468  | 0,8 mm | 0,8 mm | 0,8 mm |        |        |        |  |  | 367.00 | 342.00 |
| WS1C0546312  | 5.46 | 3.12 | 73  | Watertank WS bottomring coated min. 0.8 mm |  | 24 | 624  | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |        |  |  | 480.00 | 455.00 |
| WS1C0546388  | 5.46 | 3.88 | 91  | Watertank WS bottomring coated min. 0.8 mm |  | 30 | 780  | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |  |  | 593.00 | 568.00 |
| WS1C0546464  | 5.46 | 4.64 | 109 | Watertank WS bottomring coated min. 0.8 mm |  | 36 | 936  | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |  |  | 707.00 | 682.00 |
| WSU1C0611159 | 6.11 | 1.59 | 46  | Watertank WS bottomring coated min. 0.8 mm |  | 14 | 364  | 0,8 mm | 0,8 mm |        |        |        |        |  |  | 282.00 | 257.00 |
| WSU1C0611236 | 6.11 | 2.36 | 69  | Watertank WS bottomring coated min. 0.8 mm |  | 21 | 546  | 0,8 mm | 0,8 mm | 0,8 mm |        |        |        |  |  | 409.00 | 384.00 |
| WSU1C0611312 | 6.11 | 3.12 | 91  | Watertank WS bottomring coated min. 0.8 mm |  | 28 | 728  | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |        |  |  | 537.00 | 512.00 |
| WSU1C0611388 | 6.11 | 3.88 | 113 | Watertank WS bottomring coated min. 0.8 mm |  | 35 | 910  | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |  |  | 664.00 | 639.00 |
| WSU1C0611464 | 6.11 | 4.64 | 136 | Watertank WS bottomring coated min. 0.8 mm |  | 42 | 1092 | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |  |  | 791.00 | 766.00 |
| WS1C0637159  | 6.37 | 1.59 | 51  | Watertank WS bottomring coated min. 0.8 mm |  | 14 | 364  | 0,8 mm | 0,8 mm |        |        |        |        |  |  | 292.00 | 267.00 |
| WS1C0637236  | 6.37 | 2.36 | 75  | Watertank WS bottomring coated min. 0.8 mm |  | 21 | 546  | 0,8 mm | 0,8 mm | 0,8 mm |        |        |        |  |  | 424.00 | 399.00 |
| WS1C0637312  | 6.37 | 3.12 | 99  | Watertank WS bottomring coated min. 0.8 mm |  | 28 | 728  | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |        |  |  | 556.00 | 531.00 |

APRIL 2021

| Article no.  | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                                | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 |         | Gross weight<br>kgs | Nett Weight<br>kgs |
|--------------|---------------|-------------|----------------------------|--|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------|---------------------|--------------------|
|              |               |             |                            |  | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |         |                     |                    |
| WS1C0637388  | 6.37          | 3.88        | 124                        | Watertank WS bottomring coated min. 0.8 mm |                          | 35              | 910               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 688.00  | 663.00              |                    |
| WS1C0637464  | 6.37          | 4.64        | 148                        | Watertank WS bottomring coated min. 0.8 mm |                          | 42              | 1092              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 862.00  | 837.00              |                    |
| WSU1C0698159 | 6.98          | 1.59        | 61                         | Watertank WS bottomring coated min. 0.8 mm |                          | 16              | 416               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 319.00  | 294.00              |                    |
| WSU1C0698236 | 6.98          | 2.36        | 90                         | Watertank WS bottomring coated min. 0.8 mm |                          | 24              | 624               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 464.00  | 439.00              |                    |
| WSU1C0698312 | 6.98          | 3.12        | 119                        | Watertank WS bottomring coated min. 0.8 mm |                          | 32              | 832               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 610.00  | 585.00              |                    |
| WSU1C0698388 | 6.98          | 3.88        | 148                        | Watertank WS bottomring coated min. 0.8 mm |                          | 40              | 1040              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 755.00  | 730.00              |                    |
| WSU1C0698464 | 6.98          | 4.64        | 177                        | Watertank WS bottomring coated min. 0.8 mm |                          | 48              | 1248              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 947.00  | 922.00              |                    |
| WS1C0728159  | 7.28          | 1.59        | 66                         | Watertank WS bottomring coated min. 0.8 mm |                          | 16              | 416               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 330.00  | 305.00              |                    |
| WS1C0728236  | 7.28          | 2.36        | 98                         | Watertank WS bottomring coated min. 0.8 mm |                          | 24              | 624               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 481.00  | 456.00              |                    |
| WS1C0728312  | 7.28          | 3.12        | 130                        | Watertank WS bottomring coated min. 0.8 mm |                          | 32              | 832               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 632.00  | 607.00              |                    |
| WS1C0728388  | 7.28          | 3.88        | 162                        | Watertank WS bottomring coated min. 0.8 mm |                          | 40              | 1040              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 783.00  | 758.00              |                    |
| WS1C0728464  | 7.28          | 4.64        | 193                        | Watertank WS bottomring coated min. 0.8 mm |                          | 48              | 1248              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 982.00  | 957.00              |                    |
| WSU1C0785159 | 7.85          | 1.59        | 77                         | Watertank WS bottomring coated min. 0.8 mm |                          | 18              | 468               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 356.00  | 331.00              |                    |
| WSU1C0785236 | 7.85          | 2.36        | 114                        | Watertank WS bottomring coated min. 0.8 mm |                          | 27              | 702               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 519.00  | 494.00              |                    |
| WSU1C0785312 | 7.85          | 3.12        | 151                        | Watertank WS bottomring coated min. 0.8 mm |                          | 36              | 936               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 683.00  | 658.00              |                    |
| WSU1C0785388 | 7.85          | 3.88        | 188                        | Watertank WS bottomring coated min. 0.8 mm |                          | 45              | 1170              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 898.00  | 873.00              |                    |
| WSU1C0785464 | 7.85          | 4.64        | 224                        | Watertank WS bottomring coated min. 0.8 mm |                          | 54              | 1404              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1154.00 | 1129.00             |                    |
| WS1C0819159  | 8.19          | 1.59        | 84                         | Watertank WS bottomring coated min. 0.8 mm |                          | 18              | 468               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 368.00  | 343.00              |                    |
| WS1C0819236  | 8.19          | 2.36        | 124                        | Watertank WS bottomring coated min. 0.8 mm |                          | 27              | 702               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 538.00  | 513.00              |                    |
| WS1C0819312  | 8.19          | 3.12        | 164                        | Watertank WS bottomring coated min. 0.8 mm |                          | 36              | 936               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 708.00  | 683.00              |                    |
| WS1C0819388  | 8.19          | 3.88        | 204                        | Watertank WS bottomring coated min. 0.8 mm |                          | 45              | 1170              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 932.00  | 907.00              |                    |
| WS1C0819464  | 8.19          | 4.64        | 244                        | Watertank WS bottomring coated min. 0.8 mm |                          | 54              | 1404              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1219.00 | 1194.00             |                    |
| WS1C0910159  | 9.10          | 1.59        | 103                        | Watertank WS bottomring coated min. 0.8 mm |                          | 20              | 520               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 406.00  | 381.00              |                    |
| WS1C0910236  | 9.10          | 2.36        | 153                        | Watertank WS bottomring coated min. 0.8 mm |                          | 30              | 780               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 595.00  | 570.00              |                    |
| WS1C0910312  | 9.10          | 3.12        | 203                        | Watertank WS bottomring coated min. 0.8 mm |                          | 40              | 1040              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 783.00  | 758.00              |                    |
| WS1C0910388  | 9.10          | 3.88        | 252                        | Watertank WS bottomring coated min. 0.8 mm |                          | 50              | 1300              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 1033.00 | 1008.00             |                    |
| WS1C0910464  | 9.10          | 4.64        | 302                        | Watertank WS bottomring coated min. 0.8 mm |                          | 60              | 1560              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1376.00 | 1326.00             |                    |
| WS1C1001159  | 10.01         | 1.59        | 125                        | Watertank WS bottomring coated min. 0.8 mm |                          | 22              | 572               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 444.00  | 419.00              |                    |
| WS1C1001236  | 10.01         | 2.36        | 186                        | Watertank WS bottomring coated min. 0.8 mm |                          | 33              | 858               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 652.00  | 627.00              |                    |
| WS1C1001312  | 10.01         | 3.12        | 246                        | Watertank WS bottomring coated min. 0.8 mm |                          | 44              | 1144              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 926.00  | 901.00              |                    |
| WS1C1001388  | 10.01         | 3.88        | 305                        | Watertank WS bottomring coated min. 0.8 mm |                          | 55              | 1430              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 1276.00 | 1251.00             |                    |
| WS1C1001464  | 10.01         | 4.64        | 365                        | Watertank WS bottomring coated min. 0.8 mm |                          | 66              | 1716              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1608.00 | 1558.00             |                    |
| WS1C1092159  | 10.92         | 1.59        | 149                        | Watertank WS bottomring coated min. 0.8 mm |                          | 24              | 624               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 482.00  | 457.00              |                    |
| WS1C1092236  | 10.92         | 2.36        | 221                        | Watertank WS bottomring coated min. 0.8 mm |                          | 36              | 936               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 709.00  | 684.00              |                    |
| WS1C1092312  | 10.92         | 3.12        | 292                        | Watertank WS bottomring coated min. 0.8 mm |                          | 48              | 1248              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1008.00 | 983.00              |                    |
| WS1C1092388  | 10.92         | 3.88        | 363                        | Watertank WS bottomring coated min. 0.8 mm |                          | 60              | 1560              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 1415.00 | 1365.00             |                    |
| WS1C1092464  | 10.92         | 4.64        | 435                        | Watertank WS bottomring coated min. 0.8 mm |                          | 72              | 1872              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1750.00 | 1700.00             |                    |
| WS1C1183159  | 11.83         | 1.59        | 175                        | Watertank WS bottomring coated min. 0.8 mm |                          | 26              | 676               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 520.00  | 495.00              |                    |
| WS1C1183236  | 11.83         | 2.36        | 259                        | Watertank WS bottomring coated min. 0.8 mm |                          | 39              | 1014              | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 766.00  | 741.00              |                    |
| WS1C1183312  | 11.83         | 3.12        | 343                        | Watertank WS bottomring coated min. 0.8 mm |                          | 52              | 1352              | 1,2 mm S350          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1199.00 | 1174.00             |                    |
| WS1C1183388  | 11.83         | 3.88        | 426                        | Watertank WS bottomring coated min. 0.8 mm |                          | 65              | 1690              | 1,2 mm S350          | 1,2 mm S350     | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 1587.00 | 1537.00             |                    |
| WS1C1183464  | 11.83         | 4.64        | 510                        | Watertank WS bottomring coated min. 0.8 mm |                          | 78              | 2028              | 1,2 mm S320          | 1,2 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1955.00 | 1905.00             |                    |
| WS1C1275159  | 12.75         | 1.59        | 203                        | Watertank WS bottomring coated min. 0.8 mm |                          | 28              | 728               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 558.00  | 533.00              |                    |

**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no. | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                                | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |         |
|-------------|---------------|-------------|----------------------------|--|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|---------|
|             |               |             |                            |  | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |         |
| WS1C1275236 | 12.75         | 2.36        | 301                        | Watertank WS bottomring coated min. 0.8 mm |                          | 42              | 1092              | 1,0 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 907.00             | 882.00  |
| WS1C1275312 | 12.75         | 3.12        | 398                        | Watertank WS bottomring coated min. 0.8 mm |                          | 56              | 1456              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 1378.00            | 1328.00 |
| WS1C1275388 | 12.75         | 3.88        | 495                        | Watertank WS bottomring coated min. 0.8 mm |                          | 70              | 1820              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 1769.00            | 1719.00 |
| WS1C1275464 | 12.75         | 4.64        | 592                        | Watertank WS bottomring coated min. 0.8 mm |                          | 84              | 2184              | 1,5 mm S350          | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 2190.00            | 2115.00 |
| WS1C1366159 | 13.66         | 1.59        | 233                        | Watertank WS bottomring coated min. 0.8 mm |                          | 30              | 780               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 596.00             | 571.00  |
| WS1C1366236 | 13.66         | 2.36        | 346                        | Watertank WS bottomring coated min. 0.8 mm |                          | 45              | 1170              | 1,0 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 970.00             | 945.00  |
| WS1C1366312 | 13.66         | 3.12        | 457                        | Watertank WS bottomring coated min. 0.8 mm |                          | 60              | 1560              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 1473.00            | 1423.00 |
| WS1C1366388 | 13.66         | 3.88        | 569                        | Watertank WS bottomring coated min. 0.8 mm |                          | 75              | 1950              | 1,2 mm S320          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 1899.00            | 1849.00 |
| WS1C1366464 | 13.66         | 4.64        | 680                        | Watertank WS bottomring coated min. 0.8 mm |                          | 90              | 2340              | 1,5 mm S350          | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 2465.00            | 2365.00 |
| WS1C1457159 | 14.57         | 1.59        | 265                        | Watertank WS bottomring coated min. 0.8 mm |                          | 32              | 832               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 635.00             | 610.00  |
| WS1C1457236 | 14.57         | 2.36        | 393                        | Watertank WS bottomring coated min. 0.8 mm |                          | 48              | 1248              | 1,0 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1033.00            | 1008.00 |
| WS1C1457312 | 14.57         | 3.12        | 520                        | Watertank WS bottomring coated min. 0.8 mm |                          | 64              | 1664              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 1568.00            | 1518.00 |
| WS1C1457388 | 14.57         | 3.88        | 647                        | Watertank WS bottomring coated min. 0.8 mm |                          | 80              | 2080              | 1,2 mm S320          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 2022.00            | 1972.00 |
| WS1C1457464 | 14.57         | 4.64        | 773                        | Watertank WS bottomring coated min. 0.8 mm |                          | 96              | 2496              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 2743.00            | 2643.00 |
| WS1C1548159 | 15.48         | 1.59        | 299                        | Watertank WS bottomring coated min. 0.8 mm |                          | 34              | 884               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 673.00             | 648.00  |
| WS1C1548236 | 15.48         | 2.36        | 444                        | Watertank WS bottomring coated min. 0.8 mm |                          | 51              | 1326              | 1,0 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1096.00            | 1071.00 |
| WS1C1548312 | 15.48         | 3.12        | 587                        | Watertank WS bottomring coated min. 0.8 mm |                          | 68              | 1768              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 1663.00            | 1613.00 |
| WS1C1548388 | 15.48         | 3.88        | 730                        | Watertank WS bottomring coated min. 0.8 mm |                          | 85              | 2210              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 2170.00            | 2095.00 |
| WS1C1639159 | 16.39         | 1.59        | 335                        | Watertank WS bottomring coated min. 0.8 mm |                          | 36              | 936               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 711.00             | 686.00  |
| WS1C1639236 | 16.39         | 2.36        | 498                        | Watertank WS bottomring coated min. 0.8 mm |                          | 54              | 1404              | 1,2 mm S350          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1336.00            | 1286.00 |
| WS1C1639312 | 16.39         | 3.12        | 658                        | Watertank WS bottomring coated min. 0.8 mm |                          | 72              | 1872              | 1,2 mm S350          | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 1838.00            | 1788.00 |
| WS1C1639388 | 16.39         | 3.88        | 819                        | Watertank WS bottomring coated min. 0.8 mm |                          | 90              | 2340              | 1,5 mm S350          | 1,2 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                     | 2373.00            | 2298.00 |
| WS1C1730159 | 17.30         | 1.59        | 374                        | Watertank WS bottomring coated min. 0.8 mm |                          | 38              | 988               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 749.00             | 724.00  |
| WS1C1730236 | 17.30         | 2.36        | 555                        | Watertank WS bottomring coated min. 0.8 mm |                          | 57              | 1482              | 1,2 mm S350          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1408.00            | 1358.00 |
| WS1C1730312 | 17.30         | 3.12        | 733                        | Watertank WS bottomring coated min. 0.8 mm |                          | 76              | 1976              | 1,2 mm S320          | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 1946.00            | 1896.00 |
| WS1C1730388 | 17.30         | 3.88        | 912                        | Watertank WS bottomring coated min. 0.8 mm |                          | 95              | 2470              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                     | 2768.00            | 2693.00 |
| WS1C1821159 | 18.21         | 1.59        | 414                        | Watertank WS bottomring coated min. 0.8 mm |                          | 40              | 1040              | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 787.00             | 762.00  |
| WS1C1821236 | 18.21         | 2.36        | 615                        | Watertank WS bottomring coated min. 0.8 mm |                          | 60              | 1560              | 1,2 mm S350          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1479.00            | 1429.00 |
| WS1C1821312 | 18.21         | 3.12        | 813                        | Watertank WS bottomring coated min. 0.8 mm |                          | 80              | 2080              | 1,2 mm S320          | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 2046.00            | 1996.00 |
| WS1C1912159 | 19.12         | 1.59        | 457                        | Watertank WS bottomring coated min. 0.8 mm |                          | 42              | 1092              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 952.00             | 927.00  |
| WS1C1912236 | 19.12         | 2.36        | 678                        | Watertank WS bottomring coated min. 0.8 mm |                          | 63              | 1638              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1646.00            | 1596.00 |
| WS1C1912312 | 19.12         | 3.12        | 896                        | Watertank WS bottomring coated min. 0.8 mm |                          | 84              | 2184              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |                     | 2267.00            | 2192.00 |
| WS1C2003159 | 20.03         | 1.59        | 501                        | Watertank WS bottomring coated min. 0.8 mm |                          | 44              | 1144              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 996.00             | 971.00  |
| WS1C2003236 | 20.03         | 2.36        | 744                        | Watertank WS bottomring coated min. 0.8 mm |                          | 66              | 1716              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1722.00            | 1672.00 |
| WS1C2003312 | 20.03         | 3.12        | 983                        | Watertank WS bottomring coated min. 0.8 mm |                          | 88              | 2288              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |                     | 2371.00            | 2296.00 |
| WS1C2094159 | 20.94         | 1.59        | 548                        | Watertank WS bottomring coated min. 0.8 mm |                          | 46              | 1196              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1040.00            | 1015.00 |
| WS1C2094236 | 20.94         | 2.36        | 813                        | Watertank WS bottomring coated min. 0.8 mm |                          | 69              | 1794              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1798.00            | 1748.00 |
| WS1C2094312 | 20.94         | 3.12        | 1074                       | Watertank WS bottomring coated min. 0.8 mm |                          | 92              | 2392              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |                     | 2648.00            | 2573.00 |
| WS1C2185159 | 21.85         | 1.59        | 596                        | Watertank WS bottomring coated min. 0.8 mm |                          | 48              | 1248              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1084.00            | 1059.00 |
| WS1C2185236 | 21.85         | 2.36        | 885                        | Watertank WS bottomring coated min. 0.8 mm |                          | 72              | 1872              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1874.00            | 1824.00 |
| WS1C2185312 | 21.85         | 3.12        | 1170                       | Watertank WS bottomring coated min. 0.8 mm |                          | 96              | 2496              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |                     | 2760.00            | 2685.00 |
| WS1C2276159 | 22.76         | 1.59        | 647                        | Watertank WS bottomring coated min. 0.8 mm |                          | 50              | 1300              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1128.00            | 1103.00 |
| WS1C2276236 | 22.76         | 2.36        | 960                        | Watertank WS bottomring coated min. 0.8 mm |                          | 75              | 1950              | 1,2 mm S320          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1962.00            | 1912.00 |

**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no. | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                                | Bury Tank<br>minimum | Total<br>Plates | Total<br>Boltsets | Plate Thickness per Ring |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |         |
|-------------|---------------|-------------|----------------------------|--|----------------------|-----------------|-------------------|--------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|---------|
|             |               |             |                            |  |                      |                 |                   | Bottom Ring<br>0,81m     | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |         |
| WS1C2367159 | 23.67         | 1.59        | 700                        | Watertank WS bottomring coated min. 0.8 mm |                      | 52              | 1352              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1417.00            | 1367.00 |
| WS1C2367236 | 23.67         | 2.36        | 1038                       | Watertank WS bottomring coated min. 0.8 mm |                      | 78              | 2028              | 1,2 mm S320              | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2155.00            | 2105.00 |
| WS1C2458159 | 24.58         | 1.59        | 754                        | Watertank WS bottomring coated min. 0.8 mm |                      | 54              | 1404              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1470.00            | 1420.00 |
| WS1C2458236 | 24.58         | 2.36        | 1120                       | Watertank WS bottomring coated min. 0.8 mm |                      | 81              | 2106              | 1,2 mm S320              | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2235.00            | 2185.00 |
| WS1C2549159 | 25.49         | 1.59        | 811                        | Watertank WS bottomring coated min. 0.8 mm |                      | 56              | 1456              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1523.00            | 1473.00 |
| WS1C2549236 | 25.49         | 2.36        | 1204                       | Watertank WS bottomring coated min. 0.8 mm |                      | 84              | 2184              | 1,5 mm S350              | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2341.00            | 2266.00 |
| WS1C2640159 | 26.40         | 1.59        | 870                        | Watertank WS bottomring coated min. 0.8 mm |                      | 58              | 1508              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1575.00            | 1525.00 |
| WS1C2640236 | 26.40         | 2.36        | 1292                       | Watertank WS bottomring coated min. 0.8 mm |                      | 87              | 2262              | 1,5 mm S350              | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2422.00            | 2347.00 |
| WS1C2731159 | 27.31         | 1.59        | 931                        | Watertank WS bottomring coated min. 0.8 mm |                      | 60              | 1560              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1628.00            | 1578.00 |
| WS1C2731236 | 27.31         | 2.36        | 1382                       | Watertank WS bottomring coated min. 0.8 mm |                      | 90              | 2340              | 1,5 mm S350              | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2503.00            | 2428.00 |
| WS1C2822159 | 28.22         | 1.59        | 994                        | Watertank WS bottomring coated min. 0.8 mm |                      | 62              | 1612              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1680.00            | 1630.00 |
| WS1C2822236 | 28.22         | 2.36        | 1476                       | Watertank WS bottomring coated min. 0.8 mm |                      | 93              | 2418              | 1,85 mm S350             | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2842.00            | 2742.00 |
| WS1C2913159 | 29.13         | 1.59        | 1060                       | Watertank WS bottomring coated min. 0.8 mm |                      | 64              | 1664              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1733.00            | 1683.00 |
| WS1C2913236 | 29.13         | 2.36        | 1573                       | Watertank WS bottomring coated min. 0.8 mm |                      | 96              | 2496              | 1,85 mm S350             | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2931.00            | 2831.00 |
| WS1C3004159 | 30.04         | 1.59        | 1127                       | Watertank WS bottomring coated min. 0.8 mm |                      | 66              | 1716              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1785.00            | 1735.00 |
| WS1C3004236 | 30.04         | 2.36        | 1673                       | Watertank WS bottomring coated min. 0.8 mm |                      | 99              | 2574              | 1,85 mm S350             | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 3019.00            | 2919.00 |
| WS1C3095159 | 30.95         | 1.59        | 1196                       | Watertank WS bottomring coated min. 0.8 mm |                      | 68              | 1768              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1838.00            | 1788.00 |
| WS1C3095236 | 30.95         | 2.36        | 1776                       | Watertank WS bottomring coated min. 0.8 mm |                      | 102             | 2652              | 1,85 mm S350             | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 3108.00            | 3008.00 |

|             |      |      |    |                                       |  |    |     |        |        |        |        |        |        |        |  |        |        |
|-------------|------|------|----|---------------------------------------|--|----|-----|--------|--------|--------|--------|--------|--------|--------|--|--------|--------|
| WSVC0182159 | 1.82 | 1.59 | 4  | Watertank WS fully coated min. 0.8 mm |  | 4  | 104 | 0,8 mm | 0,8 mm |        |        |        |        |        |  | 102.00 | 77.00  |
| WSVC0182236 | 1.82 | 2.36 | 6  | Watertank WS fully coated min. 0.8 mm |  | 6  | 156 | 0,8 mm | 0,8 mm | 0,8 mm |        |        |        |        |  | 141.00 | 116.00 |
| WSVC0182312 | 1.82 | 3.12 | 8  | Watertank WS fully coated min. 0.8 mm |  | 8  | 208 | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |        |        |  | 179.00 | 154.00 |
| WSVC0182388 | 1.82 | 3.88 | 10 | Watertank WS fully coated min. 0.8 mm |  | 10 | 260 | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |        |  | 218.00 | 193.00 |
| WSVC0182464 | 1.82 | 4.64 | 12 | Watertank WS fully coated min. 0.8 mm |  | 12 | 312 | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |  | 256.00 | 231.00 |
| WSVC0273159 | 2.73 | 1.59 | 9  | Watertank WS fully coated min. 0.8 mm |  | 6  | 156 | 0,8 mm | 0,8 mm |        |        |        |        |        |  | 141.00 | 116.00 |
| WSVC0273236 | 2.73 | 2.36 | 14 | Watertank WS fully coated min. 0.8 mm |  | 9  | 234 | 0,8 mm | 0,8 mm | 0,8 mm |        |        |        |        |  | 198.00 | 173.00 |
| WSVC0273312 | 2.73 | 3.12 | 18 | Watertank WS fully coated min. 0.8 mm |  | 12 | 312 | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |        |        |  | 256.00 | 231.00 |
| WSVC0273388 | 2.73 | 3.88 | 23 | Watertank WS fully coated min. 0.8 mm |  | 15 | 390 | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |        |  | 313.00 | 288.00 |
| WSVC0273464 | 2.73 | 4.64 | 27 | Watertank WS fully coated min. 0.8 mm |  | 18 | 468 | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |  | 371.00 | 346.00 |
| WSVC0364159 | 3.64 | 1.59 | 17 | Watertank WS fully coated min. 0.8 mm |  | 8  | 208 | 0,8 mm | 0,8 mm |        |        |        |        |        |  | 179.00 | 154.00 |
| WSVC0364236 | 3.64 | 2.36 | 25 | Watertank WS fully coated min. 0.8 mm |  | 12 | 312 | 0,8 mm | 0,8 mm | 0,8 mm |        |        |        |        |  | 256.00 | 231.00 |
| WSVC0364312 | 3.64 | 3.12 | 32 | Watertank WS fully coated min. 0.8 mm |  | 16 | 416 | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |        |        |  | 333.00 | 308.00 |
| WSVC0364388 | 3.64 | 3.88 | 40 | Watertank WS fully coated min. 0.8 mm |  | 20 | 520 | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |        |  | 410.00 | 385.00 |
| WSVC0364464 | 3.64 | 4.64 | 48 | Watertank WS fully coated min. 0.8 mm |  | 24 | 624 | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |  | 486.00 | 461.00 |
| WSVC0455159 | 4.55 | 1.59 | 26 | Watertank WS fully coated min. 0.8 mm |  | 10 | 260 | 0,8 mm | 0,8 mm |        |        |        |        |        |  | 218.00 | 193.00 |
| WSVC0455236 | 4.55 | 2.36 | 38 | Watertank WS fully coated min. 0.8 mm |  | 15 | 390 | 0,8 mm | 0,8 mm | 0,8 mm |        |        |        |        |  | 313.00 | 288.00 |
| WSVC0455312 | 4.55 | 3.12 | 51 | Watertank WS fully coated min. 0.8 mm |  | 20 | 520 | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |        |        |  | 410.00 | 385.00 |
| WSVC0455388 | 4.55 | 3.88 | 63 | Watertank WS fully coated min. 0.8 mm |  | 25 | 650 | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |  | 506.00 | 481.00 |
| WSVC0455464 | 4.55 | 4.64 | 75 | Watertank WS fully coated min. 0.8 mm |  | 30 | 780 | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |  | 601.00 | 576.00 |
| WSVC0546159 | 5.46 | 1.59 | 37 | Watertank WS fully coated min. 0.8 mm |  | 12 | 312 | 0,8 mm | 0,8 mm |        |        |        |        |        |  | 256.00 | 231.00 |
| WSVC0546236 | 5.46 | 2.36 | 55 | Watertank WS fully coated min. 0.8 mm |  | 18 | 468 | 0,8 mm | 0,8 mm | 0,8 mm |        |        |        |        |  | 371.00 | 346.00 |
| WSVC0546312 | 5.46 | 3.12 | 73 | Watertank WS fully coated min. 0.8 mm |  | 24 | 624 | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |        |        |  | 486.00 | 461.00 |
| WSVC0546388 | 5.46 | 3.88 | 91 | Watertank WS fully coated min. 0.8 mm |  | 30 | 780 | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |        |  | 601.00 | 576.00 |

APRIL 2021

| Article no.  | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                           | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 |         | Gross weight<br>kgs | Nett Weight<br>kgs |
|--------------|---------------|-------------|----------------------------|---------------------------------------|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------|---------------------|--------------------|
|              |               |             |                            |                                       | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |         |                     |                    |
| WSVC0546464  | 5.46          | 4.64        | 109                        | Watertank WS fully coated min. 0.8 mm |                          | 36              | 936               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 717.00  | 692.00              |                    |
| WSUVC0611159 | 6.11          | 1.59        | 46                         | Watertank WS fully coated min. 0.8 mm |                          | 14              | 364               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 284.00  | 259.00              |                    |
| WSUVC0611236 | 6.11          | 2.36        | 69                         | Watertank WS fully coated min. 0.8 mm |                          | 21              | 546               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 414.00  | 389.00              |                    |
| WSUVC0611312 | 6.11          | 3.12        | 91                         | Watertank WS fully coated min. 0.8 mm |                          | 28              | 728               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 543.00  | 518.00              |                    |
| WSUVC0611388 | 6.11          | 3.88        | 113                        | Watertank WS fully coated min. 0.8 mm |                          | 35              | 910               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 673.00  | 648.00              |                    |
| WSUVC0611464 | 6.11          | 4.64        | 136                        | Watertank WS fully coated min. 0.8 mm |                          | 42              | 1092              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 802.00  | 777.00              |                    |
| WSVC0637159  | 6.37          | 1.59        | 51                         | Watertank WS fully coated min. 0.8 mm |                          | 14              | 364               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 294.00  | 269.00              |                    |
| WSVC0637236  | 6.37          | 2.36        | 75                         | Watertank WS fully coated min. 0.8 mm |                          | 21              | 546               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 429.00  | 404.00              |                    |
| WSVC0637312  | 6.37          | 3.12        | 99                         | Watertank WS fully coated min. 0.8 mm |                          | 28              | 728               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 563.00  | 538.00              |                    |
| WSVC0637388  | 6.37          | 3.88        | 124                        | Watertank WS fully coated min. 0.8 mm |                          | 35              | 910               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 698.00  | 673.00              |                    |
| WSVC0637464  | 6.37          | 4.64        | 148                        | Watertank WS fully coated min. 0.8 mm |                          | 42              | 1092              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 874.00  | 849.00              |                    |
| WSUVC0698159 | 6.98          | 1.59        | 61                         | Watertank WS fully coated min. 0.8 mm |                          | 16              | 416               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 322.00  | 297.00              |                    |
| WSUVC0698236 | 6.98          | 2.36        | 90                         | Watertank WS fully coated min. 0.8 mm |                          | 24              | 624               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 469.00  | 444.00              |                    |
| WSUVC0698312 | 6.98          | 3.12        | 119                        | Watertank WS fully coated min. 0.8 mm |                          | 32              | 832               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 617.00  | 592.00              |                    |
| WSUVC0698388 | 6.98          | 3.88        | 148                        | Watertank WS fully coated min. 0.8 mm |                          | 40              | 1040              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 765.00  | 740.00              |                    |
| WSUVC0698464 | 6.98          | 4.64        | 177                        | Watertank WS fully coated min. 0.8 mm |                          | 48              | 1248              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 960.00  | 935.00              |                    |
| WSVC0728159  | 7.28          | 1.59        | 66                         | Watertank WS fully coated min. 0.8 mm |                          | 16              | 416               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 333.00  | 308.00              |                    |
| WSVC0728236  | 7.28          | 2.36        | 98                         | Watertank WS fully coated min. 0.8 mm |                          | 24              | 624               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 486.00  | 461.00              |                    |
| WSVC0728312  | 7.28          | 3.12        | 130                        | Watertank WS fully coated min. 0.8 mm |                          | 32              | 832               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 640.00  | 615.00              |                    |
| WSVC0728388  | 7.28          | 3.88        | 162                        | Watertank WS fully coated min. 0.8 mm |                          | 40              | 1040              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 794.00  | 769.00              |                    |
| WSVC0728464  | 7.28          | 4.64        | 193                        | Watertank WS fully coated min. 0.8 mm |                          | 48              | 1248              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 995.00  | 970.00              |                    |
| WSUVC0785159 | 7.85          | 1.59        | 77                         | Watertank WS fully coated min. 0.8 mm |                          | 18              | 468               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 358.00  | 333.00              |                    |
| WSUVC0785236 | 7.85          | 2.36        | 114                        | Watertank WS fully coated min. 0.8 mm |                          | 27              | 702               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 525.00  | 500.00              |                    |
| WSUVC0785312 | 7.85          | 3.12        | 151                        | Watertank WS fully coated min. 0.8 mm |                          | 36              | 936               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 691.00  | 666.00              |                    |
| WSUVC0785388 | 7.85          | 3.88        | 188                        | Watertank WS fully coated min. 0.8 mm |                          | 45              | 1170              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 910.00  | 885.00              |                    |
| WSUVC0785464 | 7.85          | 4.64        | 224                        | Watertank WS fully coated min. 0.8 mm |                          | 54              | 1404              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1181.00 | 1156.00             |                    |
| WSVC0819159  | 8.19          | 1.59        | 84                         | Watertank WS fully coated min. 0.8 mm |                          | 18              | 468               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 371.00  | 346.00              |                    |
| WSVC0819236  | 8.19          | 2.36        | 124                        | Watertank WS fully coated min. 0.8 mm |                          | 27              | 702               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 544.00  | 519.00              |                    |
| WSVC0819312  | 8.19          | 3.12        | 164                        | Watertank WS fully coated min. 0.8 mm |                          | 36              | 936               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 717.00  | 692.00              |                    |
| WSVC0819388  | 8.19          | 3.88        | 204                        | Watertank WS fully coated min. 0.8 mm |                          | 45              | 1170              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 944.00  | 919.00              |                    |
| WSVC0819464  | 8.19          | 4.64        | 244                        | Watertank WS fully coated min. 0.8 mm |                          | 54              | 1404              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1247.00 | 1222.00             |                    |
| WSVC0910159  | 9.10          | 1.59        | 103                        | Watertank WS fully coated min. 0.8 mm |                          | 20              | 520               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 410.00  | 385.00              |                    |
| WSVC0910236  | 9.10          | 2.36        | 153                        | Watertank WS fully coated min. 0.8 mm |                          | 30              | 780               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 601.00  | 576.00              |                    |
| WSVC0910312  | 9.10          | 3.12        | 203                        | Watertank WS fully coated min. 0.8 mm |                          | 40              | 1040              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 794.00  | 769.00              |                    |
| WSVC0910388  | 9.10          | 3.88        | 252                        | Watertank WS fully coated min. 0.8 mm |                          | 50              | 1300              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 1046.00 | 1021.00             |                    |
| WSVC0910464  | 9.10          | 4.64        | 302                        | Watertank WS fully coated min. 0.8 mm |                          | 60              | 1560              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1408.00 | 1358.00             |                    |
| WSVC1001159  | 10.01         | 1.59        | 125                        | Watertank WS fully coated min. 0.8 mm |                          | 22              | 572               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 448.00  | 423.00              |                    |
| WSVC1001236  | 10.01         | 2.36        | 186                        | Watertank WS fully coated min. 0.8 mm |                          | 33              | 858               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 659.00  | 634.00              |                    |
| WSVC1001312  | 10.01         | 3.12        | 246                        | Watertank WS fully coated min. 0.8 mm |                          | 44              | 1144              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 937.00  | 912.00              |                    |
| WSVC1001388  | 10.01         | 3.88        | 305                        | Watertank WS fully coated min. 0.8 mm |                          | 55              | 1430              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 1333.00 | 1283.00             |                    |
| WSVC1001464  | 10.01         | 4.64        | 365                        | Watertank WS fully coated min. 0.8 mm |                          | 66              | 1716              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1703.00 | 1653.00             |                    |
| WSVC1092159  | 10.92         | 1.59        | 149                        | Watertank WS fully coated min. 0.8 mm |                          | 24              | 624               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 486.00  | 461.00              |                    |
| WSVC1092236  | 10.92         | 2.36        | 221                        | Watertank WS fully coated min. 0.8 mm |                          | 36              | 936               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 717.00  | 692.00              |                    |



**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no. | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                           | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |         |
|-------------|---------------|-------------|----------------------------|---------------------------------------|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|---------|
|             |               |             |                            |                                       | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |         |
| WSVC1092312 | 10.92         | 3.12        | 292                        | Watertank WS fully coated min. 0.8 mm |                          | 48              | 1248              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 1020.00            | 995.00  |
| WSVC1092388 | 10.92         | 3.88        | 363                        | Watertank WS fully coated min. 0.8 mm |                          | 60              | 1560              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 1449.00            | 1399.00 |
| WSVC1092464 | 10.92         | 4.64        | 435                        | Watertank WS fully coated min. 0.8 mm |                          | 72              | 1872              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 1854.00            | 1804.00 |
| WSVC1183159 | 11.83         | 1.59        | 175                        | Watertank WS fully coated min. 0.8 mm |                          | 26              | 676               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 525.00             | 500.00  |
| WSVC1183236 | 11.83         | 2.36        | 259                        | Watertank WS fully coated min. 0.8 mm |                          | 39              | 1014              | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 774.00             | 749.00  |
| WSVC1183312 | 11.83         | 3.12        | 343                        | Watertank WS fully coated min. 0.8 mm |                          | 52              | 1352              | 1,2 mm S350          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 1213.00            | 1188.00 |
| WSVC1183388 | 11.83         | 3.88        | 426                        | Watertank WS fully coated min. 0.8 mm |                          | 65              | 1690              | 1,2 mm S350          | 1,2 mm S350     | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 1676.00            | 1626.00 |
| WSVC1183464 | 11.83         | 4.64        | 510                        | Watertank WS fully coated min. 0.8 mm |                          | 78              | 2028              | 1,2 mm S320          | 1,2 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 2120.00            | 2070.00 |
| WSVC1275159 | 12.75         | 1.59        | 203                        | Watertank WS fully coated min. 0.8 mm |                          | 28              | 728               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 563.00             | 538.00  |
| WSVC1275236 | 12.75         | 2.36        | 301                        | Watertank WS fully coated min. 0.8 mm |                          | 42              | 1092              | 1,0 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 917.00             | 892.00  |
| WSVC1275312 | 12.75         | 3.12        | 398                        | Watertank WS fully coated min. 0.8 mm |                          | 56              | 1456              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 1413.00            | 1363.00 |
| WSVC1275388 | 12.75         | 3.88        | 495                        | Watertank WS fully coated min. 0.8 mm |                          | 70              | 1820              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 1885.00            | 1835.00 |
| WSVC1275464 | 12.75         | 4.64        | 592                        | Watertank WS fully coated min. 0.8 mm |                          | 84              | 2184              | 1,5 mm S350          | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 2414.00            | 2314.00 |
| WSVC1366159 | 13.66         | 1.59        | 233                        | Watertank WS fully coated min. 0.8 mm |                          | 30              | 780               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 601.00             | 576.00  |
| WSVC1366236 | 13.66         | 2.36        | 346                        | Watertank WS fully coated min. 0.8 mm |                          | 45              | 1170              | 1,0 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 980.00             | 955.00  |
| WSVC1366312 | 13.66         | 3.12        | 457                        | Watertank WS fully coated min. 0.8 mm |                          | 60              | 1560              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 1511.00            | 1461.00 |
| WSVC1366388 | 13.66         | 3.88        | 569                        | Watertank WS fully coated min. 0.8 mm |                          | 75              | 1950              | 1,2 mm S320          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 2024.00            | 1974.00 |
| WSVC1366464 | 13.66         | 4.64        | 680                        | Watertank WS fully coated min. 0.8 mm |                          | 90              | 2340              | 1,5 mm S350          | 1,2 mm S320     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 2587.00            | 2487.00 |
| WSVC1457159 | 14.57         | 1.59        | 265                        | Watertank WS fully coated min. 0.8 mm |                          | 32              | 832               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 640.00             | 615.00  |
| WSVC1457236 | 14.57         | 2.36        | 393                        | Watertank WS fully coated min. 0.8 mm |                          | 48              | 1248              | 1,0 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1044.00            | 1019.00 |
| WSVC1457312 | 14.57         | 3.12        | 520                        | Watertank WS fully coated min. 0.8 mm |                          | 64              | 1664              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 1608.00            | 1558.00 |
| WSVC1457388 | 14.57         | 3.88        | 647                        | Watertank WS fully coated min. 0.8 mm |                          | 80              | 2080              | 1,2 mm S320          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 2155.00            | 2105.00 |
| WSVC1457464 | 14.57         | 4.64        | 773                        | Watertank WS fully coated min. 0.8 mm |                          | 96              | 2496              | 1,85 mm S350         | 1,2 mm S320     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 2873.00            | 2773.00 |
| WSVC1548159 | 15.48         | 1.59        | 299                        | Watertank WS fully coated min. 0.8 mm |                          | 34              | 884               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 678.00             | 653.00  |
| WSVC1548236 | 15.48         | 2.36        | 444                        | Watertank WS fully coated min. 0.8 mm |                          | 51              | 1326              | 1,0 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1107.00            | 1082.00 |
| WSVC1548312 | 15.48         | 3.12        | 587                        | Watertank WS fully coated min. 0.8 mm |                          | 68              | 1768              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 1705.00            | 1655.00 |
| WSVC1548388 | 15.48         | 3.88        | 730                        | Watertank WS fully coated min. 0.8 mm |                          | 85              | 2210              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 2312.00            | 2237.00 |
| WSVC1639159 | 16.39         | 1.59        | 335                        | Watertank WS fully coated min. 0.8 mm |                          | 36              | 936               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 717.00             | 692.00  |
| WSVC1639236 | 16.39         | 2.36        | 498                        | Watertank WS fully coated min. 0.8 mm |                          | 54              | 1404              | 1,2 mm S350          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1349.00            | 1299.00 |
| WSVC1639312 | 16.39         | 3.12        | 658                        | Watertank WS fully coated min. 0.8 mm |                          | 72              | 1872              | 1,2 mm S350          | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 1955.00            | 1905.00 |
| WSVC1639388 | 16.39         | 3.88        | 819                        | Watertank WS fully coated min. 0.8 mm |                          | 90              | 2340              | 1,5 mm S350          | 1,2 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                     | 2596.00            | 2521.00 |
| WSVC1730159 | 17.30         | 1.59        | 374                        | Watertank WS fully coated min. 0.8 mm |                          | 38              | 988               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 755.00             | 730.00  |
| WSVC1730236 | 17.30         | 2.36        | 555                        | Watertank WS fully coated min. 0.8 mm |                          | 57              | 1482              | 1,2 mm S350          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1421.00            | 1371.00 |
| WSVC1730312 | 17.30         | 3.12        | 733                        | Watertank WS fully coated min. 0.8 mm |                          | 76              | 1976              | 1,2 mm S320          | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 2095.00            | 2020.00 |
| WSVC1730388 | 17.30         | 3.88        | 912                        | Watertank WS fully coated min. 0.8 mm |                          | 95              | 2470              | 1,85 mm S350         | 1,2 mm S320     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                     | 2913.00            | 2813.00 |
| WSVC1821159 | 18.21         | 1.59        | 414                        | Watertank WS fully coated min. 0.8 mm |                          | 40              | 1040              | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 794.00             | 769.00  |
| WSVC1821236 | 18.21         | 2.36        | 615                        | Watertank WS fully coated min. 0.8 mm |                          | 60              | 1560              | 1,2 mm S350          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1493.00            | 1443.00 |
| WSVC1821312 | 18.21         | 3.12        | 813                        | Watertank WS fully coated min. 0.8 mm |                          | 80              | 2080              | 1,2 mm S320          | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 2202.00            | 2127.00 |
| WSVC1912159 | 19.12         | 1.59        | 457                        | Watertank WS fully coated min. 0.8 mm |                          | 42              | 1092              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 959.00             | 934.00  |
| WSVC1912236 | 19.12         | 2.36        | 678                        | Watertank WS fully coated min. 0.8 mm |                          | 63              | 1638              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1692.00            | 1642.00 |
| WSVC1912312 | 19.12         | 3.12        | 896                        | Watertank WS fully coated min. 0.8 mm |                          | 84              | 2184              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |                     | 2435.00            | 2360.00 |
| WSVC2003159 | 20.03         | 1.59        | 501                        | Watertank WS fully coated min. 0.8 mm |                          | 44              | 1144              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1003.00            | 978.00  |
| WSVC2003236 | 20.03         | 2.36        | 744                        | Watertank WS fully coated min. 0.8 mm |                          | 66              | 1716              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1770.00            | 1720.00 |

**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no. | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                           | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |
|-------------|---------------|-------------|----------------------------|---------------------------------------|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|
|             |               |             |                            |                                       | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |
| WSVC2003312 | 20.03         | 3.12        | 983                        | Watertank WS fully coated min. 0.8 mm |                          | 88              | 2288              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 | 2547.00             | 2472.00            |
| WSVC2094159 | 20.94         | 1.59        | 548                        | Watertank WS fully coated min. 0.8 mm |                          | 46              | 1196              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 1048.00             | 1023.00            |
| WSVC2094236 | 20.94         | 2.36        | 813                        | Watertank WS fully coated min. 0.8 mm |                          | 69              | 1794              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 | 1848.00             | 1798.00            |
| WSVC2094312 | 20.94         | 3.12        | 1074                       | Watertank WS fully coated min. 0.8 mm |                          | 92              | 2392              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 | 2832.00             | 2757.00            |
| WSVC2185159 | 21.85         | 1.59        | 596                        | Watertank WS fully coated min. 0.8 mm |                          | 48              | 1248              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 1092.00             | 1067.00            |
| WSVC2185236 | 21.85         | 2.36        | 885                        | Watertank WS fully coated min. 0.8 mm |                          | 72              | 1872              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 | 1926.00             | 1876.00            |
| WSVC2185312 | 21.85         | 3.12        | 1170                       | Watertank WS fully coated min. 0.8 mm |                          | 96              | 2496              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 | 2952.00             | 2877.00            |
| WSVC2276159 | 22.76         | 1.59        | 647                        | Watertank WS fully coated min. 0.8 mm |                          | 50              | 1300              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 1137.00             | 1112.00            |
| WSVC2276236 | 22.76         | 2.36        | 960                        | Watertank WS fully coated min. 0.8 mm |                          | 75              | 1950              | 1,2 mm S320          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 | 2016.00             | 1966.00            |
| WSVC2367159 | 23.67         | 1.59        | 700                        | Watertank WS fully coated min. 0.8 mm |                          | 52              | 1352              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 | 1426.00             | 1376.00            |
| WSVC2367236 | 23.67         | 2.36        | 1038                       | Watertank WS fully coated min. 0.8 mm |                          | 78              | 2028              | 1,2 mm S320          | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 | 2340.00             | 2265.00            |
| WSVC2458159 | 24.58         | 1.59        | 754                        | Watertank WS fully coated min. 0.8 mm |                          | 54              | 1404              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 | 1479.00             | 1429.00            |
| WSVC2458236 | 24.58         | 2.36        | 1120                       | Watertank WS fully coated min. 0.8 mm |                          | 81              | 2106              | 1,2 mm S320          | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 | 2427.00             | 2352.00            |
| WSVC2549159 | 25.49         | 1.59        | 811                        | Watertank WS fully coated min. 0.8 mm |                          | 56              | 1456              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 | 1532.00             | 1482.00            |
| WSVC2549236 | 25.49         | 2.36        | 1204                       | Watertank WS fully coated min. 0.8 mm |                          | 84              | 2184              | 1,5 mm S350          | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 | 2514.00             | 2439.00            |
| WSVC2640159 | 26.40         | 1.59        | 870                        | Watertank WS fully coated min. 0.8 mm |                          | 58              | 1508              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 | 1585.00             | 1535.00            |
| WSVC2640236 | 26.40         | 2.36        | 1292                       | Watertank WS fully coated min. 0.8 mm |                          | 87              | 2262              | 1,5 mm S350          | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 | 2601.00             | 2526.00            |
| WSVC2731159 | 27.31         | 1.59        | 931                        | Watertank WS fully coated min. 0.8 mm |                          | 60              | 1560              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 | 1638.00             | 1588.00            |
| WSVC2731236 | 27.31         | 2.36        | 1382                       | Watertank WS fully coated min. 0.8 mm |                          | 90              | 2340              | 1,5 mm S350          | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 | 2689.00             | 2614.00            |
| WSVC2822159 | 28.22         | 1.59        | 994                        | Watertank WS fully coated min. 0.8 mm |                          | 62              | 1612              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 | 1691.00             | 1641.00            |
| WSVC2822236 | 28.22         | 2.36        | 1476                       | Watertank WS fully coated min. 0.8 mm |                          | 93              | 2418              | 1,85 mm S350         | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 | 3034.00             | 2934.00            |
| WSVC2913159 | 29.13         | 1.59        | 1060                       | Watertank WS fully coated min. 0.8 mm |                          | 64              | 1664              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 | 1744.00             | 1694.00            |
| WSVC2913236 | 29.13         | 2.36        | 1573                       | Watertank WS fully coated min. 0.8 mm |                          | 96              | 2496              | 1,85 mm S350         | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 | 3128.00             | 3028.00            |
| WSVC3004159 | 30.04         | 1.59        | 1127                       | Watertank WS fully coated min. 0.8 mm |                          | 66              | 1716              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 | 1797.00             | 1747.00            |
| WSVC3004236 | 30.04         | 2.36        | 1673                       | Watertank WS fully coated min. 0.8 mm |                          | 99              | 2574              | 1,85 mm S350         | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 | 3223.00             | 3123.00            |
| WSVC3095159 | 30.95         | 1.59        | 1196                       | Watertank WS fully coated min. 0.8 mm |                          | 68              | 1768              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 | 1849.00             | 1799.00            |
| WSVC3095236 | 30.95         | 2.36        | 1776                       | Watertank WS fully coated min. 0.8 mm |                          | 102             | 2652              | 1,85 mm S350         | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 | 3318.00             | 3218.00            |

|            |      |      |    |                                      |  |    |     |        |        |        |        |        |        |  |        |        |
|------------|------|------|----|--------------------------------------|--|----|-----|--------|--------|--------|--------|--------|--------|--|--------|--------|
| WSA0182159 | 1.82 | 1.59 | 4  | Watertank WSA galvanized min. 1.0 mm |  | 4  | 104 | 1,0 mm | 1,0 mm |        |        |        |        |  | 119.00 | 94.00  |
| WSA0182236 | 1.82 | 2.36 | 6  | Watertank WSA galvanized min. 1.0 mm |  | 6  | 156 | 1,0 mm | 1,0 mm | 1,0 mm |        |        |        |  | 166.00 | 141.00 |
| WSA0182312 | 1.82 | 3.12 | 8  | Watertank WSA galvanized min. 1.0 mm |  | 8  | 208 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |        |        |  | 213.00 | 188.00 |
| WSA0182388 | 1.82 | 3.88 | 10 | Watertank WSA galvanized min. 1.0 mm |  | 10 | 260 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |        |  | 260.00 | 235.00 |
| WSA0182464 | 1.82 | 4.64 | 12 | Watertank WSA galvanized min. 1.0 mm |  | 12 | 312 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |  | 307.00 | 282.00 |
| WSA0273159 | 2.73 | 1.59 | 9  | Watertank WSA galvanized min. 1.0 mm |  | 6  | 156 | 1,0 mm | 1,0 mm |        |        |        |        |  | 166.00 | 141.00 |
| WSA0273236 | 2.73 | 2.36 | 14 | Watertank WSA galvanized min. 1.0 mm |  | 9  | 234 | 1,0 mm | 1,0 mm | 1,0 mm |        |        |        |  | 236.00 | 211.00 |
| WSA0273312 | 2.73 | 3.12 | 18 | Watertank WSA galvanized min. 1.0 mm |  | 12 | 312 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |        |        |  | 307.00 | 282.00 |
| WSA0273388 | 2.73 | 3.88 | 23 | Watertank WSA galvanized min. 1.0 mm |  | 15 | 390 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |        |  | 377.00 | 352.00 |
| WSA0273464 | 2.73 | 4.64 | 27 | Watertank WSA galvanized min. 1.0 mm |  | 18 | 468 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |  | 447.00 | 422.00 |
| WSA0364159 | 3.64 | 1.59 | 17 | Watertank WSA galvanized min. 1.0 mm |  | 8  | 208 | 1,0 mm | 1,0 mm |        |        |        |        |  | 213.00 | 188.00 |
| WSA0364236 | 3.64 | 2.36 | 25 | Watertank WSA galvanized min. 1.0 mm |  | 12 | 312 | 1,0 mm | 1,0 mm | 1,0 mm |        |        |        |  | 307.00 | 282.00 |
| WSA0364312 | 3.64 | 3.12 | 32 | Watertank WSA galvanized min. 1.0 mm |  | 16 | 416 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |        |        |  | 400.00 | 375.00 |
| WSA0364388 | 3.64 | 3.88 | 40 | Watertank WSA galvanized min. 1.0 mm |  | 20 | 520 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |        |  | 494.00 | 469.00 |
| WSA0364464 | 3.64 | 4.64 | 48 | Watertank WSA galvanized min. 1.0 mm |  | 24 | 624 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |  | 588.00 | 563.00 |

APRIL 2021

| Article no. | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                          | Bury Tank<br>minimum | Total<br>Plates | Total<br>Boltsets | Plate Thickness per Ring |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |         |
|-------------|---------------|-------------|----------------------------|--------------------------------------|----------------------|-----------------|-------------------|--------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|---------|
|             |               |             |                            |                                      |                      |                 |                   | Bottom Ring<br>0,81m     | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |         |
| WSA0455159  | 4.55          | 1.59        | 26                         | Watertank WSA galvanized min. 1.0 mm |                      | 10              | 260               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 |                     | 260.00             | 235.00  |
| WSA0455236  | 4.55          | 2.36        | 38                         | Watertank WSA galvanized min. 1.0 mm |                      | 15              | 390               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 377.00             | 352.00  |
| WSA0455312  | 4.55          | 3.12        | 51                         | Watertank WSA galvanized min. 1.0 mm |                      | 20              | 520               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 494.00             | 469.00  |
| WSA0455388  | 4.55          | 3.88        | 63                         | Watertank WSA galvanized min. 1.0 mm |                      | 25              | 650               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 611.00             | 586.00  |
| WSA0455464  | 4.55          | 4.64        | 75                         | Watertank WSA galvanized min. 1.0 mm |                      | 30              | 780               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 728.00             | 703.00  |
| WSA0546159  | 5.46          | 1.59        | 37                         | Watertank WSA galvanized min. 1.0 mm |                      | 12              | 312               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 |                     | 307.00             | 282.00  |
| WSA0546236  | 5.46          | 2.36        | 55                         | Watertank WSA galvanized min. 1.0 mm |                      | 18              | 468               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 447.00             | 422.00  |
| WSA0546312  | 5.46          | 3.12        | 73                         | Watertank WSA galvanized min. 1.0 mm |                      | 24              | 624               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 588.00             | 563.00  |
| WSA0546388  | 5.46          | 3.88        | 91                         | Watertank WSA galvanized min. 1.0 mm |                      | 30              | 780               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 728.00             | 703.00  |
| WSA0546464  | 5.46          | 4.64        | 109                        | Watertank WSA galvanized min. 1.0 mm |                      | 36              | 936               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 868.00             | 843.00  |
| WSUA0611159 | 6.11          | 1.59        | 46                         | Watertank WSA galvanized min. 1.0 mm |                      | 14              | 364               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 |                     | 341.00             | 316.00  |
| WSUA0611236 | 6.11          | 2.36        | 69                         | Watertank WSA galvanized min. 1.0 mm |                      | 21              | 546               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 499.00             | 474.00  |
| WSUA0611312 | 6.11          | 3.12        | 91                         | Watertank WSA galvanized min. 1.0 mm |                      | 28              | 728               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 657.00             | 632.00  |
| WSUA0611388 | 6.11          | 3.88        | 113                        | Watertank WSA galvanized min. 1.0 mm |                      | 35              | 910               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 815.00             | 790.00  |
| WSUA0611464 | 6.11          | 4.64        | 136                        | Watertank WSA galvanized min. 1.0 mm |                      | 42              | 1092              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 972.00             | 947.00  |
| WSA0637159  | 6.37          | 1.59        | 51                         | Watertank WSA galvanized min. 1.0 mm |                      | 14              | 364               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 |                     | 353.00             | 328.00  |
| WSA0637236  | 6.37          | 2.36        | 75                         | Watertank WSA galvanized min. 1.0 mm |                      | 21              | 546               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 517.00             | 492.00  |
| WSA0637312  | 6.37          | 3.12        | 99                         | Watertank WSA galvanized min. 1.0 mm |                      | 28              | 728               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 681.00             | 656.00  |
| WSA0637388  | 6.37          | 3.88        | 124                        | Watertank WSA galvanized min. 1.0 mm |                      | 35              | 910               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 845.00             | 820.00  |
| WSA0637464  | 6.37          | 4.64        | 148                        | Watertank WSA galvanized min. 1.0 mm |                      | 42              | 1092              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 1009.00            | 984.00  |
| WSA0637537  | 6.37          | 5.37        | 171                        | Watertank WSA galvanized min. 1.0 mm |                      | 49              | 1274              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                     | 1173.00            | 1148.00 |
| WSUA0698159 | 6.98          | 1.59        | 61                         | Watertank WSA galvanized min. 1.0 mm |                      | 16              | 416               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 |                     | 386.00             | 361.00  |
| WSUA0698236 | 6.98          | 2.36        | 90                         | Watertank WSA galvanized min. 1.0 mm |                      | 24              | 624               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 567.00             | 542.00  |
| WSUA0698312 | 6.98          | 3.12        | 119                        | Watertank WSA galvanized min. 1.0 mm |                      | 32              | 832               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 747.00             | 722.00  |
| WSUA0698388 | 6.98          | 3.88        | 148                        | Watertank WSA galvanized min. 1.0 mm |                      | 40              | 1040              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 927.00             | 902.00  |
| WSUA0698464 | 6.98          | 4.64        | 177                        | Watertank WSA galvanized min. 1.0 mm |                      | 48              | 1248              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 1108.00            | 1083.00 |
| WSUA0698537 | 6.98          | 5.37        | 205                        | Watertank WSA galvanized min. 1.0 mm |                      | 56              | 1456              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm              | 1347.00            | 1297.00 |
| WSA0728159  | 7.28          | 1.59        | 66                         | Watertank WSA galvanized min. 1.0 mm |                      | 16              | 416               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 |                     | 400.00             | 375.00  |
| WSA0728236  | 7.28          | 2.36        | 98                         | Watertank WSA galvanized min. 1.0 mm |                      | 24              | 624               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 588.00             | 563.00  |
| WSA0728312  | 7.28          | 3.12        | 130                        | Watertank WSA galvanized min. 1.0 mm |                      | 32              | 832               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 775.00             | 750.00  |
| WSA0728388  | 7.28          | 3.88        | 162                        | Watertank WSA galvanized min. 1.0 mm |                      | 40              | 1040              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 962.00             | 937.00  |
| WSA0728464  | 7.28          | 4.64        | 193                        | Watertank WSA galvanized min. 1.0 mm |                      | 48              | 1248              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                     | 1149.00            | 1124.00 |
| WSA0728537  | 7.28          | 5.37        | 224                        | Watertank WSA galvanized min. 1.0 mm |                      | 56              | 1456              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm              | 1397.00            | 1347.00 |
| WSUA0785159 | 7.85          | 1.59        | 18                         | Watertank WSA galvanized min. 1.0 mm |                      | 18              | 468               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 |                     | 431.00             | 406.00  |
| WSUA0785236 | 7.85          | 2.36        | 27                         | Watertank WSA galvanized min. 1.0 mm |                      | 27              | 702               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 634.00             | 609.00  |
| WSUA0785312 | 7.85          | 3.12        | 36                         | Watertank WSA galvanized min. 1.0 mm |                      | 36              | 936               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 837.00             | 812.00  |
| WSUA0785388 | 7.85          | 3.88        | 45                         | Watertank WSA galvanized min. 1.0 mm |                      | 45              | 1170              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 1040.00            | 1015.00 |
| WSUA0785464 | 7.85          | 4.64        | 224                        | Watertank WSA galvanized min. 1.0 mm |                      | 54              | 1404              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                     | 1281.00            | 1256.00 |
| WSUA0785537 | 7.85          | 5.37        | 259                        | Watertank WSA galvanized min. 1.0 mm |                      | 63              | 1638              | 1,2 mm S350              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm              | 1547.00            | 1497.00 |
| WSA0819159  | 8.19          | 1.59        | 84                         | Watertank WSA galvanized min. 1.0 mm |                      | 18              | 468               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 |                     | 447.00             | 422.00  |
| WSA0819236  | 8.19          | 2.36        | 124                        | Watertank WSA galvanized min. 1.0 mm |                      | 27              | 702               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 658.00             | 633.00  |
| WSA0819312  | 8.19          | 3.12        | 164                        | Watertank WSA galvanized min. 1.0 mm |                      | 36              | 936               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 868.00             | 843.00  |
| WSA0819388  | 8.19          | 3.88        | 204                        | Watertank WSA galvanized min. 1.0 mm |                      | 45              | 1170              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 1079.00            | 1054.00 |

**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no. | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                          | Bury Tank<br>minimum | Total<br>Plates | Total<br>Boltsets | Plate Thickness per Ring |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |         |
|-------------|---------------|-------------|----------------------------|--------------------------------------|----------------------|-----------------|-------------------|--------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|---------|
|             |               |             |                            |                                      |                      |                 |                   | Bottom Ring<br>0,81m     | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |         |
| WSA0819464  | 8.19          | 4.64        | 244                        | Watertank WSA galvanized min. 1.0 mm |                      | 54              | 1404              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1355.00             | 1305.00            |         |
| WSA0819537  | 8.19          | 5.37        | 283                        | Watertank WSA galvanized min. 1.0 mm |                      | 63              | 1638              | 1,2 mm S350              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm              | 1606.00            | 1556.00 |
| WSA0910159  | 9.10          | 1.59        | 103                        | Watertank WSA galvanized min. 1.0 mm |                      | 20              | 520               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 494.00              | 469.00             |         |
| WSA0910236  | 9.10          | 2.36        | 153                        | Watertank WSA galvanized min. 1.0 mm |                      | 30              | 780               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 728.00              | 703.00             |         |
| WSA0910312  | 9.10          | 3.12        | 203                        | Watertank WSA galvanized min. 1.0 mm |                      | 40              | 1040              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 962.00              | 937.00             |         |
| WSA0910388  | 9.10          | 3.88        | 252                        | Watertank WSA galvanized min. 1.0 mm |                      | 50              | 1300              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1196.00             | 1171.00            |         |
| WSA0910464  | 9.10          | 4.64        | 302                        | Watertank WSA galvanized min. 1.0 mm |                      | 60              | 1560              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1500.00             | 1450.00            |         |
| WSA0910537  | 9.10          | 5.37        | 349                        | Watertank WSA galvanized min. 1.0 mm |                      | 70              | 1820              | 1,2 mm S350              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1779.00             | 1729.00            |         |
| WSA1001159  | 10.01         | 1.59        | 125                        | Watertank WSA galvanized min. 1.0 mm |                      | 22              | 572               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 541.00              | 516.00             |         |
| WSA1001236  | 10.01         | 2.36        | 186                        | Watertank WSA galvanized min. 1.0 mm |                      | 33              | 858               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 798.00              | 773.00             |         |
| WSA1001312  | 10.01         | 3.12        | 246                        | Watertank WSA galvanized min. 1.0 mm |                      | 44              | 1144              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1056.00             | 1031.00            |         |
| WSA1001388  | 10.01         | 3.88        | 305                        | Watertank WSA galvanized min. 1.0 mm |                      | 55              | 1430              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1387.00             | 1337.00            |         |
| WSA1001464  | 10.01         | 4.64        | 365                        | Watertank WSA galvanized min. 1.0 mm |                      | 66              | 1716              | 1,2 mm S350              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1694.00             | 1644.00            |         |
| WSA1001537  | 10.01         | 5.37        | 423                        | Watertank WSA galvanized min. 1.0 mm |                      | 77              | 2002              | 1,5 mm S350              | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 2072.00             | 2022.00            |         |
| WSA1092159  | 10.92         | 1.59        | 149                        | Watertank WSA galvanized min. 1.0 mm |                      | 24              | 624               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 588.00              | 563.00             |         |
| WSA1092236  | 10.92         | 2.36        | 221                        | Watertank WSA galvanized min. 1.0 mm |                      | 36              | 936               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 868.00              | 843.00             |         |
| WSA1092312  | 10.92         | 3.12        | 292                        | Watertank WSA galvanized min. 1.0 mm |                      | 48              | 1248              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1149.00             | 1124.00            |         |
| WSA1092388  | 10.92         | 3.88        | 363                        | Watertank WSA galvanized min. 1.0 mm |                      | 60              | 1560              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1509.00             | 1459.00            |         |
| WSA1092464  | 10.92         | 4.64        | 435                        | Watertank WSA galvanized min. 1.0 mm |                      | 72              | 1872              | 1,2 mm S350              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1843.00             | 1793.00            |         |
| WSA1092537  | 10.92         | 5.37        | 503                        | Watertank WSA galvanized min. 1.0 mm |                      | 84              | 2184              | 1,5 mm S350              | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 2256.00             | 2206.00            |         |
| WSA1183159  | 11.83         | 1.59        | 175                        | Watertank WSA galvanized min. 1.0 mm |                      | 26              | 676               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 634.00              | 609.00             |         |
| WSA1183236  | 11.83         | 2.36        | 259                        | Watertank WSA galvanized min. 1.0 mm |                      | 39              | 1014              | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 939.00              | 914.00             |         |
| WSA1183312  | 11.83         | 3.12        | 343                        | Watertank WSA galvanized min. 1.0 mm |                      | 52              | 1352              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1326.00             | 1276.00            |         |
| WSA1183388  | 11.83         | 3.88        | 426                        | Watertank WSA galvanized min. 1.0 mm |                      | 65              | 1690              | 1,2 mm S350              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1688.00             | 1638.00            |         |
| WSA1183464  | 11.83         | 4.64        | 510                        | Watertank WSA galvanized min. 1.0 mm |                      | 78              | 2028              | 1,5 mm S350              | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 2136.00             | 2086.00            |         |
| WSA1183537  | 11.83         | 5.37        | 590                        | Watertank WSA galvanized min. 1.0 mm |                      | 91              | 2366              | 1,85 mm S350             | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 2703.00             | 2628.00            |         |
| WSA1275159  | 12.75         | 1.59        | 203                        | Watertank WSA galvanized min. 1.0 mm |                      | 28              | 728               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 681.00              | 656.00             |         |
| WSA1275236  | 12.75         | 2.36        | 301                        | Watertank WSA galvanized min. 1.0 mm |                      | 42              | 1092              | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1009.00             | 984.00             |         |
| WSA1275312  | 12.75         | 3.12        | 398                        | Watertank WSA galvanized min. 1.0 mm |                      | 56              | 1456              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1424.00             | 1374.00            |         |
| WSA1275388  | 12.75         | 3.88        | 495                        | Watertank WSA galvanized min. 1.0 mm |                      | 70              | 1820              | 1,2 mm S350              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1814.00             | 1764.00            |         |
| WSA1275464  | 12.75         | 4.64        | 592                        | Watertank WSA galvanized min. 1.0 mm |                      | 84              | 2184              | 1,5 mm S350              | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 2321.00             | 2246.00            |         |
| WSA1275537  | 12.75         | 5.37        | 686                        | Watertank WSA galvanized min. 1.0 mm |                      | 98              | 2548              | 1,85 mm S350             | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 2905.00             | 2830.00            |         |
| WSA1366159  | 13.66         | 1.59        | 233                        | Watertank WSA galvanized min. 1.0 mm |                      | 30              | 780               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 728.00              | 703.00             |         |
| WSA1366236  | 13.66         | 2.36        | 346                        | Watertank WSA galvanized min. 1.0 mm |                      | 45              | 1170              | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1079.00             | 1054.00            |         |
| WSA1366312  | 13.66         | 3.12        | 457                        | Watertank WSA galvanized min. 1.0 mm |                      | 60              | 1560              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1522.00             | 1472.00            |         |
| WSA1366388  | 13.66         | 3.88        | 569                        | Watertank WSA galvanized min. 1.0 mm |                      | 75              | 1950              | 1,5 mm S350              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 2038.00             | 1988.00            |         |
| WSA1366464  | 13.66         | 4.64        | 680                        | Watertank WSA galvanized min. 1.0 mm |                      | 90              | 2340              | 1,5 mm S350              | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 2580.00             | 2505.00            |         |
| WSA1366537  | 13.66         | 5.37        | 787                        | Watertank WSA galvanized min. 1.0 mm |                      | 105             | 2730              | 1,85 mm S350             | 1,5 mm S350     | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 3205.00             | 3130.00            |         |
| WSA1457159  | 14.57         | 1.59        | 265                        | Watertank WSA galvanized min. 1.0 mm |                      | 32              | 832               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 775.00              | 750.00             |         |
| WSA1457236  | 14.57         | 2.36        | 393                        | Watertank WSA galvanized min. 1.0 mm |                      | 48              | 1248              | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1149.00             | 1124.00            |         |
| WSA1457312  | 14.57         | 3.12        | 520                        | Watertank WSA galvanized min. 1.0 mm |                      | 64              | 1664              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1620.00             | 1570.00            |         |
| WSA1457388  | 14.57         | 3.88        | 647                        | Watertank WSA galvanized min. 1.0 mm |                      | 80              | 2080              | 1,5 mm S350              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 2171.00             | 2121.00            |         |
| WSA1457464  | 14.57         | 4.64        | 774                        | Watertank WSA galvanized min. 1.0 mm |                      | 96              | 2496              | 1,85 mm S350             | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 2863.00             | 2788.00            |         |

**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no. | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                          | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 |         | Gross weight<br>kgs | Nett Weight<br>kgs |
|-------------|---------------|-------------|----------------------------|--------------------------------------|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------|---------------------|--------------------|
|             |               |             |                            |                                      | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |         |                     |                    |
| WSA1457537R | 14.57         | 5.37        | 895                        | Watertank WSA galvanized min. 1.0 mm | 0.40m                    | 112             | 2912              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 3556.00 | 3456.00             |                    |
| WSA1548159  | 15.48         | 1.59        | 299                        | Watertank WSA galvanized min. 1.0 mm |                          | 34              | 884               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 822.00  | 797.00              |                    |
| WSA1548236  | 15.48         | 2.36        | 444                        | Watertank WSA galvanized min. 1.0 mm |                          | 51              | 1326              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1220.00 | 1195.00             |                    |
| WSA1548312  | 15.48         | 3.12        | 587                        | Watertank WSA galvanized min. 1.0 mm |                          | 68              | 1768              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1718.00 | 1668.00             |                    |
| WSA1548388  | 15.48         | 3.88        | 730                        | Watertank WSA galvanized min. 1.0 mm |                          | 85              | 2210              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 2303.00 | 2253.00             |                    |
| WSA1548464  | 15.48         | 4.64        | 873                        | Watertank WSA galvanized min. 1.0 mm |                          | 102             | 2652              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 3038.00 | 2963.00             |                    |
| WSA1548537R | 15.48         | 5.37        | 1011                       | Watertank WSA galvanized min. 1.0 mm | 0.80m                    | 119             | 3094              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 3772.00 | 3672.00             |                    |
| WSA1639159  | 16.39         | 1.59        | 335                        | Watertank WSA galvanized min. 1.0 mm |                          | 36              | 936               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 868.00  | 843.00              |                    |
| WSA1639236  | 16.39         | 2.36        | 498                        | Watertank WSA galvanized min. 1.0 mm |                          | 54              | 1404              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1395.00 | 1345.00             |                    |
| WSA1639312  | 16.39         | 3.12        | 658                        | Watertank WSA galvanized min. 1.0 mm |                          | 72              | 1872              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1897.00 | 1847.00             |                    |
| WSA1639388  | 16.39         | 3.88        | 819                        | Watertank WSA galvanized min. 1.0 mm |                          | 90              | 2340              | 1,5 mm S350          | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 2541.00 | 2466.00             |                    |
| WSA1639464  | 16.39         | 4.64        | 979                        | Watertank WSA galvanized min. 1.0 mm |                          | 108             | 2808              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 3317.00 | 3217.00             |                    |
| WSA1639537R | 16.39         | 5.37        | 1133                       | Watertank WSA galvanized min. 1.0 mm | 0.80m                    | 126             | 3276              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 4093.00 | 3968.00             |                    |
| WSA1730159  | 17.30         | 1.59        | 374                        | Watertank WSA galvanized min. 1.0 mm |                          | 38              | 988               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 915.00  | 890.00              |                    |
| WSA1730236  | 17.30         | 2.36        | 555                        | Watertank WSA galvanized min. 1.0 mm |                          | 57              | 1482              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1470.00 | 1420.00             |                    |
| WSA1730312  | 17.30         | 3.12        | 733                        | Watertank WSA galvanized min. 1.0 mm |                          | 76              | 1976              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2124.00 | 2074.00             |                    |
| WSA1730388  | 17.30         | 3.88        | 912                        | Watertank WSA galvanized min. 1.0 mm |                          | 95              | 2470              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 2941.00 | 2866.00             |                    |
| WSA1730464R | 17.30         | 4.64        | 1091                       | Watertank WSA galvanized min. 1.0 mm | 0.40m                    | 114             | 2964              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 3759.00 | 3659.00             |                    |
| WSA1821159  | 18.21         | 1.59        | 414                        | Watertank WSA galvanized min. 1.0 mm |                          | 40              | 1040              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 962.00  | 937.00              |                    |
| WSA1821236  | 18.21         | 2.36        | 615                        | Watertank WSA galvanized min. 1.0 mm |                          | 60              | 1560              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1544.00 | 1494.00             |                    |
| WSA1821312  | 18.21         | 3.12        | 813                        | Watertank WSA galvanized min. 1.0 mm |                          | 80              | 2080              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2233.00 | 2183.00             |                    |
| WSA1821388  | 18.21         | 3.88        | 1011                       | Watertank WSA galvanized min. 1.0 mm |                          | 100             | 2600              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3092.00 | 3017.00             |                    |
| WSA1821464R | 18.21         | 4.64        | 1208                       | Watertank WSA galvanized min. 1.0 mm | 0.40m                    | 120             | 3120              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 3951.00 | 3851.00             |                    |
| WSA1912159  | 19.12         | 1.59        | 457                        | Watertank WSA galvanized min. 1.0 mm |                          | 42              | 1092              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 1009.00 | 984.00              |                    |
| WSA1912236  | 19.12         | 2.36        | 678                        | Watertank WSA galvanized min. 1.0 mm |                          | 63              | 1638              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1619.00 | 1569.00             |                    |
| WSA1912312  | 19.12         | 3.12        | 896                        | Watertank WSA galvanized min. 1.0 mm |                          | 84              | 2184              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2367.00 | 2292.00             |                    |
| WSA1912388  | 19.12         | 3.88        | 1114                       | Watertank WSA galvanized min. 1.0 mm |                          | 105             | 2730              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3268.00 | 3168.00             |                    |
| WSA1912464R | 19.12         | 4.64        | 1332                       | Watertank WSA galvanized min. 1.0 mm | 0.80m                    | 126             | 3276              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 4169.00 | 4044.00             |                    |
| WSA2003159  | 20.03         | 1.59        | 501                        | Watertank WSA galvanized min. 1.0 mm |                          | 44              | 1144              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 1056.00 | 1031.00             |                    |
| WSA2003236  | 20.03         | 2.36        | 744                        | Watertank WSA galvanized min. 1.0 mm |                          | 66              | 1716              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1694.00 | 1644.00             |                    |
| WSA2003312  | 20.03         | 3.12        | 983                        | Watertank WSA galvanized min. 1.0 mm |                          | 88              | 2288              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2476.00 | 2401.00             |                    |
| WSA2003388  | 20.03         | 3.88        | 1223                       | Watertank WSA galvanized min. 1.0 mm |                          | 110             | 2860              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3419.00 | 3319.00             |                    |
| WSA2003464R | 20.03         | 4.64        | 1462                       | Watertank WSA galvanized min. 1.0 mm | 0.80m                    | 132             | 3432              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 4361.00 | 4236.00             |                    |
| WSA2094159  | 20.94         | 1.59        | 548                        | Watertank WSA galvanized min. 1.0 mm |                          | 46              | 1196              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 1103.00 | 1078.00             |                    |
| WSA2094236  | 20.94         | 2.36        | 813                        | Watertank WSA galvanized min. 1.0 mm |                          | 69              | 1794              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1768.00 | 1718.00             |                    |
| WSA2094312  | 20.94         | 3.12        | 1074                       | Watertank WSA galvanized min. 1.0 mm |                          | 92              | 2392              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2753.00 | 2678.00             |                    |
| WSA2094388R | 20.94         | 3.88        | 1336                       | Watertank WSA galvanized min. 1.0 mm | 0.40m                    | 115             | 2990              | 1,85 mm S350         | 1,85 mm S350    | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3737.00 | 3637.00             |                    |
| WSA2185159  | 21.85         | 1.59        | 596                        | Watertank WSA galvanized min. 1.0 mm |                          | 48              | 1248              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 1149.00 | 1124.00             |                    |
| WSA2185236  | 21.85         | 2.36        | 885                        | Watertank WSA galvanized min. 1.0 mm |                          | 72              | 1872              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1843.00 | 1793.00             |                    |
| WSA2185312  | 21.85         | 3.12        | 1170                       | Watertank WSA galvanized min. 1.0 mm |                          | 96              | 2496              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2869.00 | 2794.00             |                    |
| WSA2185388R | 21.85         | 3.88        | 1455                       | Watertank WSA galvanized min. 1.0 mm | 0.40m                    | 120             | 3120              | 1,85 mm S350         | 1,85 mm S350    | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3895.00 | 3795.00             |                    |
| WSA2276159  | 22.76         | 1.59        | 647                        | Watertank WSA galvanized min. 1.0 mm |                          | 50              | 1300              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 1196.00 | 1171.00             |                    |
| WSA2276236  | 22.76         | 2.36        | 960                        | Watertank WSA galvanized min. 1.0 mm |                          | 75              | 1950              | 1,5 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 2082.00 | 2032.00             |                    |

**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no.  | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                                 | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |         |
|--------------|---------------|-------------|----------------------------|---|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|---------|
|              |               |             |                            |   | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |         |
| WSA2276312   | 22.76         | 3.12        | 1269                       | Watertank WSA galvanized min. 1.0 mm        |                          | 100             | 2600              | 1,85 mm S350         | 1,5 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 3149.00            | 3074.00 |
| WSA2276388R  | 22.76         | 3.88        | 1579                       | Watertank WSA galvanized min. 1.0 mm        | 0.80m                    | 125             | 3250              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                     | 4217.00            | 4117.00 |
| WSA2367159   | 23.67         | 1.59        | 700                        | Watertank WSA galvanized min. 1.0 mm        |                          | 52              | 1352              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1384.00            | 1334.00 |
| WSA2367236   | 23.67         | 2.36        | 1038                       | Watertank WSA galvanized min. 1.0 mm        |                          | 78              | 2028              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 2304.00            | 2229.00 |
| WSA2367312   | 23.67         | 3.12        | 1373                       | Watertank WSA galvanized min. 1.0 mm        |                          | 104             | 2704              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                     | 3413.00            | 3313.00 |
| WSA2367388R  | 23.67         | 3.88        | 1707                       | Watertank WSA galvanized min. 1.0 mm        | 0.80m                    | 130             | 3380              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 |                     | 4864.00            | 4453.00 |
| WSA2458159   | 24.58         | 1.59        | 754                        | Watertank WSA galvanized min. 1.0 mm        |                          | 54              | 1404              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1435.00            | 1385.00 |
| WSA2458236   | 24.58         | 2.36        | 1120                       | Watertank WSA galvanized min. 1.0 mm        |                          | 81              | 2106              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 2389.00            | 2314.00 |
| WSA2458312   | 24.58         | 3.12        | 1480                       | Watertank WSA galvanized min. 1.0 mm        |                          | 108             | 2808              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                     | 3541.00            | 3441.00 |
| WSA2458388R  | 24.58         | 3.88        | 1841                       | Watertank WSA galvanized min. 1.0 mm        | 0.80m                    | 135             | 3510              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 |                     | 4692.00            | 4567.00 |
| WSA2549159   | 25.49         | 1.59        | 811                        | Watertank WSA galvanized min. 1.0 mm        |                          | 56              | 1456              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1486.00            | 1436.00 |
| WSA2549236   | 25.49         | 2.36        | 1204                       | Watertank WSA galvanized min. 1.0 mm        |                          | 84              | 2184              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 2475.00            | 2400.00 |
| WSA2549312R  | 25.49         | 3.12        | 1592                       | Watertank WSA galvanized min. 1.0 mm        | 0.40m                    | 112             | 2912              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                     | 3668.00            | 3568.00 |
| WSA2640159   | 26.40         | 1.59        | 870                        | Watertank WSA galvanized min. 1.0 mm        |                          | 58              | 1508              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1538.00            | 1488.00 |
| WSA2640236   | 26.40         | 2.36        | 1292                       | Watertank WSA galvanized min. 1.0 mm        |                          | 87              | 2262              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 2561.00            | 2486.00 |
| WSA2640312R  | 26.40         | 3.12        | 1708                       | Watertank WSA galvanized min. 1.0 mm        | 0.40m                    | 116             | 3016              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                     | 3795.00            | 3695.00 |
| WSA2731159   | 27.31         | 1.59        | 931                        | Watertank WSA galvanized min. 1.0 mm        |                          | 60              | 1560              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1589.00            | 1539.00 |
| WSA2731236   | 27.31         | 2.36        | 1382                       | Watertank WSA galvanized min. 1.0 mm        |                          | 90              | 2340              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 2646.00            | 2571.00 |
| WSA2731312R  | 27.31         | 3.12        | 1828                       | Watertank WSA galvanized min. 1.0 mm        | 0.40m                    | 120             | 3120              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                     | 3948.00            | 3823.00 |
| WSA2822159   | 28.22         | 1.59        | 994                        | Watertank WSA galvanized min. 1.0 mm        |                          | 62              | 1612              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1640.00            | 1590.00 |
| WSA2822236   | 28.22         | 2.36        | 1476                       | Watertank WSA galvanized min. 1.0 mm        |                          | 93              | 2418              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 2983.00            | 2883.00 |
| WSA2822312R  | 28.22         | 3.12        | 1951                       | Watertank WSA galvanized min. 1.0 mm        | 0.40m                    | 124             | 3224              | 1,85 mm S350         | 1,85 mm S350    | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                     | 4326.00            | 4176.00 |
| WSA2913159   | 29.13         | 1.59        | 1060                       | Watertank WSA galvanized min. 1.0 mm        |                          | 64              | 1664              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1691.00            | 1641.00 |
| WSA2913236   | 29.13         | 2.36        | 1573                       | Watertank WSA galvanized min. 1.0 mm        |                          | 96              | 2496              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 3076.00            | 2976.00 |
| WSA2913312R  | 29.13         | 3.12        | 2079                       | Watertank WSA galvanized min. 1.0 mm        | 0.80m                    | 128             | 3328              | 1,85 mm S350         | 1,85 mm S350    | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                     | 4461.00            | 4311.00 |
| WSA3004159   | 30.04         | 1.59        | 1127                       | Watertank WSA galvanized min. 1.0 mm        |                          | 66              | 1716              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1743.00            | 1693.00 |
| WSA3004236   | 30.04         | 2.36        | 1673                       | Watertank WSA galvanized min. 1.0 mm        |                          | 99              | 2574              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 3169.00            | 3069.00 |
| WSA3095159   | 30.95         | 1.59        | 1196                       | Watertank WSA galvanized min. 1.0 mm        |                          | 68              | 1768              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1794.00            | 1744.00 |
| WSA3095236   | 30.95         | 2.36        | 1776                       | Watertank WSA galvanized min. 1.0 mm        |                          | 102             | 2652              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 3262.00            | 3162.00 |
| WSA1C0182159 | 1.82          | 1.59        | 4                          | Watertank WSA bottomring coated min. 1.0 mm |                          | 4               | 104               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 123.00             | 98.00   |
| WSA1C0182236 | 1.82          | 2.36        | 6                          | Watertank WSA bottomring coated min. 1.0 mm |                          | 6               | 156               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 170.00             | 145.00  |
| WSA1C0182312 | 1.82          | 3.12        | 8                          | Watertank WSA bottomring coated min. 1.0 mm |                          | 8               | 208               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 217.00             | 192.00  |
| WSA1C0182388 | 1.82          | 3.88        | 10                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 10              | 260               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 263.00             | 238.00  |
| WSA1C0182464 | 1.82          | 4.64        | 12                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 12              | 312               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 310.00             | 285.00  |
| WSA1C0273159 | 2.73          | 1.59        | 9                          | Watertank WSA bottomring coated min. 1.0 mm |                          | 6               | 156               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 171.00             | 146.00  |
| WSA1C0273236 | 2.73          | 2.36        | 14                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 9               | 234               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 242.00             | 217.00  |
| WSA1C0273312 | 2.73          | 3.12        | 18                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 12              | 312               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 312.00             | 287.00  |
| WSA1C0273388 | 2.73          | 3.88        | 23                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 15              | 390               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 382.00             | 357.00  |
| WSA1C0273464 | 2.73          | 4.64        | 27                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 18              | 468               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 453.00             | 428.00  |
| WSA1C0364159 | 3.64          | 1.59        | 17                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 8               | 208               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 220.00             | 195.00  |
| WSA1C0364236 | 3.64          | 2.36        | 25                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 12              | 312               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 314.00             | 289.00  |
| WSA1C0364312 | 3.64          | 3.12        | 32                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 16              | 416               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 408.00             | 383.00  |

APRIL 2021

| Article no.   | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                                 | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |
|---------------|---------------|-------------|----------------------------|---|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|
|               |               |             |                            |   | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |
| WSA1C0364388  | 3.64          | 3.88        | 40                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 20              | 520               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 501.00              | 476.00             |
| WSA1C0364464  | 3.64          | 4.64        | 48                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 24              | 624               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 595.00              | 570.00             |
| WSA1C0455159  | 4.55          | 1.59        | 26                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 10              | 260               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 269.00              | 244.00             |
| WSA1C0455236  | 4.55          | 2.36        | 38                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 15              | 390               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 386.00              | 361.00             |
| WSA1C0455312  | 4.55          | 3.12        | 51                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 20              | 520               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 503.00              | 478.00             |
| WSA1C0455388  | 4.55          | 3.88        | 63                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 25              | 650               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 620.00              | 595.00             |
| WSA1C0455464  | 4.55          | 4.64        | 75                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 30              | 780               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 737.00              | 712.00             |
| WSA1C0546159  | 5.46          | 1.59        | 37                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 12              | 312               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 317.00              | 292.00             |
| WSA1C0546236  | 5.46          | 2.36        | 55                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 18              | 468               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 458.00              | 433.00             |
| WSA1C0546312  | 5.46          | 3.12        | 73                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 24              | 624               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 599.00              | 574.00             |
| WSA1C0546388  | 5.46          | 3.88        | 91                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 30              | 780               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 739.00              | 714.00             |
| WSA1C0546464  | 5.46          | 4.64        | 109                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 36              | 936               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 879.00              | 854.00             |
| WSUA1C0611159 | 6.11          | 1.59        | 46                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 14              | 364               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 353.00              | 328.00             |
| WSUA1C0611236 | 6.11          | 2.36        | 69                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 21              | 546               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 511.00              | 486.00             |
| WSUA1C0611312 | 6.11          | 3.12        | 91                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 28              | 728               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 669.00              | 644.00             |
| WSUA1C0611388 | 6.11          | 3.88        | 113                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 35              | 910               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 827.00              | 802.00             |
| WSUA1C0611464 | 6.11          | 4.64        | 136                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 42              | 1092              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 985.00              | 960.00             |
| WSA1C0637159  | 6.37          | 1.59        | 51                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 14              | 364               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 366.00              | 341.00             |
| WSA1C0637236  | 6.37          | 2.36        | 75                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 21              | 546               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 530.00              | 505.00             |
| WSA1C0637312  | 6.37          | 3.12        | 99                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 28              | 728               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 694.00              | 669.00             |
| WSA1C0637388  | 6.37          | 3.88        | 124                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 35              | 910               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 858.00              | 833.00             |
| WSA1C0637464  | 6.37          | 4.64        | 148                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 42              | 1092              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1022.00             | 997.00             |
| WSA1C0637537  | 6.37          | 5.37        | 171                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 49              | 1274              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1186.00             | 1161.00            |
| WSUA1C0698159 | 6.98          | 1.59        | 61                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 16              | 416               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 400.00              | 375.00             |
| WSUA1C0698236 | 6.98          | 2.36        | 90                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 24              | 624               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 581.00              | 556.00             |
| WSUA1C0698312 | 6.98          | 3.12        | 119                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 32              | 832               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 761.00              | 736.00             |
| WSUA1C0698388 | 6.98          | 3.88        | 148                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 40              | 1040              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 941.00              | 916.00             |
| WSUA1C0698464 | 6.98          | 4.64        | 177                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 48              | 1248              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1122.00             | 1097.00            |
| WSUA1C0698537 | 6.98          | 5.37        | 205                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 56              | 1456              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1374.00             | 1324.00            |
| WSA1C0728159  | 7.28          | 1.59        | 66                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 16              | 416               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 415.00              | 390.00             |
| WSA1C0728236  | 7.28          | 2.36        | 98                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 24              | 624               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 602.00              | 577.00             |
| WSA1C0728312  | 7.28          | 3.12        | 130                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 32              | 832               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 789.00              | 764.00             |
| WSA1C0728388  | 7.28          | 3.88        | 162                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 40              | 1040              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 977.00              | 952.00             |
| WSA1C0728464  | 7.28          | 4.64        | 193                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 48              | 1248              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1164.00             | 1139.00            |
| WSA1C0728537  | 7.28          | 5.37        | 224                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 56              | 1456              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1444.00             | 1394.00            |
| WSUA1C0785159 | 7.85          | 1.59        | 18                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 18              | 468               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 447.00              | 422.00             |
| WSUA1C0785236 | 7.85          | 2.36        | 27                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 27              | 702               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 650.00              | 625.00             |
| WSUA1C0785312 | 7.85          | 3.12        | 36                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 36              | 936               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 853.00              | 828.00             |
| WSUA1C0785388 | 7.85          | 3.88        | 45                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 45              | 1170              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1056.00             | 1031.00            |
| WSUA1C0785464 | 7.85          | 4.64        | 224                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 54              | 1404              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1336.00             | 1286.00            |
| WSUA1C0785537 | 7.85          | 5.37        | 259                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 63              | 1638              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1577.00             | 1527.00            |
| WSA1C0819159  | 8.19          | 1.59        | 84                         | Watertank WSA bottomring coated min. 1.0 mm |                          | 18              | 468               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 463.00              | 438.00             |
| WSA1C0819236  | 8.19          | 2.36        | 124                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 27              | 702               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 674.00              | 649.00             |

**GENAP TANK BUILD SPECIFICATIONS**

**WS - Long Panel minimum 0.8mm**  
**WSA - Long Panel minimum 1.0mm**  
**WSW - Short Panel minimum 0.8mm**  
**WSWA - Short Panel minimum 1.0mm**



APRIL 2021

| Article no.  | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                                 | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 |        | Gross weight<br>kgs | Nett Weight<br>kgs |
|--------------|---------------|-------------|----------------------------|---|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|--------|---------------------|--------------------|
|              |               |             |                            |   | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |        |                     |                    |
| WSA1C0819312 | 8.19          | 3.12        | 164                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 36              | 936               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |        | 885.00              | 860.00             |
| WSA1C0819388 | 8.19          | 3.88        | 204                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 45              | 1170              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |        | 1096.00             | 1071.00            |
| WSA1C0819464 | 8.19          | 4.64        | 244                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 54              | 1404              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |        | 1408.00             | 1358.00            |
| WSA1C0819537 | 8.19          | 5.37        | 283                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 63              | 1638              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |        | 1658.00             | 1608.00            |
| WSA1C0910159 | 9.10          | 1.59        | 103                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 20              | 520               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |        | 512.00              | 487.00             |
| WSA1C0910236 | 9.10          | 2.36        | 153                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 30              | 780               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |        | 746.00              | 721.00             |
| WSA1C0910312 | 9.10          | 3.12        | 203                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 40              | 1040              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |        | 980.00              | 955.00             |
| WSA1C0910388 | 9.10          | 3.88        | 252                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 50              | 1300              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |        | 1215.00             | 1190.00            |
| WSA1C0910464 | 9.10          | 4.64        | 302                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 60              | 1560              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |        | 1558.00             | 1508.00            |
| WSA1C0910537 | 9.10          | 5.37        | 349                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 70              | 1820              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |        | 1837.00             | 1787.00            |
| WSA1C1001159 | 10.01         | 1.59        | 125                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 22              | 572               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |        | 561.00              | 536.00             |
| WSA1C1001236 | 10.01         | 2.36        | 186                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 33              | 858               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |        | 818.00              | 793.00             |
| WSA1C1001312 | 10.01         | 3.12        | 246                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 44              | 1144              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |        | 1076.00             | 1051.00            |
| WSA1C1001388 | 10.01         | 3.88        | 305                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 55              | 1430              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |        | 1452.00             | 1402.00            |
| WSA1C1001464 | 10.01         | 4.64        | 365                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 66              | 1716              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |        | 1758.00             | 1708.00            |
| WSA1C1001537 | 10.01         | 5.37        | 423                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 77              | 2002              | 1,2 mm S320          | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |        | 2070.00             | 2020.00            |
| WSA1C1092159 | 10.92         | 1.59        | 149                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 24              | 624               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |        | 609.00              | 584.00             |
| WSA1C1092236 | 10.92         | 2.36        | 221                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 36              | 936               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |        | 890.00              | 865.00             |
| WSA1C1092312 | 10.92         | 3.12        | 292                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 48              | 1248              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |        | 1171.00             | 1146.00            |
| WSA1C1092388 | 10.92         | 3.88        | 363                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 60              | 1560              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |        | 1579.00             | 1529.00            |
| WSA1C1092464 | 10.92         | 4.64        | 435                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 72              | 1872              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |        | 1913.00             | 1863.00            |
| WSA1C1092537 | 10.92         | 5.37        | 503                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 84              | 2184              | 1,2 mm S320          | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |        | 2253.00             | 2203.00            |
| WSA1C1183159 | 11.83         | 1.59        | 175                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 26              | 676               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |        | 658.00              | 633.00             |
| WSA1C1183236 | 11.83         | 2.36        | 259                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 39              | 1014              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |        | 968.00              | 938.00             |
| WSA1C1183312 | 11.83         | 3.12        | 343                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 52              | 1352              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |        | 1402.00             | 1352.00            |
| WSA1C1183388 | 11.83         | 3.88        | 426                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 65              | 1690              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |        | 1764.00             | 1714.00            |
| WSA1C1183464 | 11.83         | 4.64        | 510                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 78              | 2028              | 1,2 mm S320          | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |        | 2133.00             | 2083.00            |
| WSA1C1183537 | 11.83         | 5.37        | 590                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 91              | 2366              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |        | 2703.00             | 2628.00            |
| WSA1C1275159 | 12.75         | 1.59        | 203                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 28              | 728               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |        | 707.00              | 682.00             |
| WSA1C1275236 | 12.75         | 2.36        | 301                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 42              | 1092              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |        | 1035.00             | 1010.00            |
| WSA1C1275312 | 12.75         | 3.12        | 398                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 56              | 1456              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |        | 1506.00             | 1456.00            |
| WSA1C1275388 | 12.75         | 3.88        | 495                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 70              | 1820              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |        | 1896.00             | 1846.00            |
| WSA1C1275464 | 12.75         | 4.64        | 592                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 84              | 2184              | 1,5 mm S350          | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |        | 2318.00             | 2243.00            |
| WSA1C1275537 | 12.75         | 5.37        | 686                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 98              | 2548              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm | 2930.00             | 2830.00            |
| WSA1C1366159 | 13.66         | 1.59        | 233                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 30              | 780               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |        | 755.00              | 730.00             |
| WSA1C1366236 | 13.66         | 2.36        | 346                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 45              | 1170              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |        | 1107.00             | 1082.00            |
| WSA1C1366312 | 13.66         | 3.12        | 457                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 60              | 1560              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |        | 1610.00             | 1560.00            |
| WSA1C1366388 | 13.66         | 3.88        | 569                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 75              | 1950              | 1,2 mm S320          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |        | 2035.00             | 1985.00            |
| WSA1C1366464 | 13.66         | 4.64        | 680                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 90              | 2340              | 1,5 mm S350          | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |        | 2576.00             | 2501.00            |
| WSA1C1366537 | 13.66         | 5.37        | 787                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 105             | 2730              | 1,85 mm S350         | 1,5 mm S350     | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm | 3230.00             | 3130.00            |
| WSA1C1457159 | 14.57         | 1.59        | 265                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 32              | 832               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |        | 804.00              | 779.00             |
| WSA1C1457236 | 14.57         | 2.36        | 393                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 48              | 1248              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |        | 1179.00             | 1154.00            |
| WSA1C1457312 | 14.57         | 3.12        | 520                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 64              | 1664              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |        | 1714.00             | 1664.00            |



**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no.   | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                                 | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 |         | Gross weight<br>kgs | Nett Weight<br>kgs |
|---------------|---------------|-------------|----------------------------|---|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------|---------------------|--------------------|
|               |               |             |                            |   | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |         |                     |                    |
| WSA1C1457388  | 14.57         | 3.88        | 647                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 80              | 2080              | 1,2 mm S320          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 2167.00 | 2117.00             |                    |
| WSA1C1457464  | 14.57         | 4.64        | 774                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 96              | 2496              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 2863.00 | 2788.00             |                    |
| WSA1C1457537R | 14.57         | 5.37        | 895                        | Watertank WSA bottomring coated min. 1.0 mm | 0.40m                    | 112             | 2912              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 3556.00 | 3456.00             |                    |
| WSA1C1548159  | 15.48         | 1.59        | 299                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 34              | 884               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 | 853.00          | 828.00  |                     |                    |
| WSA1C1548236  | 15.48         | 2.36        | 444                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 51              | 1326              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1251.00         | 1226.00 |                     |                    |
| WSA1C1548312  | 15.48         | 3.12        | 587                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 68              | 1768              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1818.00         | 1768.00 |                     |                    |
| WSA1C1548388  | 15.48         | 3.88        | 730                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 85              | 2210              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 2325.00         | 2250.00 |                     |                    |
| WSA1C1548464  | 15.48         | 4.64        | 873                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 102             | 2652              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 3038.00         | 2964.00 |                     |                    |
| WSA1C1548537R | 15.48         | 5.37        | 1011                       | Watertank WSA bottomring coated min. 1.0 mm | 0.80m                    | 119             | 3094              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 3772.00 | 3672.00             |                    |
| WSA1C1639159  | 16.39         | 1.59        | 335                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 36              | 936               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 | 901.00          | 876.00  |                     |                    |
| WSA1C1639236  | 16.39         | 2.36        | 498                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 54              | 1404              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1500.00         | 1450.00 |                     |                    |
| WSA1C1639312  | 16.39         | 3.12        | 658                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 72              | 1872              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 2002.00         | 1952.00 |                     |                    |
| WSA1C1639388  | 16.39         | 3.88        | 819                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 90              | 2340              | 1,5 mm S350          | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 2537.00         | 2462.00 |                     |                    |
| WSA1C1639464  | 16.39         | 4.64        | 979                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 108             | 2808              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 3317.00         | 3217.00 |                     |                    |
| WSA1C1639537R | 16.39         | 5.37        | 1133                       | Watertank WSA bottomring coated min. 1.0 mm | 0.80m                    | 126             | 3276              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 4093.00 | 3968.00             |                    |
| WSA1C1730159  | 17.30         | 1.59        | 374                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 38              | 988               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 | 950.00          | 925.00  |                     |                    |
| WSA1C1730236  | 17.30         | 2.36        | 555                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 57              | 1482              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1581.00         | 1531.00 |                     |                    |
| WSA1C1730312  | 17.30         | 3.12        | 733                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 76              | 1976              | 1,2 mm S320          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 2119.00         | 2069.00 |                     |                    |
| WSA1C1730388  | 17.30         | 3.88        | 912                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 95              | 2470              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 2941.00         | 2866.00 |                     |                    |
| WSA1C1730464R | 17.30         | 4.64        | 1091                       | Watertank WSA bottomring coated min. 1.0 mm | 0.40m                    | 114             | 2964              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 3759.00         | 3659.00 |                     |                    |
| WSA1C1821159  | 18.21         | 1.59        | 414                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 40              | 1040              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 | 999.00          | 974.00  |                     |                    |
| WSA1C1821236  | 18.21         | 2.36        | 615                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 60              | 1560              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1661.00         | 1611.00 |                     |                    |
| WSA1C1821312  | 18.21         | 3.12        | 813                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 80              | 2080              | 1,2 mm S320          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 2228.00         | 2178.00 |                     |                    |
| WSA1C1821388  | 18.21         | 3.88        | 1011                       | Watertank WSA bottomring coated min. 1.0 mm |                          | 100             | 2600              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 3092.00         | 3017.00 |                     |                    |
| WSA1C1821464R | 18.21         | 4.64        | 1208                       | Watertank WSA bottomring coated min. 1.0 mm | 0.40m                    | 120             | 3120              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 3951.00         | 3851.00 |                     |                    |
| WSA1C1912159  | 19.12         | 1.59        | 457                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 42              | 1092              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 | 1047.00         | 1022.00 |                     |                    |
| WSA1C1912236  | 19.12         | 2.36        | 678                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 63              | 1638              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1742.00         | 1692.00 |                     |                    |
| WSA1C1912312  | 19.12         | 3.12        | 896                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 84              | 2184              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 2362.00         | 2287.00 |                     |                    |
| WSA1C1912388  | 19.12         | 3.88        | 1114                       | Watertank WSA bottomring coated min. 1.0 mm |                          | 105             | 2730              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 3268.00         | 3168.00 |                     |                    |
| WSA1C1912464R | 19.12         | 4.64        | 1332                       | Watertank WSA bottomring coated min. 1.0 mm | 0.80m                    | 126             | 3276              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 4169.00         | 4044.00 |                     |                    |
| WSA1C2003159  | 20.03         | 1.59        | 501                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 44              | 1144              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 | 1096.00         | 1071.00 |                     |                    |
| WSA1C2003236  | 20.03         | 2.36        | 744                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 66              | 1716              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1822.00         | 1772.00 |                     |                    |
| WSA1C2003312  | 20.03         | 3.12        | 983                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 88              | 2288              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 2471.00         | 2396.00 |                     |                    |
| WSA1C2003388  | 20.03         | 3.88        | 1223                       | Watertank WSA bottomring coated min. 1.0 mm |                          | 110             | 2860              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 3419.00         | 3319.00 |                     |                    |
| WSA1C2003464R | 20.03         | 4.64        | 1462                       | Watertank WSA bottomring coated min. 1.0 mm | 0.80m                    | 132             | 3432              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 4361.00         | 4236.00 |                     |                    |
| WSA1C2094159  | 20.94         | 1.59        | 548                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 46              | 1196              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 | 1145.00         | 1120.00 |                     |                    |
| WSA1C2094236  | 20.94         | 2.36        | 813                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 69              | 1794              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1903.00         | 1853.00 |                     |                    |
| WSA1C2094312  | 20.94         | 3.12        | 1074                       | Watertank WSA bottomring coated min. 1.0 mm |                          | 92              | 2392              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 2753.00         | 2678.00 |                     |                    |
| WSA1C2094388R | 20.94         | 3.88        | 1336                       | Watertank WSA bottomring coated min. 1.0 mm | 0.40m                    | 115             | 2990              | 1,85 mm S350         | 1,85 mm S350    | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 3737.00         | 3637.00 |                     |                    |
| WSA1C2185159  | 21.85         | 1.59        | 596                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 48              | 1248              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 | 1193.00         | 1168.00 |                     |                    |
| WSA1C2185236  | 21.85         | 2.36        | 885                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 72              | 1872              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1983.00         | 1933.00 |                     |                    |
| WSA1C2185312  | 21.85         | 3.12        | 1170                       | Watertank WSA bottomring coated min. 1.0 mm |                          | 96              | 2496              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 2869.00         | 2794.00 |                     |                    |
| WSA1C2185388R | 21.85         | 3.88        | 1455                       | Watertank WSA bottomring coated min. 1.0 mm | 0.40m                    | 120             | 3120              | 1,85 mm S350         | 1,85 mm S350    | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 3895.00         | 3795.00 |                     |                    |

**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no.   | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                                 | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |         |
|---------------|---------------|-------------|----------------------------|---|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|---------|
|               |               |             |                            |   | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |         |
| WSA1C2276159  | 22.76         | 1.59        | 647                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 50              | 1300              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1242.00            | 1217.00 |
| WSA1C2276236  | 22.76         | 2.36        | 960                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 75              | 1950              | 1,2 mm S320          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 2076.00            | 2026.00 |
| WSA1C2276312  | 22.76         | 3.12        | 1269                       | Watertank WSA bottomring coated min. 1.0 mm |                          | 100             | 2600              | 1,85 mm S350         | 1,5 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 3149.00            | 3074.00 |
| WSA1C2276388R | 22.76         | 3.88        | 1579                       | Watertank WSA bottomring coated min. 1.0 mm | 0.80m                    | 125             | 3250              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                     | 4217.00            | 4117.00 |
| WSA1C2367159  | 23.67         | 1.59        | 700                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 52              | 1352              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1536.00            | 1486.00 |
| WSA1C2367236  | 23.67         | 2.36        | 1038                       | Watertank WSA bottomring coated min. 1.0 mm |                          | 78              | 2028              | 1,2 mm S320          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 2298.00            | 2223.00 |
| WSA1C2367312  | 23.67         | 3.12        | 1373                       | Watertank WSA bottomring coated min. 1.0 mm |                          | 104             | 2704              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                     | 3413.00            | 3313.00 |
| WSA1C2367388R | 23.67         | 3.88        | 1707                       | Watertank WSA bottomring coated min. 1.0 mm | 0.80m                    | 130             | 3380              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 |                     | 4864.00            | 4453.00 |
| WSA1C2458159  | 24.58         | 1.59        | 754                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 54              | 1404              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1593.00            | 1543.00 |
| WSA1C2458236  | 24.58         | 2.36        | 1120                       | Watertank WSA bottomring coated min. 1.0 mm |                          | 81              | 2106              | 1,2 mm S320          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 2383.00            | 2308.00 |
| WSA1C2458312  | 24.58         | 3.12        | 1480                       | Watertank WSA bottomring coated min. 1.0 mm |                          | 108             | 2808              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                     | 3541.00            | 3441.00 |
| WSA1C2458388R | 24.58         | 3.88        | 1841                       | Watertank WSA bottomring coated min. 1.0 mm | 0.80m                    | 135             | 3510              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 |                     | 4692.00            | 4567.00 |
| WSA1C2549159  | 25.49         | 1.59        | 811                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 56              | 1456              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1650.00            | 1600.00 |
| WSA1C2549236  | 25.49         | 2.36        | 1204                       | Watertank WSA bottomring coated min. 1.0 mm |                          | 84              | 2184              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 2469.00            | 2394.00 |
| WSA1C2549312R | 25.49         | 3.12        | 1592                       | Watertank WSA bottomring coated min. 1.0 mm | 0.40m                    | 112             | 2912              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                     | 3668.00            | 3568.00 |
| WSA1C2640159  | 26.40         | 1.59        | 870                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 58              | 1508              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1707.00            | 1657.00 |
| WSA1C2640236  | 26.40         | 2.36        | 1292                       | Watertank WSA bottomring coated min. 1.0 mm |                          | 87              | 2262              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 2554.00            | 2479.00 |
| WSA1C2640312R | 26.40         | 3.12        | 1708                       | Watertank WSA bottomring coated min. 1.0 mm | 0.40m                    | 116             | 3016              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                     | 3795.00            | 3695.00 |
| WSA1C2731159  | 27.31         | 1.59        | 931                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 60              | 1560              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1764.00            | 1714.00 |
| WSA1C2731236  | 27.31         | 2.36        | 1382                       | Watertank WSA bottomring coated min. 1.0 mm |                          | 90              | 2340              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 2640.00            | 2565.00 |
| WSA1C2731312R | 27.31         | 3.12        | 1828                       | Watertank WSA bottomring coated min. 1.0 mm | 0.40m                    | 120             | 3120              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                     | 3948.00            | 3823.00 |
| WSA1C2822159  | 28.22         | 1.59        | 994                        | Watertank WSA bottomring coated min. 1.0 mm |                          | 62              | 1612              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1821.00            | 1771.00 |
| WSA1C2822236  | 28.22         | 2.36        | 1476                       | Watertank WSA bottomring coated min. 1.0 mm |                          | 93              | 2418              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 2983.00            | 2883.00 |
| WSA1C2822312R | 28.22         | 3.12        | 1951                       | Watertank WSA bottomring coated min. 1.0 mm | 0.40m                    | 124             | 3224              | 1,85 mm S350         | 1,85 mm S350    | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                     | 4326.00            | 4176.00 |
| WSA1C2913159  | 29.13         | 1.59        | 1060                       | Watertank WSA bottomring coated min. 1.0 mm |                          | 64              | 1664              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1879.00            | 1829.00 |
| WSA1C2913236  | 29.13         | 2.36        | 1573                       | Watertank WSA bottomring coated min. 1.0 mm |                          | 96              | 2496              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 3076.00            | 2976.00 |
| WSA1C2913312R | 29.13         | 3.12        | 2079                       | Watertank WSA bottomring coated min. 1.0 mm | 0.80m                    | 128             | 3328              | 1,85 mm S350         | 1,85 mm S350    | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                     | 4461.00            | 4311.00 |
| WSA1C3004159  | 30.04         | 1.59        | 1127                       | Watertank WSA bottomring coated min. 1.0 mm |                          | 66              | 1716              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1936.00            | 1886.00 |
| WSA1C3004236  | 30.04         | 2.36        | 1673                       | Watertank WSA bottomring coated min. 1.0 mm |                          | 99              | 2574              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 3169.00            | 3069.00 |
| WSA1C3095159  | 30.95         | 1.59        | 1196                       | Watertank WSA bottomring coated min. 1.0 mm |                          | 68              | 1768              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1993.00            | 1943.00 |
| WSA1C3095236  | 30.95         | 2.36        | 1776                       | Watertank WSA bottomring coated min. 1.0 mm |                          | 102             | 2652              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 3262.00            | 3162.00 |

|              |      |      |    |  |  |    |     |        |        |        |        |        |        |  |  |        |        |
|--------------|------|------|----|--|--|----|-----|--------|--------|--------|--------|--------|--------|--|--|--------|--------|
| WSAVC0182159 | 1.82 | 1.59 | 4  | Watertank WSA fully coated min. 1.0 mm |  | 4  | 104 | 1,0 mm | 1,0 mm |        |        |        |        |  |  | 127.00 | 102.00 |
| WSAVC0182236 | 1.82 | 2.36 | 6  | Watertank WSA fully coated min. 1.0 mm |  | 6  | 156 | 1,0 mm | 1,0 mm | 1,0 mm |        |        |        |  |  | 177.00 | 152.00 |
| WSAVC0182312 | 1.82 | 3.12 | 8  | Watertank WSA fully coated min. 1.0 mm |  | 8  | 208 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |        |        |  |  | 228.00 | 203.00 |
| WSAVC0182388 | 1.82 | 3.88 | 10 | Watertank WSA fully coated min. 1.0 mm |  | 10 | 260 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |        |  |  | 278.00 | 253.00 |
| WSAVC0182464 | 1.82 | 4.64 | 12 | Watertank WSA fully coated min. 1.0 mm |  | 12 | 312 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |  |  | 328.00 | 303.00 |
| WSAVC0273159 | 2.73 | 1.59 | 9  | Watertank WSA fully coated min. 1.0 mm |  | 6  | 156 | 1,0 mm | 1,0 mm |        |        |        |        |  |  | 177.00 | 152.00 |
| WSAVC0273236 | 2.73 | 2.36 | 14 | Watertank WSA fully coated min. 1.0 mm |  | 9  | 234 | 1,0 mm | 1,0 mm | 1,0 mm |        |        |        |  |  | 253.00 | 228.00 |
| WSAVC0273312 | 2.73 | 3.12 | 18 | Watertank WSA fully coated min. 1.0 mm |  | 12 | 312 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |        |        |  |  | 328.00 | 303.00 |
| WSAVC0273388 | 2.73 | 3.88 | 23 | Watertank WSA fully coated min. 1.0 mm |  | 15 | 390 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |        |  |  | 404.00 | 379.00 |
| WSAVC0273464 | 2.73 | 4.64 | 27 | Watertank WSA fully coated min. 1.0 mm |  | 18 | 468 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |  |  | 480.00 | 455.00 |
| WSAVC0364159 | 3.64 | 1.59 | 17 | Watertank WSA fully coated min. 1.0 mm |  | 8  | 208 | 1,0 mm | 1,0 mm |        |        |        |        |  |  | 228.00 | 203.00 |

**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no.   | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                            | Bury Tank<br>minimum | Total<br>Plates | Total<br>Boltsets | Plate Thickness per Ring |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |
|---------------|---------------|-------------|----------------------------|--|----------------------|-----------------|-------------------|--------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|
|               |               |             |                            |  |                      |                 |                   | Bottom Ring<br>0,81m     | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |
| WSAVC0364236  | 3.64          | 2.36        | 25                         | Watertank WSA fully coated min. 1.0 mm |                      | 12              | 312               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 328.00              | 303.00             |
| WSAVC0364312  | 3.64          | 3.12        | 32                         | Watertank WSA fully coated min. 1.0 mm |                      | 16              | 416               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 429.00              | 404.00             |
| WSAVC0364388  | 3.64          | 3.88        | 40                         | Watertank WSA fully coated min. 1.0 mm |                      | 20              | 520               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 530.00              | 505.00             |
| WSAVC0364464  | 3.64          | 4.64        | 48                         | Watertank WSA fully coated min. 1.0 mm |                      | 24              | 624               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 631.00              | 606.00             |
| WSAVC0455159  | 4.55          | 1.59        | 26                         | Watertank WSA fully coated min. 1.0 mm |                      | 10              | 260               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 278.00              | 253.00             |
| WSAVC0455236  | 4.55          | 2.36        | 38                         | Watertank WSA fully coated min. 1.0 mm |                      | 15              | 390               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 404.00              | 379.00             |
| WSAVC0455312  | 4.55          | 3.12        | 51                         | Watertank WSA fully coated min. 1.0 mm |                      | 20              | 520               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 530.00              | 505.00             |
| WSAVC0455388  | 4.55          | 3.88        | 63                         | Watertank WSA fully coated min. 1.0 mm |                      | 25              | 650               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 657.00              | 632.00             |
| WSAVC0455464  | 4.55          | 4.64        | 75                         | Watertank WSA fully coated min. 1.0 mm |                      | 30              | 780               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 783.00              | 758.00             |
| WSAVC0546159  | 5.46          | 1.59        | 37                         | Watertank WSA fully coated min. 1.0 mm |                      | 12              | 312               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 328.00              | 303.00             |
| WSAVC0546236  | 5.46          | 2.36        | 55                         | Watertank WSA fully coated min. 1.0 mm |                      | 18              | 468               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 480.00              | 455.00             |
| WSAVC0546312  | 5.46          | 3.12        | 73                         | Watertank WSA fully coated min. 1.0 mm |                      | 24              | 624               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 631.00              | 606.00             |
| WSAVC0546388  | 5.46          | 3.88        | 91                         | Watertank WSA fully coated min. 1.0 mm |                      | 30              | 780               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 783.00              | 758.00             |
| WSAVC0546464  | 5.46          | 4.64        | 109                        | Watertank WSA fully coated min. 1.0 mm |                      | 36              | 936               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 934.00              | 909.00             |
| WSUAVC0611159 | 6.11          | 1.59        | 46                         | Watertank WSA fully coated min. 1.0 mm |                      | 14              | 364               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 366.00              | 341.00             |
| WSUAVC0611236 | 6.11          | 2.36        | 69                         | Watertank WSA fully coated min. 1.0 mm |                      | 21              | 546               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 536.00              | 511.00             |
| WSUAVC0611312 | 6.11          | 3.12        | 91                         | Watertank WSA fully coated min. 1.0 mm |                      | 28              | 728               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 706.00              | 681.00             |
| WSUAVC0611388 | 6.11          | 3.88        | 113                        | Watertank WSA fully coated min. 1.0 mm |                      | 35              | 910               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 876.00              | 851.00             |
| WSUAVC0611464 | 6.11          | 4.64        | 136                        | Watertank WSA fully coated min. 1.0 mm |                      | 42              | 1092              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1046.00             | 1021.00            |
| WSAVC0637159  | 6.37          | 1.59        | 51                         | Watertank WSA fully coated min. 1.0 mm |                      | 14              | 364               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 379.00              | 354.00             |
| WSAVC0637236  | 6.37          | 2.36        | 75                         | Watertank WSA fully coated min. 1.0 mm |                      | 21              | 546               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 556.00              | 531.00             |
| WSAVC0637312  | 6.37          | 3.12        | 99                         | Watertank WSA fully coated min. 1.0 mm |                      | 28              | 728               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 732.00              | 707.00             |
| WSAVC0637388  | 6.37          | 3.88        | 124                        | Watertank WSA fully coated min. 1.0 mm |                      | 35              | 910               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 909.00              | 884.00             |
| WSAVC0637464  | 6.37          | 4.64        | 148                        | Watertank WSA fully coated min. 1.0 mm |                      | 42              | 1092              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1086.00             | 1061.00            |
| WSAVC0637537  | 6.37          | 5.37        | 171                        | Watertank WSA fully coated min. 1.0 mm |                      | 49              | 1274              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1262.00             | 1237.00            |
| WSUAVC0698159 | 6.98          | 1.59        | 61                         | Watertank WSA fully coated min. 1.0 mm |                      | 16              | 416               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 414.00              | 389.00             |
| WSUAVC0698236 | 6.98          | 2.36        | 90                         | Watertank WSA fully coated min. 1.0 mm |                      | 24              | 624               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 609.00              | 584.00             |
| WSUAVC0698312 | 6.98          | 3.12        | 119                        | Watertank WSA fully coated min. 1.0 mm |                      | 32              | 832               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 803.00              | 778.00             |
| WSUAVC0698388 | 6.98          | 3.88        | 148                        | Watertank WSA fully coated min. 1.0 mm |                      | 40              | 1040              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 998.00              | 973.00             |
| WSUAVC0698464 | 6.98          | 4.64        | 177                        | Watertank WSA fully coated min. 1.0 mm |                      | 48              | 1248              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1192.00             | 1167.00            |
| WSUAVC0698537 | 6.98          | 5.37        | 205                        | Watertank WSA fully coated min. 1.0 mm |                      | 56              | 1456              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1458.00             | 1408.00            |
| WSAVC0728159  | 7.28          | 1.59        | 66                         | Watertank WSA fully coated min. 1.0 mm |                      | 16              | 416               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 429.00              | 404.00             |
| WSAVC0728236  | 7.28          | 2.36        | 98                         | Watertank WSA fully coated min. 1.0 mm |                      | 24              | 624               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 631.00              | 606.00             |
| WSAVC0728312  | 7.28          | 3.12        | 130                        | Watertank WSA fully coated min. 1.0 mm |                      | 32              | 832               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 833.00              | 808.00             |
| WSAVC0728388  | 7.28          | 3.88        | 162                        | Watertank WSA fully coated min. 1.0 mm |                      | 40              | 1040              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1035.00             | 1010.00            |
| WSAVC0728464  | 7.28          | 4.64        | 193                        | Watertank WSA fully coated min. 1.0 mm |                      | 48              | 1248              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1237.00             | 1212.00            |
| WSAVC0728537  | 7.28          | 5.37        | 224                        | Watertank WSA fully coated min. 1.0 mm |                      | 56              | 1456              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1532.00             | 1482.00            |
| WSUAVC0785159 | 7.85          | 1.59        | 18                         | Watertank WSA fully coated min. 1.0 mm |                      | 18              | 468               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 463.00              | 438.00             |
| WSUAVC0785236 | 7.85          | 2.36        | 27                         | Watertank WSA fully coated min. 1.0 mm |                      | 27              | 702               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 682.00              | 657.00             |
| WSUAVC0785312 | 7.85          | 3.12        | 36                         | Watertank WSA fully coated min. 1.0 mm |                      | 36              | 936               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 900.00              | 875.00             |
| WSUAVC0785388 | 7.85          | 3.88        | 45                         | Watertank WSA fully coated min. 1.0 mm |                      | 45              | 1170              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1119.00             | 1094.00            |
| WSUAVC0785464 | 7.85          | 4.64        | 224                        | Watertank WSA fully coated min. 1.0 mm |                      | 54              | 1404              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1415.00             | 1365.00            |
| WSUAVC0785537 | 7.85          | 5.37        | 259                        | Watertank WSA fully coated min. 1.0 mm |                      | 63              | 1638              | 1,2 mm S350              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1687.00             | 1637.00            |

**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no.  | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                            | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |         |
|--------------|---------------|-------------|----------------------------|--|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|---------|
|              |               |             |                            |  | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |         |
| WSAVC0819159 | 8.19          | 1.59        | 84                         | Watertank WSA fully coated min. 1.0 mm |                          | 18              | 468               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 480.00             | 455.00  |
| WSAVC0819236 | 8.19          | 2.36        | 124                        | Watertank WSA fully coated min. 1.0 mm |                          | 27              | 702               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 707.00             | 682.00  |
| WSAVC0819312 | 8.19          | 3.12        | 164                        | Watertank WSA fully coated min. 1.0 mm |                          | 36              | 936               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 934.00             | 909.00  |
| WSAVC0819388 | 8.19          | 3.88        | 204                        | Watertank WSA fully coated min. 1.0 mm |                          | 45              | 1170              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 1161.00            | 1136.00 |
| WSAVC0819464 | 8.19          | 4.64        | 244                        | Watertank WSA fully coated min. 1.0 mm |                          | 54              | 1404              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 1490.00            | 1440.00 |
| WSAVC0819537 | 8.19          | 5.37        | 283                        | Watertank WSA fully coated min. 1.0 mm |                          | 63              | 1638              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                     | 1793.00            | 1743.00 |
| WSAVC0910159 | 9.10          | 1.59        | 103                        | Watertank WSA fully coated min. 1.0 mm |                          | 20              | 520               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 530.00             | 505.00  |
| WSAVC0910236 | 9.10          | 2.36        | 153                        | Watertank WSA fully coated min. 1.0 mm |                          | 30              | 780               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 783.00             | 758.00  |
| WSAVC0910312 | 9.10          | 3.12        | 203                        | Watertank WSA fully coated min. 1.0 mm |                          | 40              | 1040              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 1035.00            | 1010.00 |
| WSAVC0910388 | 9.10          | 3.88        | 252                        | Watertank WSA fully coated min. 1.0 mm |                          | 50              | 1300              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 1288.00            | 1263.00 |
| WSAVC0910464 | 9.10          | 4.64        | 302                        | Watertank WSA fully coated min. 1.0 mm |                          | 60              | 1560              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 1650.00            | 1600.00 |
| WSAVC0910537 | 9.10          | 5.37        | 349                        | Watertank WSA fully coated min. 1.0 mm |                          | 70              | 1820              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                     | 1987.00            | 1937.00 |
| WSAVC1001159 | 10.01         | 1.59        | 125                        | Watertank WSA fully coated min. 1.0 mm |                          | 22              | 572               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 581.00             | 556.00  |
| WSAVC1001236 | 10.01         | 2.36        | 186                        | Watertank WSA fully coated min. 1.0 mm |                          | 33              | 858               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 859.00             | 834.00  |
| WSAVC1001312 | 10.01         | 3.12        | 246                        | Watertank WSA fully coated min. 1.0 mm |                          | 44              | 1144              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 1136.00            | 1111.00 |
| WSAVC1001388 | 10.01         | 3.88        | 305                        | Watertank WSA fully coated min. 1.0 mm |                          | 55              | 1430              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 1532.00            | 1482.00 |
| WSAVC1001464 | 10.01         | 4.64        | 365                        | Watertank WSA fully coated min. 1.0 mm |                          | 66              | 1716              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 1903.00            | 1853.00 |
| WSAVC1001537 | 10.01         | 5.37        | 423                        | Watertank WSA fully coated min. 1.0 mm |                          | 77              | 2002              | 1,2 mm S320          | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                     | 2279.00            | 2229.00 |
| WSAVC1092159 | 10.92         | 1.59        | 149                        | Watertank WSA fully coated min. 1.0 mm |                          | 24              | 624               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 631.00             | 606.00  |
| WSAVC1092236 | 10.92         | 2.36        | 221                        | Watertank WSA fully coated min. 1.0 mm |                          | 36              | 936               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 934.00             | 909.00  |
| WSAVC1092312 | 10.92         | 3.12        | 292                        | Watertank WSA fully coated min. 1.0 mm |                          | 48              | 1248              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 1237.00            | 1212.00 |
| WSAVC1092388 | 10.92         | 3.88        | 363                        | Watertank WSA fully coated min. 1.0 mm |                          | 60              | 1560              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 1667.00            | 1617.00 |
| WSAVC1092464 | 10.92         | 4.64        | 435                        | Watertank WSA fully coated min. 1.0 mm |                          | 72              | 1872              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 2071.00            | 2021.00 |
| WSAVC1092537 | 10.92         | 5.37        | 503                        | Watertank WSA fully coated min. 1.0 mm |                          | 84              | 2184              | 1,2 mm S320          | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                     | 2482.00            | 2432.00 |
| WSAVC1183159 | 11.83         | 1.59        | 175                        | Watertank WSA fully coated min. 1.0 mm |                          | 26              | 676               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 682.00             | 657.00  |
| WSAVC1183236 | 11.83         | 2.36        | 259                        | Watertank WSA fully coated min. 1.0 mm |                          | 39              | 1014              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 1010.00            | 985.00  |
| WSAVC1183312 | 11.83         | 3.12        | 343                        | Watertank WSA fully coated min. 1.0 mm |                          | 52              | 1352              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 1473.00            | 1423.00 |
| WSAVC1183388 | 11.83         | 3.88        | 426                        | Watertank WSA fully coated min. 1.0 mm |                          | 65              | 1690              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 1911.00            | 1861.00 |
| WSAVC1183464 | 11.83         | 4.64        | 510                        | Watertank WSA fully coated min. 1.0 mm |                          | 78              | 2028              | 1,2 mm S320          | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 2381.00            | 2306.00 |
| WSAVC1183537 | 11.83         | 5.37        | 590                        | Watertank WSA fully coated min. 1.0 mm |                          | 91              | 2366              | 1,85 mm S350         | 1,2 mm S320     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                     | 2948.00            | 2848.00 |
| WSAVC1275159 | 12.75         | 1.59        | 203                        | Watertank WSA fully coated min. 1.0 mm |                          | 28              | 728               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 732.00             | 707.00  |
| WSAVC1275236 | 12.75         | 2.36        | 301                        | Watertank WSA fully coated min. 1.0 mm |                          | 42              | 1092              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 1086.00            | 1061.00 |
| WSAVC1275312 | 12.75         | 3.12        | 398                        | Watertank WSA fully coated min. 1.0 mm |                          | 56              | 1456              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 1583.00            | 1533.00 |
| WSAVC1275388 | 12.75         | 3.88        | 495                        | Watertank WSA fully coated min. 1.0 mm |                          | 70              | 1820              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 2055.00            | 2005.00 |
| WSAVC1275464 | 12.75         | 4.64        | 592                        | Watertank WSA fully coated min. 1.0 mm |                          | 84              | 2184              | 1,5 mm S350          | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 2558.00            | 2483.00 |
| WSAVC1275537 | 12.75         | 5.37        | 686                        | Watertank WSA fully coated min. 1.0 mm |                          | 98              | 2548              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                     | 3167.00            | 3067.00 |
| WSAVC1366159 | 13.66         | 1.59        | 233                        | Watertank WSA fully coated min. 1.0 mm |                          | 30              | 780               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 783.00             | 758.00  |
| WSAVC1366236 | 13.66         | 2.36        | 346                        | Watertank WSA fully coated min. 1.0 mm |                          | 45              | 1170              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 1161.00            | 1136.00 |
| WSAVC1366312 | 13.66         | 3.12        | 457                        | Watertank WSA fully coated min. 1.0 mm |                          | 60              | 1560              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 1692.00            | 1642.00 |
| WSAVC1366388 | 13.66         | 3.88        | 569                        | Watertank WSA fully coated min. 1.0 mm |                          | 75              | 1950              | 1,2 mm S320          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 2205.00            | 2155.00 |
| WSAVC1366464 | 13.66         | 4.64        | 680                        | Watertank WSA fully coated min. 1.0 mm |                          | 90              | 2340              | 1,5 mm S350          | 1,2 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 2743.00            | 2668.00 |
| WSAVC1366537 | 13.66         | 5.37        | 787                        | Watertank WSA fully coated min. 1.0 mm |                          | 105             | 2730              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                     | 3394.00            | 3294.00 |
| WSAVC1457159 | 14.57         | 1.59        | 265                        | Watertank WSA fully coated min. 1.0 mm |                          | 32              | 832               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 833.00             | 808.00  |

**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no.   | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                            | Bury Tank<br>minimum | Total<br>Plates | Total<br>Boltsets | Plate Thickness per Ring |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |
|---------------|---------------|-------------|----------------------------|--|----------------------|-----------------|-------------------|--------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|
|               |               |             |                            |  |                      |                 |                   | Bottom Ring<br>0,81m     | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |
| WSAVC1457236  | 14.57         | 2.36        | 393                        | Watertank WSA fully coated min. 1.0 mm |                      | 48              | 1248              | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1237.00             | 1212.00            |
| WSAVC1457312  | 14.57         | 3.12        | 520                        | Watertank WSA fully coated min. 1.0 mm |                      | 64              | 1664              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1802.00             | 1752.00            |
| WSAVC1457388  | 14.57         | 3.88        | 647                        | Watertank WSA fully coated min. 1.0 mm |                      | 80              | 2080              | 1,2 mm S320              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 2349.00             | 2299.00            |
| WSAVC1457464  | 14.57         | 4.64        | 774                        | Watertank WSA fully coated min. 1.0 mm |                      | 96              | 2496              | 1,85 mm S350             | 1,2 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 3041.00             | 2966.00            |
| WSAVC1457537R | 14.57         | 5.37        | 895                        | Watertank WSA fully coated min. 1.0 mm | 0.40m                | 112             | 2912              | 1,85 mm S350             | 1,85 mm S350    | 1,2 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 3733.00             | 3633.00            |
| WSAVC1548159  | 15.48         | 1.59        | 299                        | Watertank WSA fully coated min. 1.0 mm |                      | 34              | 884               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 884.00              | 859.00             |
| WSAVC1548236  | 15.48         | 2.36        | 444                        | Watertank WSA fully coated min. 1.0 mm |                      | 51              | 1326              | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1338.00             | 1288.00            |
| WSAVC1548312  | 15.48         | 3.12        | 587                        | Watertank WSA fully coated min. 1.0 mm |                      | 68              | 1768              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1911.00             | 1861.00            |
| WSAVC1548388  | 15.48         | 3.88        | 730                        | Watertank WSA fully coated min. 1.0 mm |                      | 85              | 2210              | 1,5 mm S350              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 2517.00             | 2442.00            |
| WSAVC1548464  | 15.48         | 4.64        | 873                        | Watertank WSA fully coated min. 1.0 mm |                      | 102             | 2652              | 1,85 mm S350             | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 3251.00             | 3151.00            |
| WSAVC1548537R | 15.48         | 5.37        | 1011                       | Watertank WSA fully coated min. 1.0 mm | 0.80m                | 119             | 3094              | 1,85 mm S350             | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 3986.00             | 3861.00            |
| WSAVC1639159  | 16.39         | 1.59        | 335                        | Watertank WSA fully coated min. 1.0 mm |                      | 36              | 936               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 934.00              | 909.00             |
| WSAVC1639236  | 16.39         | 2.36        | 498                        | Watertank WSA fully coated min. 1.0 mm |                      | 54              | 1404              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1566.00             | 1516.00            |
| WSAVC1639312  | 16.39         | 3.12        | 658                        | Watertank WSA fully coated min. 1.0 mm |                      | 72              | 1872              | 1,2 mm S350              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2173.00             | 2123.00            |
| WSAVC1639388  | 16.39         | 3.88        | 819                        | Watertank WSA fully coated min. 1.0 mm |                      | 90              | 2340              | 1,5 mm S350              | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 2813.00             | 2738.00            |
| WSAVC1639464  | 16.39         | 4.64        | 979                        | Watertank WSA fully coated min. 1.0 mm |                      | 108             | 2808              | 1,85 mm S350             | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 3589.00             | 3489.00            |
| WSAVC1639537R | 16.39         | 5.37        | 1133                       | Watertank WSA fully coated min. 1.0 mm | 0.80m                | 126             | 3276              | 1,85 mm S350             | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 4365.00             | 4240.00            |
| WSAVC1730159  | 17.30         | 1.59        | 374                        | Watertank WSA fully coated min. 1.0 mm |                      | 38              | 988               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 985.00              | 960.00             |
| WSAVC1730236  | 17.30         | 2.36        | 555                        | Watertank WSA fully coated min. 1.0 mm |                      | 57              | 1482              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1650.00             | 1600.00            |
| WSAVC1730312  | 17.30         | 3.12        | 733                        | Watertank WSA fully coated min. 1.0 mm |                      | 76              | 1976              | 1,2 mm S320              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2325.00             | 2250.00            |
| WSAVC1730388  | 17.30         | 3.88        | 912                        | Watertank WSA fully coated min. 1.0 mm |                      | 95              | 2470              | 1,85 mm S350             | 1,2 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3142.00             | 3042.00            |
| WSAVC1730464R | 17.30         | 4.64        | 1091                       | Watertank WSA fully coated min. 1.0 mm | 0.40m                | 114             | 2964              | 1,85 mm S350             | 1,85 mm S350    | 1,2 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 3960.00             | 3835.00            |
| WSAVC1821159  | 18.21         | 1.59        | 414                        | Watertank WSA fully coated min. 1.0 mm |                      | 40              | 1040              | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 1035.00             | 1010.00            |
| WSAVC1821236  | 18.21         | 2.36        | 615                        | Watertank WSA fully coated min. 1.0 mm |                      | 60              | 1560              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1734.00             | 1684.00            |
| WSAVC1821312  | 18.21         | 3.12        | 813                        | Watertank WSA fully coated min. 1.0 mm |                      | 80              | 2080              | 1,2 mm S320              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2443.00             | 2368.00            |
| WSAVC1821388  | 18.21         | 3.88        | 1011                       | Watertank WSA fully coated min. 1.0 mm |                      | 100             | 2600              | 1,85 mm S350             | 1,2 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3303.00             | 3203.00            |
| WSAVC1821464R | 18.21         | 4.64        | 1208                       | Watertank WSA fully coated min. 1.0 mm | 0.40m                | 120             | 3120              | 1,85 mm S350             | 1,85 mm S350    | 1,2 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 4162.00             | 4037.00            |
| WSAVC1912159  | 19.12         | 1.59        | 457                        | Watertank WSA fully coated min. 1.0 mm |                      | 42              | 1092              | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 1086.00             | 1061.00            |
| WSAVC1912236  | 19.12         | 2.36        | 678                        | Watertank WSA fully coated min. 1.0 mm |                      | 63              | 1638              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1819.00             | 1769.00            |
| WSAVC1912312  | 19.12         | 3.12        | 896                        | Watertank WSA fully coated min. 1.0 mm |                      | 84              | 2184              | 1,5 mm S350              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2562.00             | 2487.00            |
| WSAVC1912388  | 19.12         | 3.88        | 1114                       | Watertank WSA fully coated min. 1.0 mm |                      | 105             | 2730              | 1,85 mm S350             | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3463.00             | 3363.00            |
| WSAVC1912464R | 19.12         | 4.64        | 1332                       | Watertank WSA fully coated min. 1.0 mm | 0.80m                | 126             | 3276              | 1,85 mm S350             | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 4364.00             | 4239.00            |
| WSAVC2003159  | 20.03         | 1.59        | 501                        | Watertank WSA fully coated min. 1.0 mm |                      | 44              | 1144              | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 1136.00             | 1111.00            |
| WSAVC2003236  | 20.03         | 2.36        | 744                        | Watertank WSA fully coated min. 1.0 mm |                      | 66              | 1716              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1903.00             | 1853.00            |
| WSAVC2003312  | 20.03         | 3.12        | 983                        | Watertank WSA fully coated min. 1.0 mm |                      | 88              | 2288              | 1,5 mm S350              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2680.00             | 2605.00            |
| WSAVC2003388  | 20.03         | 3.88        | 1223                       | Watertank WSA fully coated min. 1.0 mm |                      | 110             | 2860              | 1,85 mm S350             | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3623.00             | 3523.00            |
| WSAVC2003464R | 20.03         | 4.64        | 1462                       | Watertank WSA fully coated min. 1.0 mm | 0.80m                | 132             | 3432              | 1,85 mm S350             | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 4565.00             | 4440.00            |
| WSAVC2094159  | 20.94         | 1.59        | 548                        | Watertank WSA fully coated min. 1.0 mm |                      | 46              | 1196              | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 1187.00             | 1162.00            |
| WSAVC2094236  | 20.94         | 2.36        | 813                        | Watertank WSA fully coated min. 1.0 mm |                      | 69              | 1794              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1987.00             | 1937.00            |
| WSAVC2094312  | 20.94         | 3.12        | 1074                       | Watertank WSA fully coated min. 1.0 mm |                      | 92              | 2392              | 1,85 mm S350             | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2971.00             | 2896.00            |
| WSAVC2094388R | 20.94         | 3.88        | 1336                       | Watertank WSA fully coated min. 1.0 mm | 0.40m                | 115             | 2990              | 1,85 mm S350             | 1,85 mm S350    | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3956.00             | 3856.00            |
| WSAVC2185159  | 21.85         | 1.59        | 596                        | Watertank WSA fully coated min. 1.0 mm |                      | 48              | 1248              | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 1237.00             | 1212.00            |
| WSAVC2185236  | 21.85         | 2.36        | 885                        | Watertank WSA fully coated min. 1.0 mm |                      | 72              | 1872              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 2071.00             | 2021.00            |

**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no.   | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                            | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |
|---------------|---------------|-------------|----------------------------|--|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|
|               |               |             |                            |  | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |
| WSAVC2185312  | 21.85         | 3.12        | 1170                       | Watertank WSA fully coated min. 1.0 mm |                          | 96              | 2496              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 3097.00             | 3022.00            |
| WSAVC2185388R | 21.85         | 3.88        | 1455                       | Watertank WSA fully coated min. 1.0 mm | 0.40m                    | 120             | 3120              | 1,85 mm S350         | 1,85 mm S350    | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 4123.00             | 4023.00            |
| WSAVC2276159  | 22.76         | 1.59        | 647                        | Watertank WSA fully coated min. 1.0 mm |                          | 50              | 1300              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 1288.00             | 1263.00            |
| WSAVC2276236  | 22.76         | 2.36        | 960                        | Watertank WSA fully coated min. 1.0 mm |                          | 75              | 1950              | 1,2 mm S320          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 2167.00             | 2117.00            |
| WSAVC2276312  | 22.76         | 3.12        | 1269                       | Watertank WSA fully coated min. 1.0 mm |                          | 100             | 2600              | 1,85 mm S350         | 1,2 mm S320     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 3235.00             | 3160.00            |
| WSAVC2276388R | 22.76         | 3.88        | 1579                       | Watertank WSA fully coated min. 1.0 mm | 0.80m                    | 125             | 3250              | 1,85 mm S350         | 1,85 mm S350    | 1,2 mm S320     | 1,0 mm          | 1,0 mm          |                 |                 | 4303.00             | 4203.00            |
| WSAVC2367159  | 23.67         | 1.59        | 700                        | Watertank WSA fully coated min. 1.0 mm |                          | 52              | 1352              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 | 1583.00             | 1533.00            |
| WSAVC2367236  | 23.67         | 2.36        | 1038                       | Watertank WSA fully coated min. 1.0 mm |                          | 78              | 2028              | 1,2 mm S320          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 2497.00             | 2422.00            |
| WSAVC2367312  | 23.67         | 3.12        | 1373                       | Watertank WSA fully coated min. 1.0 mm |                          | 104             | 2704              | 1,85 mm S350         | 1,2 mm S320     | 1,2 mm S350     | 1,0 mm          |                 |                 |                 | 3607.00             | 3507.00            |
| WSAVC2367388R | 23.67         | 3.88        | 1707                       | Watertank WSA fully coated min. 1.0 mm | 0.80m                    | 130             | 3380              | 1,85 mm S350         | 1,85 mm S350    | 1,2 mm S320     | 1,2 mm S350     | 1,0 mm          |                 |                 | 4864.00             | 4453.00            |
| WSAVC2458159  | 24.58         | 1.59        | 754                        | Watertank WSA fully coated min. 1.0 mm |                          | 54              | 1404              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 | 1642.00             | 1592.00            |
| WSAVC2458236  | 24.58         | 2.36        | 1120                       | Watertank WSA fully coated min. 1.0 mm |                          | 81              | 2106              | 1,2 mm S320          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 2590.00             | 2515.00            |
| WSAVC2458312  | 24.58         | 3.12        | 1480                       | Watertank WSA fully coated min. 1.0 mm |                          | 108             | 2808              | 1,85 mm S350         | 1,2 mm S320     | 1,2 mm S350     | 1,0 mm          |                 |                 |                 | 3742.00             | 3642.00            |
| WSAVC2458388R | 24.58         | 3.88        | 1841                       | Watertank WSA fully coated min. 1.0 mm | 0.80m                    | 135             | 3510              | 1,85 mm S350         | 1,85 mm S350    | 1,2 mm S320     | 1,2 mm S350     | 1,0 mm          |                 |                 | 4893.00             | 4768.00            |
| WSAVC2549159  | 25.49         | 1.59        | 811                        | Watertank WSA fully coated min. 1.0 mm |                          | 56              | 1456              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 | 1701.00             | 1651.00            |
| WSAVC2549236  | 25.49         | 2.36        | 1204                       | Watertank WSA fully coated min. 1.0 mm |                          | 84              | 2184              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 2684.00             | 2609.00            |
| WSAVC2549312R | 25.49         | 3.12        | 1592                       | Watertank WSA fully coated min. 1.0 mm | 0.40m                    | 112             | 2912              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 |                 | 3877.00             | 3777.00            |
| WSAVC2640159  | 26.40         | 1.59        | 870                        | Watertank WSA fully coated min. 1.0 mm |                          | 58              | 1508              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 | 1760.00             | 1710.00            |
| WSAVC2640236  | 26.40         | 2.36        | 1292                       | Watertank WSA fully coated min. 1.0 mm |                          | 87              | 2262              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 2777.00             | 2702.00            |
| WSAVC2640312R | 26.40         | 3.12        | 1708                       | Watertank WSA fully coated min. 1.0 mm | 0.40m                    | 116             | 3016              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 |                 | 4011.00             | 3911.00            |
| WSAVC2731159  | 27.31         | 1.59        | 931                        | Watertank WSA fully coated min. 1.0 mm |                          | 60              | 1560              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 | 1819.00             | 1769.00            |
| WSAVC2731236  | 27.31         | 2.36        | 1382                       | Watertank WSA fully coated min. 1.0 mm |                          | 90              | 2340              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 2870.00             | 2795.00            |
| WSAVC2731312R | 27.31         | 3.12        | 1828                       | Watertank WSA fully coated min. 1.0 mm | 0.40m                    | 120             | 3120              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 |                 | 4171.00             | 4046.00            |
| WSAVC2822159  | 28.22         | 1.59        | 994                        | Watertank WSA fully coated min. 1.0 mm |                          | 62              | 1612              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 | 1878.00             | 1828.00            |
| WSAVC2822236  | 28.22         | 2.36        | 1476                       | Watertank WSA fully coated min. 1.0 mm |                          | 93              | 2418              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 3221.00             | 3121.00            |
| WSAVC2822312R | 28.22         | 3.12        | 1951                       | Watertank WSA fully coated min. 1.0 mm | 0.40m                    | 124             | 3224              | 1,85 mm S350         | 1,85 mm S350    | 1,2 mm S350     | 1,0 mm          |                 |                 |                 | 4564.00             | 4414.00            |
| WSAVC2913159  | 29.13         | 1.59        | 1060                       | Watertank WSA fully coated min. 1.0 mm |                          | 64              | 1664              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 | 1937.00             | 1887.00            |
| WSAVC2913236  | 29.13         | 2.36        | 1573                       | Watertank WSA fully coated min. 1.0 mm |                          | 96              | 2496              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 3322.00             | 3222.00            |
| WSAVC2913312R | 29.13         | 3.12        | 2079                       | Watertank WSA fully coated min. 1.0 mm | 0.80m                    | 128             | 3328              | 1,85 mm S350         | 1,85 mm S350    | 1,2 mm S350     | 1,0 mm          |                 |                 |                 | 4707.00             | 4557.00            |
| WSAVC3004159  | 30.04         | 1.59        | 1127                       | Watertank WSA fully coated min. 1.0 mm |                          | 66              | 1716              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 | 1996.00             | 1946.00            |
| WSAVC3004236  | 30.04         | 2.36        | 1673                       | Watertank WSA fully coated min. 1.0 mm |                          | 99              | 2574              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 3422.00             | 3322.00            |
| WSAVC3095159  | 30.95         | 1.59        | 1196                       | Watertank WSA fully coated min. 1.0 mm |                          | 68              | 1768              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 | 2055.00             | 2005.00            |
| WSAVC3095236  | 30.95         | 2.36        | 1776                       | Watertank WSA fully coated min. 1.0 mm |                          | 102             | 2652              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 3523.00             | 3423.00            |

|            |      |      |    |                                      |  |    |     |        |        |        |        |        |        |  |        |        |
|------------|------|------|----|--------------------------------------|--|----|-----|--------|--------|--------|--------|--------|--------|--|--------|--------|
| WSW0134159 | 1.34 | 1.59 | 2  | See WSWA                             |  | 4  | 96  | 0,8 mm | 0,8 mm |        |        |        |        |  |        |        |
| WSW0134236 | 1.34 | 2.36 | 3  | See WSWA                             |  | 6  | 144 | 0,8 mm | 0,8 mm | 0,8 mm |        |        |        |  |        |        |
| WSW0134312 | 1.34 | 3.12 | 4  | See WSWA                             |  | 8  | 192 | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |        |  |        |        |
| WSW0134388 | 1.34 | 3.88 | 5  | See WSWA                             |  | 10 | 240 | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |  |        |        |
| WSW0134464 | 1.34 | 4.64 | 7  | See WSWA                             |  | 12 | 288 | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |  |        |        |
| WSW0201159 | 2.01 | 1.59 | 5  | Watertank WSW galvanized min. 0.8 mm |  | 6  | 144 | 0,8 mm | 0,8 mm |        |        |        |        |  | 110.00 | 85.00  |
| WSW0201236 | 2.01 | 2.36 | 7  | Watertank WSW galvanized min. 0.8 mm |  | 9  | 216 | 0,8 mm | 0,8 mm | 0,8 mm |        |        |        |  | 153.00 | 128.00 |
| WSW0201312 | 2.01 | 3.12 | 10 | Watertank WSW galvanized min. 0.8 mm |  | 12 | 288 | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |        |  | 195.00 | 170.00 |
| WSW0201388 | 2.01 | 3.88 | 12 | Watertank WSW galvanized min. 0.8 mm |  | 15 | 360 | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm | 0,8 mm |        |  | 237.00 | 212.00 |

APRIL 2021

| Article no. | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                          | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 |        | Gross weight<br>kgs | Nett Weight<br>kgs |
|-------------|---------------|-------------|----------------------------|--------------------------------------|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|--------|---------------------|--------------------|
|             |               |             |                            |                                      | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |        |                     |                    |
| WSW0201464  | 2.01          | 4.64        | 15                         | Watertank WSW galvanized min. 0.8 mm |                          | 18              | 432               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 280.00 | 255.00              |                    |
| WSW0269159  | 2.69          | 1.59        | 9                          | Watertank WSW galvanized min. 0.8 mm |                          | 8               | 192               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 138.00 | 113.00              |                    |
| WSW0269236  | 2.69          | 2.36        | 13                         | Watertank WSW galvanized min. 0.8 mm |                          | 12              | 288               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 195.00 | 170.00              |                    |
| WSW0269312  | 2.69          | 3.12        | 18                         | Watertank WSW galvanized min. 0.8 mm |                          | 16              | 384               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 251.00 | 226.00              |                    |
| WSW0269388  | 2.69          | 3.88        | 22                         | Watertank WSW galvanized min. 0.8 mm |                          | 20              | 480               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 308.00 | 283.00              |                    |
| WSW0269464  | 2.69          | 4.64        | 26                         | Watertank WSW galvanized min. 0.8 mm |                          | 24              | 576               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 364.00 | 339.00              |                    |
| WSW0336159  | 3.36          | 1.59        | 14                         | Watertank WSW galvanized min. 0.8 mm |                          | 10              | 240               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 167.00 | 142.00              |                    |
| WSW0336236  | 3.36          | 2.36        | 21                         | Watertank WSW galvanized min. 0.8 mm |                          | 15              | 360               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 237.00 | 212.00              |                    |
| WSW0336312  | 3.36          | 3.12        | 28                         | Watertank WSW galvanized min. 0.8 mm |                          | 20              | 480               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 308.00 | 283.00              |                    |
| WSW0336388  | 3.36          | 3.88        | 34                         | Watertank WSW galvanized min. 0.8 mm |                          | 25              | 600               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 378.00 | 353.00              |                    |
| WSW0336464  | 3.36          | 4.64        | 41                         | Watertank WSW galvanized min. 0.8 mm |                          | 30              | 720               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 449.00 | 424.00              |                    |
| WSW0403159  | 4.03          | 1.59        | 20                         | Watertank WSW galvanized min. 0.8 mm |                          | 12              | 288               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 195.00 | 170.00              |                    |
| WSW0403236  | 4.03          | 2.36        | 30                         | Watertank WSW galvanized min. 0.8 mm |                          | 18              | 432               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 280.00 | 255.00              |                    |
| WSW0403312  | 4.03          | 3.12        | 40                         | Watertank WSW galvanized min. 0.8 mm |                          | 24              | 576               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 364.00 | 339.00              |                    |
| WSW0403388  | 4.03          | 3.88        | 49                         | Watertank WSW galvanized min. 0.8 mm |                          | 30              | 720               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 449.00 | 424.00              |                    |
| WSW0403464  | 4.03          | 4.64        | 59                         | Watertank WSW galvanized min. 0.8 mm |                          | 36              | 864               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 534.00 | 509.00              |                    |
| WSW0470159  | 4.70          | 1.59        | 28                         | Watertank WSW galvanized min. 0.8 mm |                          | 14              | 336               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 223.00 | 198.00              |                    |
| WSW0470236  | 4.70          | 2.36        | 41                         | Watertank WSW galvanized min. 0.8 mm |                          | 21              | 504               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 322.00 | 297.00              |                    |
| WSW0470312  | 4.70          | 3.12        | 54                         | Watertank WSW galvanized min. 0.8 mm |                          | 28              | 672               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 421.00 | 396.00              |                    |
| WSW0470388  | 4.70          | 3.88        | 67                         | Watertank WSW galvanized min. 0.8 mm |                          | 35              | 840               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 519.00 | 494.00              |                    |
| WSW0470464  | 4.70          | 4.64        | 81                         | Watertank WSW galvanized min. 0.8 mm |                          | 42              | 1008              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 618.00 | 593.00              |                    |
| WSW0537159  | 5.37          | 1.59        | 36                         | Watertank WSW galvanized min. 0.8 mm |                          | 16              | 384               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 251.00 | 226.00              |                    |
| WSW0537236  | 5.37          | 2.36        | 53                         | Watertank WSW galvanized min. 0.8 mm |                          | 24              | 576               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 364.00 | 339.00              |                    |
| WSW0537312  | 5.37          | 3.12        | 71                         | Watertank WSW galvanized min. 0.8 mm |                          | 32              | 768               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 477.00 | 452.00              |                    |
| WSW0537388  | 5.37          | 3.88        | 88                         | Watertank WSW galvanized min. 0.8 mm |                          | 40              | 960               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 590.00 | 565.00              |                    |
| WSW0537464  | 5.37          | 4.64        | 105                        | Watertank WSW galvanized min. 0.8 mm |                          | 48              | 1152              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 703.00 | 678.00              |                    |
| WSW0604159  | 6.04          | 1.59        | 46                         | Watertank WSW galvanized min. 0.8 mm |                          | 18              | 432               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 280.00 | 255.00              |                    |
| WSW0604236  | 6.04          | 2.36        | 68                         | Watertank WSW galvanized min. 0.8 mm |                          | 27              | 648               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 407.00 | 382.00              |                    |
| WSW0604312  | 6.04          | 3.12        | 89                         | Watertank WSW galvanized min. 0.8 mm |                          | 36              | 864               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 534.00 | 509.00              |                    |
| WSW0604388  | 6.04          | 3.88        | 111                        | Watertank WSW galvanized min. 0.8 mm |                          | 45              | 1080              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 661.00 | 636.00              |                    |
| WSW0604464  | 6.04          | 4.64        | 133                        | Watertank WSW galvanized min. 0.8 mm |                          | 54              | 1296              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 788.00 | 763.00              |                    |
| WSW0672159  | 6.72          | 1.59        | 56                         | Watertank WSW galvanized min. 0.8 mm |                          | 20              | 480               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 308.00 | 283.00              |                    |
| WSW0672236  | 6.72          | 2.36        | 84                         | Watertank WSW galvanized min. 0.8 mm |                          | 30              | 720               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 449.00 | 424.00              |                    |
| WSW0672312  | 6.72          | 3.12        | 111                        | Watertank WSW galvanized min. 0.8 mm |                          | 40              | 960               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 590.00 | 565.00              |                    |
| WSW0672388  | 6.72          | 3.88        | 138                        | Watertank WSW galvanized min. 0.8 mm |                          | 50              | 1200              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 731.00 | 706.00              |                    |
| WSW0672464  | 6.72          | 4.64        | 165                        | Watertank WSW galvanized min. 0.8 mm |                          | 60              | 1440              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 906.00 | 881.00              |                    |
| WSW0739159  | 7.39          | 1.59        | 68                         | Watertank WSW galvanized min. 0.8 mm |                          | 22              | 528               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 336.00 | 311.00              |                    |
| WSW0739236  | 7.39          | 2.36        | 101                        | Watertank WSW galvanized min. 0.8 mm |                          | 33              | 792               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 491.00 | 466.00              |                    |
| WSW0739312  | 7.39          | 3.12        | 134                        | Watertank WSW galvanized min. 0.8 mm |                          | 44              | 1056              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 646.00 | 621.00              |                    |
| WSW0739388  | 7.39          | 3.88        | 166                        | Watertank WSW galvanized min. 0.8 mm |                          | 55              | 1320              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 802.00 | 777.00              |                    |
| WSW0739464  | 7.39          | 4.64        | 199                        | Watertank WSW galvanized min. 0.8 mm |                          | 66              | 1584              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 994.00 | 969.00              |                    |
| WSW0806159  | 8.06          | 1.59        | 81                         | Watertank WSW galvanized min. 0.8 mm |                          | 24              | 576               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 | 364.00 | 339.00              |                    |
| WSW0806236  | 8.06          | 2.36        | 120                        | Watertank WSW galvanized min. 0.8 mm |                          | 36              | 864               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 534.00 | 509.00              |                    |

APRIL 2021

| Article no. | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                          | Bury Tank<br>minimum | Total<br>Plates | Total<br>Boltsets | Plate Thickness per Ring |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |
|-------------|---------------|-------------|----------------------------|--------------------------------------|----------------------|-----------------|-------------------|--------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|
|             |               |             |                            |                                      |                      |                 |                   | Bottom Ring<br>0,81m     | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |
| WSW0806312  | 8.06          | 3.12        | 159                        | Watertank WSW galvanized min. 0.8 mm |                      | 48              | 1152              | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 703.00              | 678.00             |
| WSW0806388  | 8.06          | 3.88        | 198                        | Watertank WSW galvanized min. 0.8 mm |                      | 60              | 1440              | 1,0 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 913.00              | 888.00             |
| WSW0806464  | 8.06          | 4.64        | 237                        | Watertank WSW galvanized min. 0.8 mm |                      | 72              | 1728              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1162.00             | 1137.00            |
| WSW0873159  | 8.73          | 1.59        | 95                         | Watertank WSW galvanized min. 0.8 mm |                      | 26              | 624               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 392.00              | 367.00             |
| WSW0873236  | 8.73          | 2.36        | 141                        | Watertank WSW galvanized min. 0.8 mm |                      | 39              | 936               | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 576.00              | 551.00             |
| WSW0873312  | 8.73          | 3.12        | 187                        | Watertank WSW galvanized min. 0.8 mm |                      | 52              | 1248              | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 759.00              | 734.00             |
| WSW0873388  | 8.73          | 3.88        | 232                        | Watertank WSW galvanized min. 0.8 mm |                      | 65              | 1560              | 1,0 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 987.00              | 962.00             |
| WSW0873464  | 8.73          | 4.64        | 278                        | Watertank WSW galvanized min. 0.8 mm |                      | 78              | 1872              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1256.00             | 1231.00            |
| WSW0940159  | 9.40          | 1.59        | 110                        | Watertank WSW galvanized min. 0.8 mm |                      | 28              | 672               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 421.00              | 396.00             |
| WSW0940236  | 9.40          | 2.36        | 164                        | Watertank WSW galvanized min. 0.8 mm |                      | 42              | 1008              | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 618.00              | 593.00             |
| WSW0940312  | 9.40          | 3.12        | 217                        | Watertank WSW galvanized min. 0.8 mm |                      | 56              | 1344              | 1,0 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 863.00              | 838.00             |
| WSW0940388  | 9.40          | 3.88        | 269                        | Watertank WSW galvanized min. 0.8 mm |                      | 70              | 1680              | 1,0 mm                   | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 1109.00             | 1084.00            |
| WSW0940464  | 9.40          | 4.64        | 322                        | Watertank WSW galvanized min. 0.8 mm |                      | 84              | 2016              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1424.00             | 1374.00            |
| WSW1007159  | 10.07         | 1.59        | 127                        | Watertank WSW galvanized min. 0.8 mm |                      | 30              | 720               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 449.00              | 424.00             |
| WSW1007236  | 10.07         | 2.36        | 188                        | Watertank WSW galvanized min. 0.8 mm |                      | 45              | 1080              | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 661.00              | 636.00             |
| WSW1007312  | 10.07         | 3.12        | 248                        | Watertank WSW galvanized min. 0.8 mm |                      | 60              | 1440              | 1,0 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 923.00              | 898.00             |
| WSW1007388  | 10.07         | 3.88        | 309                        | Watertank WSW galvanized min. 0.8 mm |                      | 75              | 1800              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 1234.00             | 1209.00            |
| WSW1007464  | 10.07         | 4.64        | 370                        | Watertank WSW galvanized min. 0.8 mm |                      | 90              | 2160              | 1,2 mm S350              | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1570.00             | 1520.00            |
| WSW1075159  | 10.75         | 1.59        | 144                        | Watertank WSW galvanized min. 0.8 mm |                      | 32              | 768               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 477.00              | 452.00             |
| WSW1075236  | 10.75         | 2.36        | 214                        | Watertank WSW galvanized min. 0.8 mm |                      | 48              | 1152              | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 703.00              | 678.00             |
| WSW1075312  | 10.75         | 3.12        | 283                        | Watertank WSW galvanized min. 0.8 mm |                      | 64              | 1536              | 1,0 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 983.00              | 958.00             |
| WSW1075388  | 10.75         | 3.88        | 352                        | Watertank WSW galvanized min. 0.8 mm |                      | 80              | 1920              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1314.00             | 1289.00            |
| WSW1075464  | 10.75         | 4.64        | 421                        | Watertank WSW galvanized min. 0.8 mm |                      | 96              | 2304              | 1,2 mm S350              | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1671.00             | 1621.00            |
| WSW1142159  | 11.42         | 1.59        | 163                        | Watertank WSW galvanized min. 0.8 mm |                      | 34              | 816               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 505.00              | 480.00             |
| WSW1142236  | 11.42         | 2.36        | 242                        | Watertank WSW galvanized min. 0.8 mm |                      | 51              | 1224              | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 745.00              | 720.00             |
| WSW1142312  | 11.42         | 3.12        | 320                        | Watertank WSW galvanized min. 0.8 mm |                      | 68              | 1632              | 1,0 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1043.00             | 1018.00            |
| WSW1142388  | 11.42         | 3.88        | 397                        | Watertank WSW galvanized min. 0.8 mm |                      | 85              | 2040              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 1420.00             | 1370.00            |
| WSW1142464  | 11.42         | 4.64        | 475                        | Watertank WSW galvanized min. 0.8 mm |                      | 102             | 2448              | 1,5 mm S350              | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1854.00             | 1804.00            |
| WSW1209159  | 12.09         | 1.59        | 183                        | Watertank WSW galvanized min. 0.8 mm |                      | 36              | 864               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 534.00              | 509.00             |
| WSW1209236  | 12.09         | 2.36        | 271                        | Watertank WSW galvanized min. 0.8 mm |                      | 54              | 1296              | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 788.00              | 763.00             |
| WSW1209312  | 12.09         | 3.12        | 358                        | Watertank WSW galvanized min. 0.8 mm |                      | 72              | 1728              | 1,2 mm S350              | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1160.00             | 1135.00            |
| WSW1209388  | 12.09         | 3.88        | 445                        | Watertank WSW galvanized min. 0.8 mm |                      | 90              | 2160              | 1,2 mm S350              | 1,2 mm S350     | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 1558.00             | 1508.00            |
| WSW1209464  | 12.09         | 4.64        | 533                        | Watertank WSW galvanized min. 0.8 mm |                      | 108             | 2592              | 1,5 mm S350              | 1,2 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 2017.00             | 1967.00            |
| WSW1276159  | 12.76         | 1.59        | 203                        | Watertank WSW galvanized min. 0.8 mm |                      | 38              | 912               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 562.00              | 537.00             |
| WSW1276236  | 12.76         | 2.36        | 302                        | Watertank WSW galvanized min. 0.8 mm |                      | 57              | 1368              | 1,0 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 894.00              | 869.00             |
| WSW1276312  | 12.76         | 3.12        | 399                        | Watertank WSW galvanized min. 0.8 mm |                      | 76              | 1824              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1288.00             | 1263.00            |
| WSW1276388  | 12.76         | 3.88        | 496                        | Watertank WSW galvanized min. 0.8 mm |                      | 95              | 2280              | 1,2 mm S350              | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 1707.00             | 1657.00            |
| WSW1276464  | 12.76         | 4.64        | 593                        | Watertank WSW galvanized min. 0.8 mm |                      | 114             | 2736              | 1,5 mm S350              | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 2191.00             | 2141.00            |
| WSW1343159  | 13.43         | 1.59        | 225                        | Watertank WSW galvanized min. 0.8 mm |                      | 40              | 960               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 590.00              | 565.00             |
| WSW1343236  | 13.43         | 2.36        | 334                        | Watertank WSW galvanized min. 0.8 mm |                      | 60              | 1440              | 1,0 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 940.00              | 915.00             |
| WSW1343312  | 13.43         | 3.12        | 442                        | Watertank WSW galvanized min. 0.8 mm |                      | 80              | 1920              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1379.00             | 1329.00            |
| WSW1343388  | 13.43         | 3.88        | 550                        | Watertank WSW galvanized min. 0.8 mm |                      | 100             | 2400              | 1,5 mm S350              | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 1890.00             | 1840.00            |
| WSW1343464  | 13.43         | 4.64        | 657                        | Watertank WSW galvanized min. 0.8 mm |                      | 120             | 2880              | 1,5 mm S350              | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 | 2425.00             | 2350.00            |



APRIL 2021

| Article no. | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                          | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |         |
|-------------|---------------|-------------|----------------------------|--------------------------------------|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|---------|
|             |               |             |                            |                                      | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |         |
| WSW1410159  | 14.10         | 1.59        | 248                        | Watertank WSW galvanized min. 0.8 mm |                          | 42              | 1008              | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 618.00             | 593.00  |
| WSW1410236  | 14.10         | 2.36        | 369                        | Watertank WSW galvanized min. 0.8 mm |                          | 63              | 1512              | 1,0 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 986.00             | 961.00  |
| WSW1410312  | 14.10         | 3.12        | 487                        | Watertank WSW galvanized min. 0.8 mm |                          | 84              | 2016              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 1446.00            | 1396.00 |
| WSW1410388  | 14.10         | 3.88        | 606                        | Watertank WSW galvanized min. 0.8 mm |                          | 105             | 2520              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 1982.00            | 1932.00 |
| WSW1410464  | 14.10         | 4.64        | 725                        | Watertank WSW galvanized min. 0.8 mm |                          | 126             | 3024              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 2662.00            | 2587.00 |
| WSW1478159  | 14.78         | 1.59        | 273                        | Watertank WSW galvanized min. 0.8 mm |                          | 44              | 1056              | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 646.00             | 621.00  |
| WSW1478236  | 14.78         | 2.36        | 405                        | Watertank WSW galvanized min. 0.8 mm |                          | 66              | 1584              | 1,0 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1032.00            | 1007.00 |
| WSW1478312  | 14.78         | 3.12        | 535                        | Watertank WSW galvanized min. 0.8 mm |                          | 88              | 2112              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 1512.00            | 1462.00 |
| WSW1478388  | 14.78         | 3.88        | 666                        | Watertank WSW galvanized min. 0.8 mm |                          | 110             | 2640              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 2074.00            | 2024.00 |
| WSW1478464  | 14.78         | 4.64        | 796                        | Watertank WSW galvanized min. 0.8 mm |                          | 132             | 3168              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 2785.00            | 2710.00 |
| WSW1545159  | 15.45         | 1.59        | 298                        | Watertank WSW galvanized min. 0.8 mm |                          | 46              | 1104              | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 675.00             | 650.00  |
| WSW1545236  | 15.45         | 2.36        | 442                        | Watertank WSW galvanized min. 0.8 mm |                          | 69              | 1656              | 1,0 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1077.00            | 1052.00 |
| WSW1545312  | 15.45         | 3.12        | 585                        | Watertank WSW galvanized min. 0.8 mm |                          | 92              | 2208              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 1579.00            | 1529.00 |
| WSW1545388  | 15.45         | 3.88        | 727                        | Watertank WSW galvanized min. 0.8 mm |                          | 115             | 2760              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 2166.00            | 2116.00 |
| WSW1545464  | 15.45         | 4.64        | 870                        | Watertank WSW galvanized min. 0.8 mm |                          | 138             | 3312              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 2908.00            | 2833.00 |
| WSW1612159  | 16.12         | 1.59        | 325                        | Watertank WSW galvanized min. 0.8 mm |                          | 48              | 1152              | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 703.00             | 678.00  |
| WSW1612236  | 16.12         | 2.36        | 482                        | Watertank WSW galvanized min. 0.8 mm |                          | 72              | 1728              | 1,2 mm S350          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1200.00            | 1175.00 |
| WSW1612312  | 16.12         | 3.12        | 637                        | Watertank WSW galvanized min. 0.8 mm |                          | 96              | 2304              | 1,2 mm S350          | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 1722.00            | 1672.00 |
| WSW1612388  | 16.12         | 3.88        | 792                        | Watertank WSW galvanized min. 0.8 mm |                          | 120             | 2880              | 1,5 mm S350          | 1,2 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                     | 2334.00            | 2284.00 |
| WSW1612464  | 16.12         | 4.64        | 947                        | Watertank WSW galvanized min. 0.8 mm |                          | 144             | 3456              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                     | 3108.00            | 3033.00 |
| WSW1679159  | 16.79         | 1.59        | 352                        | Watertank WSW galvanized min. 0.8 mm |                          | 50              | 1200              | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 731.00             | 706.00  |
| WSW1679236  | 16.79         | 2.36        | 523                        | Watertank WSW galvanized min. 0.8 mm |                          | 75              | 1800              | 1,2 mm S350          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1249.00            | 1224.00 |
| WSW1679312  | 16.79         | 3.12        | 691                        | Watertank WSW galvanized min. 0.8 mm |                          | 100             | 2400              | 1,5 mm S350          | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 1912.00            | 1862.00 |
| WSW1679388  | 16.79         | 3.88        | 859                        | Watertank WSW galvanized min. 0.8 mm |                          | 125             | 3000              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                     | 2717.00            | 2642.00 |
| WSW1679464  | 16.79         | 4.64        | 1027                       | Watertank WSW galvanized min. 0.8 mm |                          | 150             | 3600              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                     | 3522.00            | 3422.00 |
| WSW1746159  | 17.46         | 1.59        | 381                        | Watertank WSW galvanized min. 0.8 mm |                          | 52              | 1248              | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 759.00             | 734.00  |
| WSW1746236  | 17.46         | 2.36        | 565                        | Watertank WSW galvanized min. 0.8 mm |                          | 78              | 1872              | 1,2 mm S350          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1298.00            | 1273.00 |
| WSW1746312  | 17.46         | 3.12        | 747                        | Watertank WSW galvanized min. 0.8 mm |                          | 104             | 2496              | 1,5 mm S350          | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 1986.00            | 1936.00 |
| WSW1746388  | 17.46         | 3.88        | 929                        | Watertank WSW galvanized min. 0.8 mm |                          | 130             | 3120              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                     | 2823.00            | 2748.00 |
| WSW1813159  | 18.13         | 1.59        | 410                        | Watertank WSW galvanized min. 0.8 mm |                          | 54              | 1296              | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 788.00             | 763.00  |
| WSW1813236  | 18.13         | 2.36        | 609                        | Watertank WSW galvanized min. 0.8 mm |                          | 81              | 1944              | 1,2 mm S350          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1372.00            | 1322.00 |
| WSW1813312  | 18.13         | 3.12        | 805                        | Watertank WSW galvanized min. 0.8 mm |                          | 108             | 2592              | 1,5 mm S350          | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 2061.00            | 2011.00 |
| WSW1813388  | 18.13         | 3.88        | 1002                       | Watertank WSW galvanized min. 0.8 mm |                          | 135             | 3240              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                     | 2928.00            | 2853.00 |
| WSW1881159  | 18.81         | 1.59        | 442                        | Watertank WSW galvanized min. 0.8 mm |                          | 56              | 1344              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 911.00             | 886.00  |
| WSW1881236  | 18.81         | 2.36        | 656                        | Watertank WSW galvanized min. 0.8 mm |                          | 84              | 2016              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1516.00            | 1466.00 |
| WSW1881312  | 18.81         | 3.12        | 867                        | Watertank WSW galvanized min. 0.8 mm |                          | 112             | 2688              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |                     | 2255.00            | 2180.00 |
| WSW1881388  | 18.81         | 3.88        | 1078                       | Watertank WSW galvanized min. 0.8 mm |                          | 140             | 3360              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                     | 3154.00            | 3054.00 |
| WSW1948159  | 19.48         | 1.59        | 474                        | Watertank WSW galvanized min. 0.8 mm |                          | 58              | 1392              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 943.00             | 918.00  |
| WSW1948236  | 19.48         | 2.36        | 703                        | Watertank WSW galvanized min. 0.8 mm |                          | 87              | 2088              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1568.00            | 1518.00 |
| WSW1948312  | 19.48         | 3.12        | 930                        | Watertank WSW galvanized min. 0.8 mm |                          | 116             | 2784              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |                     | 2333.00            | 2258.00 |
| WSW1948388  | 19.48         | 3.88        | 1156                       | Watertank WSW galvanized min. 0.8 mm |                          | 145             | 3480              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                     | 3263.00            | 3163.00 |
| WSW2015159  | 20.15         | 1.59        | 507                        | Watertank WSW galvanized min. 0.8 mm |                          | 60              | 1440              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 974.00             | 949.00  |
| WSW2015236  | 20.15         | 2.36        | 753                        | Watertank WSW galvanized min. 0.8 mm |                          | 90              | 2160              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1621.00            | 1571.00 |

APRIL 2021

| Article no.  | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                          | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |         |
|--------------|---------------|-------------|----------------------------|--------------------------------------|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|---------|
|              |               |             |                            |                                      | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |         |
| WSW2015312   | 20.15         | 3.12        | 995                        | Watertank WSW galvanized min. 0.8 mm |                          | 120             | 2880              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |                     | 2411.00            | 2336.00 |
| WSW2015388   | 20.15         | 3.88        | 1237                       | Watertank WSW galvanized min. 0.8 mm |                          | 150             | 3600              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                     | 3372.00            | 3272.00 |
| WSW2082159   | 20.82         | 1.59        | 541                        | Watertank WSW galvanized min. 0.8 mm |                          | 62              | 1488              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1006.00            | 981.00  |
| WSW2082236   | 20.82         | 2.36        | 803                        | Watertank WSW galvanized min. 0.8 mm |                          | 93              | 2232              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1673.00            | 1623.00 |
| WSW2082312   | 20.82         | 3.12        | 1062                       | Watertank WSW galvanized min. 0.8 mm |                          | 124             | 2976              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |                     | 2665.00            | 2590.00 |
| WSW2149159   | 21.49         | 1.59        | 577                        | Watertank WSW galvanized min. 0.8 mm |                          | 64              | 1536              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1037.00            | 1012.00 |
| WSW2149236   | 21.49         | 2.36        | 856                        | Watertank WSW galvanized min. 0.8 mm |                          | 96              | 2304              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1725.00            | 1675.00 |
| WSW2149312   | 21.49         | 3.12        | 1132                       | Watertank WSW galvanized min. 0.8 mm |                          | 128             | 3072              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |                     | 2749.00            | 2674.00 |
| WSW2216159   | 22.16         | 1.59        | 613                        | Watertank WSW galvanized min. 0.8 mm |                          | 66              | 1584              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1069.00            | 1044.00 |
| WSW2216236   | 22.16         | 2.36        | 910                        | Watertank WSW galvanized min. 0.8 mm |                          | 99              | 2376              | 1,5 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1936.00            | 1886.00 |
| WSW2216312   | 22.16         | 3.12        | 1203                       | Watertank WSW galvanized min. 0.8 mm |                          | 132             | 3168              | 1,85 mm S350         | 1,5 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |                     | 2991.00            | 2916.00 |
| WSW2284159   | 22.84         | 1.59        | 651                        | Watertank WSW galvanized min. 0.8 mm |                          | 68              | 1632              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1101.00            | 1076.00 |
| WSW2284236   | 22.84         | 2.36        | 967                        | Watertank WSW galvanized min. 0.8 mm |                          | 102             | 2448              | 1,5 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1993.00            | 1943.00 |
| WSW2284312   | 22.84         | 3.12        | 1278                       | Watertank WSW galvanized min. 0.8 mm |                          | 136             | 3264              | 1,85 mm S350         | 1,5 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |                     | 3079.00            | 3004.00 |
| WSW2351159   | 23.51         | 1.59        | 690                        | Watertank WSW galvanized min. 0.8 mm |                          | 70              | 1680              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1244.00            | 1219.00 |
| WSW2351236   | 23.51         | 2.36        | 1024                       | Watertank WSW galvanized min. 0.8 mm |                          | 105             | 2520              | 1,5 mm S350          | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2162.00            | 2112.00 |
| WSW2351312   | 23.51         | 3.12        | 1354                       | Watertank WSW galvanized min. 0.8 mm |                          | 140             | 3360              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                     | 3280.00            | 3205.00 |
| WSW2418159   | 24.18         | 1.59        | 730                        | Watertank WSW galvanized min. 0.8 mm |                          | 72              | 1728              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1279.00            | 1254.00 |
| WSW2418236   | 24.18         | 2.36        | 1084                       | Watertank WSW galvanized min. 0.8 mm |                          | 108             | 2592              | 1,5 mm S350          | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2223.00            | 2173.00 |
| WSW2418312   | 24.18         | 3.12        | 1433                       | Watertank WSW galvanized min. 0.8 mm |                          | 144             | 3456              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                     | 3371.00            | 3296.00 |
| WSW2485159   | 24.85         | 1.59        | 771                        | Watertank WSW galvanized min. 0.8 mm |                          | 74              | 1776              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1314.00            | 1289.00 |
| WSW2485236   | 24.85         | 2.36        | 1145                       | Watertank WSW galvanized min. 0.8 mm |                          | 111             | 2664              | 1,5 mm S350          | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2283.00            | 2233.00 |
| WSW2485312   | 24.85         | 3.12        | 1513                       | Watertank WSW galvanized min. 0.8 mm |                          | 148             | 3552              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                     | 3463.00            | 3388.00 |
| WSW2552159   | 25.52         | 1.59        | 813                        | Watertank WSW galvanized min. 0.8 mm |                          | 76              | 1824              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1374.00            | 1324.00 |
| WSW2552236   | 25.52         | 2.36        | 1207                       | Watertank WSW galvanized min. 0.8 mm |                          | 114             | 2736              | 1,5 mm S350          | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2368.00            | 2293.00 |
| WSW2619159   | 26.19         | 1.59        | 857                        | Watertank WSW galvanized min. 0.8 mm |                          | 78              | 1872              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1409.00            | 1359.00 |
| WSW2619236   | 26.19         | 2.36        | 1271                       | Watertank WSW galvanized min. 0.8 mm |                          | 117             | 2808              | 1,5 mm S350          | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2429.00            | 2354.00 |
| WSW2687159   | 26.87         | 1.59        | 902                        | Watertank WSW galvanized min. 0.8 mm |                          | 80              | 1920              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1443.00            | 1393.00 |
| WSW2687236   | 26.87         | 2.36        | 1338                       | Watertank WSW galvanized min. 0.8 mm |                          | 120             | 2880              | 1,5 mm S350          | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2489.00            | 2414.00 |
| WSW2754159   | 27.54         | 1.59        | 947                        | Watertank WSW galvanized min. 0.8 mm |                          | 82              | 1968              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1478.00            | 1428.00 |
| WSW2754236   | 27.54         | 2.36        | 1406                       | Watertank WSW galvanized min. 0.8 mm |                          | 123             | 2952              | 1,85 mm S350         | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2808.00            | 2708.00 |
| WSW2821159   | 28.21         | 1.59        | 994                        | Watertank WSW galvanized min. 0.8 mm |                          | 84              | 2016              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1513.00            | 1463.00 |
| WSW2821236   | 28.21         | 2.36        | 1475                       | Watertank WSW galvanized min. 0.8 mm |                          | 126             | 3024              | 1,85 mm S350         | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2874.00            | 2774.00 |
| WSW2888159   | 28.88         | 1.59        | 1042                       | Watertank WSW galvanized min. 0.8 mm |                          | 86              | 2064              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1548.00            | 1498.00 |
| WSW2888236   | 28.88         | 2.36        | 1546                       | Watertank WSW galvanized min. 0.8 mm |                          | 129             | 3096              | 1,85 mm S350         | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2940.00            | 2840.00 |
| WSW2955159   | 29.55         | 1.59        | 1090                       | Watertank WSW galvanized min. 0.8 mm |                          | 88              | 2112              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1583.00            | 1533.00 |
| WSW2955236   | 29.55         | 2.36        | 1619                       | Watertank WSW galvanized min. 0.8 mm |                          | 132             | 3168              | 1,85 mm S350         | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 3006.00            | 2906.00 |
| WSW3022159   | 30.22         | 1.59        | 1140                       | Watertank WSW galvanized min. 0.8 mm |                          | 90              | 2160              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1618.00            | 1568.00 |
| WSW3022236   | 30.22         | 2.36        | 1693                       | Watertank WSW galvanized min. 0.8 mm |                          | 135             | 3240              | 1,85 mm S350         | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 3072.00            | 2972.00 |
| WSW3090159   | 30.90         | 1.59        | 1192                       | Watertank WSW galvanized min. 0.8 mm |                          | 92              | 2208              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1652.00            | 1602.00 |
| WSW3090236   | 30.90         | 2.36        | 1770                       | Watertank WSW galvanized min. 0.8 mm |                          | 138             | 3312              | 1,85 mm S350         | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 3138.00            | 3038.00 |
| WSW1C0134159 | 1.34          | 1.59        | 2                          | See WSWA1C                           |                          | 4               | 96                | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     |                    |         |

APRIL 2021

| Article no.  | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                                  | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |        |
|--------------|---------------|-------------|----------------------------|--|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|--------|
|              |               |             |                            |  | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |        |
| WSW1C0134236 | 1.34          | 2.36        | 3                          | See WSWA1C                                   |                          | 6               | 144               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     |                    |        |
| WSW1C0134312 | 1.34          | 3.12        | 4                          | See WSWA1C                                   |                          | 8               | 192               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     |                    |        |
| WSW1C0134388 | 1.34          | 3.88        | 5                          | See WSWA1C                                   |                          | 10              | 240               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     |                    |        |
| WSW1C0134464 | 1.34          | 4.64        | 7                          | See WSWA1C                                   |                          | 12              | 288               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     |                    |        |
| WSW1C0201159 | 2.01          | 1.59        | 5                          | Watertank WSW1C bottomring coated min 0.8 mm |                          | 6               | 144               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 113.00             | 88.00  |
| WSW1C0201236 | 2.01          | 2.36        | 7                          | Watertank WSW1C bottomring coated min 0.8 mm |                          | 9               | 216               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 156.00             | 131.00 |
| WSW1C0201312 | 2.01          | 3.12        | 10                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 12              | 288               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 198.00             | 173.00 |
| WSW1C0201388 | 2.01          | 3.88        | 12                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 15              | 360               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 240.00             | 215.00 |
| WSW1C0201464 | 2.01          | 4.64        | 15                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 18              | 432               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 283.00             | 258.00 |
| WSW1C0269159 | 2.69          | 1.59        | 9                          | Watertank WSW1C bottomring coated min 0.8 mm |                          | 8               | 192               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 143.00             | 118.00 |
| WSW1C0269236 | 2.69          | 2.36        | 13                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 12              | 288               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 199.00             | 174.00 |
| WSW1C0269312 | 2.69          | 3.12        | 18                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 16              | 384               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 256.00             | 231.00 |
| WSW1C0269388 | 2.69          | 3.88        | 22                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 20              | 480               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 312.00             | 287.00 |
| WSW1C0269464 | 2.69          | 4.64        | 26                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 24              | 576               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 369.00             | 344.00 |
| WSW1C0336159 | 3.36          | 1.59        | 14                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 10              | 240               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 172.00             | 147.00 |
| WSW1C0336236 | 3.36          | 2.36        | 21                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 15              | 360               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 243.00             | 218.00 |
| WSW1C0336312 | 3.36          | 3.12        | 28                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 20              | 480               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 313.00             | 288.00 |
| WSW1C0336388 | 3.36          | 3.88        | 34                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 25              | 600               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 384.00             | 359.00 |
| WSW1C0336464 | 3.36          | 4.64        | 41                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 30              | 720               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 454.00             | 429.00 |
| WSW1C0403159 | 4.03          | 1.59        | 20                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 12              | 288               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 201.00             | 176.00 |
| WSW1C0403236 | 4.03          | 2.36        | 30                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 18              | 432               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 286.00             | 261.00 |
| WSW1C0403312 | 4.03          | 3.12        | 40                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 24              | 576               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 371.00             | 346.00 |
| WSW1C0403388 | 4.03          | 3.88        | 49                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 30              | 720               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 455.00             | 430.00 |
| WSW1C0403464 | 4.03          | 4.64        | 59                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 36              | 864               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 540.00             | 515.00 |
| WSW1C0470159 | 4.70          | 1.59        | 28                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 14              | 336               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 231.00             | 206.00 |
| WSW1C0470236 | 4.70          | 2.36        | 41                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 21              | 504               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 330.00             | 305.00 |
| WSW1C0470312 | 4.70          | 3.12        | 54                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 28              | 672               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 428.00             | 403.00 |
| WSW1C0470388 | 4.70          | 3.88        | 67                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 35              | 840               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 527.00             | 502.00 |
| WSW1C0470464 | 4.70          | 4.64        | 81                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 42              | 1008              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 626.00             | 601.00 |
| WSW1C0537159 | 5.37          | 1.59        | 36                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 16              | 384               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 260.00             | 235.00 |
| WSW1C0537236 | 5.37          | 2.36        | 53                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 24              | 576               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 373.00             | 348.00 |
| WSW1C0537312 | 5.37          | 3.12        | 71                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 32              | 768               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 486.00             | 461.00 |
| WSW1C0537388 | 5.37          | 3.88        | 88                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 40              | 960               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 599.00             | 574.00 |
| WSW1C0537464 | 5.37          | 4.64        | 105                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 48              | 1152              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 712.00             | 687.00 |
| WSW1C0604159 | 6.04          | 1.59        | 46                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 18              | 432               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 289.00             | 264.00 |
| WSW1C0604236 | 6.04          | 2.36        | 68                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 27              | 648               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 416.00             | 391.00 |
| WSW1C0604312 | 6.04          | 3.12        | 89                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 36              | 864               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 543.00             | 518.00 |
| WSW1C0604388 | 6.04          | 3.88        | 111                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 45              | 1080              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 670.00             | 645.00 |
| WSW1C0604464 | 6.04          | 4.64        | 133                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 54              | 1296              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 797.00             | 772.00 |
| WSW1C0672159 | 6.72          | 1.59        | 56                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 20              | 480               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 319.00             | 294.00 |
| WSW1C0672236 | 6.72          | 2.36        | 84                         | Watertank WSW1C bottomring coated min 0.8 mm |                          | 30              | 720               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 460.00             | 435.00 |
| WSW1C0672312 | 6.72          | 3.12        | 111                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 40              | 960               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 601.00             | 576.00 |
| WSW1C0672388 | 6.72          | 3.88        | 138                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 50              | 1200              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 742.00             | 717.00 |

APRIL 2021

| Article no.  | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                                  | Bury Tank<br>minimum | Total<br>Plates | Total<br>Boltsets | Plate Thickness per Ring |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |
|--------------|---------------|-------------|----------------------------|--|----------------------|-----------------|-------------------|--------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|
|              |               |             |                            |  |                      |                 |                   | Bottom Ring<br>0,81m     | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |
| WSW1C0672464 | 6.72          | 4.64        | 165                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 60              | 1440              | 1,0 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 919.00              | 894.00             |
| WSW1C0739159 | 7.39          | 1.59        | 68                         | Watertank WSW1C bottomring coated min 0.8 mm |                      | 22              | 528               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 348.00              | 323.00             |
| WSW1C0739236 | 7.39          | 2.36        | 101                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 33              | 792               | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 503.00              | 478.00             |
| WSW1C0739312 | 7.39          | 3.12        | 134                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 44              | 1056              | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 659.00              | 634.00             |
| WSW1C0739388 | 7.39          | 3.88        | 166                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 55              | 1320              | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 814.00              | 789.00             |
| WSW1C0739464 | 7.39          | 4.64        | 199                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 66              | 1584              | 1,0 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1009.00             | 984.00             |
| WSW1C0806159 | 8.06          | 1.59        | 81                         | Watertank WSW1C bottomring coated min 0.8 mm |                      | 24              | 576               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 377.00              | 352.00             |
| WSW1C0806236 | 8.06          | 2.36        | 120                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 36              | 864               | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 547.00              | 522.00             |
| WSW1C0806312 | 8.06          | 3.12        | 159                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 48              | 1152              | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 716.00              | 691.00             |
| WSW1C0806388 | 8.06          | 3.88        | 198                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 60              | 1440              | 1,0 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 929.00              | 904.00             |
| WSW1C0806464 | 8.06          | 4.64        | 237                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 72              | 1728              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1184.00             | 1159.00            |
| WSW1C0873159 | 8.73          | 1.59        | 95                         | Watertank WSW1C bottomring coated min 0.8 mm |                      | 26              | 624               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 407.00              | 382.00             |
| WSW1C0873236 | 8.73          | 2.36        | 141                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 39              | 936               | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 590.00              | 565.00             |
| WSW1C0873312 | 8.73          | 3.12        | 187                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 52              | 1248              | 0,8 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 774.00              | 749.00             |
| WSW1C0873388 | 8.73          | 3.88        | 232                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 65              | 1560              | 1,0 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 1004.00             | 979.00             |
| WSW1C0873464 | 8.73          | 4.64        | 278                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 78              | 1872              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1281.00             | 1256.00            |
| WSW1C0940159 | 9.40          | 1.59        | 110                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 28              | 672               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 436.00              | 411.00             |
| WSW1C0940236 | 9.40          | 2.36        | 164                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 42              | 1008              | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 634.00              | 609.00             |
| WSW1C0940312 | 9.40          | 3.12        | 217                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 56              | 1344              | 1,0 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 882.00              | 857.00             |
| WSW1C0940388 | 9.40          | 3.88        | 269                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 70              | 1680              | 1,0 mm                   | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 1127.00             | 1102.00            |
| WSW1C0940464 | 9.40          | 4.64        | 322                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 84              | 2016              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1450.00             | 1400.00            |
| WSW1C1007159 | 10.07         | 1.59        | 127                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 30              | 720               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 465.00              | 440.00             |
| WSW1C1007236 | 10.07         | 2.36        | 188                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 45              | 1080              | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 677.00              | 652.00             |
| WSW1C1007312 | 10.07         | 3.12        | 248                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 60              | 1440              | 1,0 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 943.00              | 918.00             |
| WSW1C1007388 | 10.07         | 3.88        | 309                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 75              | 1800              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 1262.00             | 1237.00            |
| WSW1C1007464 | 10.07         | 4.64        | 370                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 90              | 2160              | 1,2 mm S350              | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1598.00             | 1548.00            |
| WSW1C1075159 | 10.75         | 1.59        | 144                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 32              | 768               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 495.00              | 470.00             |
| WSW1C1075236 | 10.75         | 2.36        | 214                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 48              | 1152              | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 720.00              | 695.00             |
| WSW1C1075312 | 10.75         | 3.12        | 283                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 64              | 1536              | 1,0 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1004.00             | 979.00             |
| WSW1C1075388 | 10.75         | 3.88        | 352                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 80              | 1920              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 1370.00             | 1320.00            |
| WSW1C1075464 | 10.75         | 4.64        | 421                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 96              | 2304              | 1,2 mm S350              | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1701.00             | 1651.00            |
| WSW1C1142159 | 11.42         | 1.59        | 163                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 34              | 816               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 524.00              | 499.00             |
| WSW1C1142236 | 11.42         | 2.36        | 242                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 51              | 1224              | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 764.00              | 739.00             |
| WSW1C1142312 | 11.42         | 3.12        | 320                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 68              | 1632              | 1,0 mm                   | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1065.00             | 1040.00            |
| WSW1C1142388 | 11.42         | 3.88        | 397                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 85              | 2040              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 1452.00             | 1402.00            |
| WSW1C1142464 | 11.42         | 4.64        | 475                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 102             | 2448              | 1,5 mm S320              | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1857.00             | 1807.00            |
| WSW1C1209159 | 12.09         | 1.59        | 183                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 36              | 864               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 553.00              | 528.00             |
| WSW1C1209236 | 12.09         | 2.36        | 271                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 54              | 1296              | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 807.00              | 782.00             |
| WSW1C1209312 | 12.09         | 3.12        | 358                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 72              | 1728              | 1,2 mm S350              | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1195.00             | 1170.00            |
| WSW1C1209388 | 12.09         | 3.88        | 445                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 90              | 2160              | 1,2 mm S350              | 1,2 mm S350     | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 1592.00             | 1542.00            |
| WSW1C1209464 | 12.09         | 4.64        | 533                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 108             | 2592              | 1,5 mm S320              | 1,2 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 2021.00             | 1971.00            |
| WSW1C1276159 | 12.76         | 1.59        | 203                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 38              | 912               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 583.00              | 558.00             |
| WSW1C1276236 | 12.76         | 2.36        | 302                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 57              | 1368              | 1,0 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 919.00              | 894.00             |

**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no.  | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                                  | Bury Tank<br>minimum | Total<br>Plates | Total<br>Boltsets | Plate Thickness per Ring |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |
|--------------|---------------|-------------|----------------------------|--|----------------------|-----------------|-------------------|--------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|
|              |               |             |                            |  |                      |                 |                   | Bottom Ring<br>0,81m     | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |
| WSW1C1276312 | 12.76         | 3.12        | 399                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 76              | 1824              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1349.00             | 1299.00            |
| WSW1C1276388 | 12.76         | 3.88        | 496                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 95              | 2280              | 1,2 mm S350              | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 1743.00             | 1693.00            |
| WSW1C1276464 | 12.76         | 4.64        | 593                        | See WSWA1C                                   |                      | 114             | 2736              | 1,5 mm S350              | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 | 2220.00             | 2145.00            |
| WSW1C1343159 | 13.43         | 1.59        | 225                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 40              | 960               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 612.00              | 587.00             |
| WSW1C1343236 | 13.43         | 2.36        | 334                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 60              | 1440              | 1,0 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 966.00              | 941.00             |
| WSW1C1343312 | 13.43         | 3.12        | 442                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 80              | 1920              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1417.00             | 1367.00            |
| WSW1C1343388 | 13.43         | 3.88        | 550                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 100             | 2400              | 1,5 mm S320              | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 1894.00             | 1844.00            |
| WSW1C1343464 | 13.43         | 4.64        | 657                        | See WSWA1C                                   |                      | 120             | 2880              | 1,5 mm S350              | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 | 2454.00             | 2354.00            |
| WSW1C1410159 | 14.10         | 1.59        | 248                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 42              | 1008              | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 641.00              | 616.00             |
| WSW1C1410236 | 14.10         | 2.36        | 369                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 63              | 1512              | 1,0 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 1013.00             | 988.00             |
| WSW1C1410312 | 14.10         | 3.12        | 487                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 84              | 2016              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1486.00             | 1436.00            |
| WSW1C1410388 | 14.10         | 3.88        | 606                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 105             | 2520              | 1,5 mm S320              | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 1986.00             | 1936.00            |
| WSW1C1410464 | 14.10         | 4.64        | 725                        | See WSWA1C                                   |                      | 126             | 3024              | 1,85 mm S350             | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 | 2687.00             | 2587.00            |
| WSW1C1478159 | 14.78         | 1.59        | 273                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 44              | 1056              | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 671.00              | 646.00             |
| WSW1C1478236 | 14.78         | 2.36        | 405                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 66              | 1584              | 1,0 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 1060.00             | 1035.00            |
| WSW1C1478312 | 14.78         | 3.12        | 535                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 88              | 2112              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1554.00             | 1504.00            |
| WSW1C1478388 | 14.78         | 3.88        | 666                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 110             | 2640              | 1,5 mm S320              | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 2078.00             | 2028.00            |
| WSW1C1478464 | 14.78         | 4.64        | 796                        | See WSWA1C                                   |                      | 132             | 3168              | 1,85 mm S350             | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 | 2810.00             | 2710.00            |
| WSW1C1545159 | 15.45         | 1.59        | 298                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 46              | 1104              | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 700.00              | 675.00             |
| WSW1C1545236 | 15.45         | 2.36        | 442                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 69              | 1656              | 1,0 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 1107.00             | 1082.00            |
| WSW1C1545312 | 15.45         | 3.12        | 585                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 92              | 2208              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1623.00             | 1573.00            |
| WSW1C1545388 | 15.45         | 3.88        | 727                        | See WSWA1C                                   |                      | 115             | 2760              | 1,5 mm S350              | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 2195.00             | 2120.00            |
| WSW1C1545464 | 15.45         | 4.64        | 870                        | See WSWA1C                                   |                      | 138             | 3312              | 1,85 mm S350             | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 | 2908.00             | 2833.00            |
| WSW1C1612159 | 16.12         | 1.59        | 325                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 48              | 1152              | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 729.00              | 704.00             |
| WSW1C1612236 | 16.12         | 2.36        | 482                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 72              | 1728              | 1,2 mm S350              | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 1246.00             | 1221.00            |
| WSW1C1612312 | 16.12         | 3.12        | 637                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 96              | 2304              | 1,2 mm S350              | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1768.00             | 1718.00            |
| WSW1C1612388 | 16.12         | 3.88        | 792                        | See WSWA1C                                   |                      | 120             | 2880              | 1,5 mm S350              | 1,2 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 | 2364.00             | 2289.00            |
| WSW1C1612464 | 16.12         | 4.64        | 947                        | See WSWA1C                                   |                      | 144             | 3456              | 1,85 mm S350             | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 | 3108.00             | 3033.00            |
| WSW1C1679159 | 16.79         | 1.59        | 352                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 50              | 1200              | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 759.00              | 734.00             |
| WSW1C1679236 | 16.79         | 2.36        | 523                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 75              | 1800              | 1,2 mm S350              | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 1296.00             | 1271.00            |
| WSW1C1679312 | 16.79         | 3.12        | 691                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 100             | 2400              | 1,5 mm S320              | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1917.00             | 1867.00            |
| WSW1C1679388 | 16.79         | 3.88        | 859                        | See WSWA1C                                   |                      | 125             | 3000              | 1,85 mm S350             | 1,5 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 | 2717.00             | 2642.00            |
| WSW1C1679464 | 16.79         | 4.64        | 1027                       | See WSWA1C                                   |                      | 150             | 3600              | 1,85 mm S350             | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 | 3522.00             | 3422.00            |
| WSW1C1746159 | 17.46         | 1.59        | 381                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 52              | 1248              | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 788.00              | 763.00             |
| WSW1C1746236 | 17.46         | 2.36        | 565                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 78              | 1872              | 1,2 mm S350              | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 1372.00             | 1322.00            |
| WSW1C1746312 | 17.46         | 3.12        | 747                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 104             | 2496              | 1,5 mm S320              | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1991.00             | 1941.00            |
| WSW1C1746388 | 17.46         | 3.88        | 929                        | See WSWA1C                                   |                      | 130             | 3120              | 1,85 mm S350             | 1,5 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 | 2823.00             | 2748.00            |
| WSW1C1813159 | 18.13         | 1.59        | 410                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 54              | 1296              | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 817.00              | 792.00             |
| WSW1C1813236 | 18.13         | 2.36        | 609                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 81              | 1944              | 1,2 mm S350              | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 1423.00             | 1373.00            |
| WSW1C1813312 | 18.13         | 3.12        | 805                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 108             | 2592              | 1,5 mm S320              | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                 | 2066.00             | 2016.00            |
| WSW1C1813388 | 18.13         | 3.88        | 1002                       | See WSWA1C                                   |                      | 135             | 3240              | 1,85 mm S350             | 1,5 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 | 2928.00             | 2853.00            |
| WSW1C1881159 | 18.81         | 1.59        | 442                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 56              | 1344              | 1,0 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 947.00              | 922.00             |
| WSW1C1881236 | 18.81         | 2.36        | 656                        | Watertank WSW1C bottomring coated min 0.8 mm |                      | 84              | 2016              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 | 1569.00             | 1519.00            |

**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no.  | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                                  | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 |  | Gross weight<br>kgs | Nett Weight<br>kgs |
|--------------|---------------|-------------|----------------------------|--|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|--|---------------------|--------------------|
|              |               |             |                            |  | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |  |                     |                    |
| WSW1C1881312 | 18.81         | 3.12        | 867                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 112             | 2688              | 1,5 mm S320          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |  | 2261.00             | 2186.00            |
| WSW1C1881388 | 18.81         | 3.88        | 1078                       | See WSWA1C                                   |                          | 140             | 3360              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |  | 3154.00             | 3054.00            |
| WSW1C1948159 | 19.48         | 1.59        | 474                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 58              | 1392              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |  | 980.00              | 955.00             |
| WSW1C1948236 | 19.48         | 2.36        | 703                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 87              | 2088              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |  | 1623.00             | 1573.00            |
| WSW1C1948312 | 19.48         | 3.12        | 930                        | See WSWA1C                                   |                          | 116             | 2784              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |  | 2339.00             | 2264.00            |
| WSW1C1948388 | 19.48         | 3.88        | 1156                       | See WSWA1C                                   |                          | 145             | 3480              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |  | 3263.00             | 3163.00            |
| WSW1C2015159 | 20.15         | 1.59        | 507                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 60              | 1440              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |  | 1013.00             | 988.00             |
| WSW1C2015236 | 20.15         | 2.36        | 753                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 90              | 2160              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |  | 1678.00             | 1628.00            |
| WSW1C2015312 | 20.15         | 3.12        | 995                        | See WSWA1C                                   |                          | 120             | 2880              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |  | 2417.00             | 2342.00            |
| WSW1C2015388 | 20.15         | 3.88        | 1237                       | See WSWA1C                                   |                          | 150             | 3600              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |  | 3372.00             | 3272.00            |
| WSW1C2082159 | 20.82         | 1.59        | 541                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 62              | 1488              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |  | 1046.00             | 1021.00            |
| WSW1C2082236 | 20.82         | 2.36        | 803                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 93              | 2232              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |  | 1732.00             | 1682.00            |
| WSW1C2082312 | 20.82         | 3.12        | 1062                       | See WSWA1C                                   |                          | 124             | 2976              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |  | 2665.00             | 2590.00            |
| WSW1C2149159 | 21.49         | 1.59        | 577                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 64              | 1536              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |  | 1079.00             | 1054.00            |
| WSW1C2149236 | 21.49         | 2.36        | 856                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 96              | 2304              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |  | 1786.00             | 1736.00            |
| WSW1C2149312 | 21.49         | 3.12        | 1132                       | See WSWA1C                                   |                          | 128             | 3072              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |  | 2749.00             | 2674.00            |
| WSW1C2216159 | 22.16         | 1.59        | 613                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 66              | 1584              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |  | 1112.00             | 1087.00            |
| WSW1C2216236 | 22.16         | 2.36        | 910                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 99              | 2376              | 1,5 mm S320          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |  | 1943.00             | 1893.00            |
| WSW1C2216312 | 22.16         | 3.12        | 1203                       | See WSWA1C                                   |                          | 132             | 3168              | 1,85 mm S350         | 1,5 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |  | 2991.00             | 2916.00            |
| WSW1C2284159 | 22.84         | 1.59        | 651                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 68              | 1632              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |  | 1145.00             | 1120.00            |
| WSW1C2284236 | 22.84         | 2.36        | 967                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 102             | 2448              | 1,5 mm S320          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |  | 2000.00             | 1950.00            |
| WSW1C2284312 | 22.84         | 3.12        | 1278                       | See WSWA1C                                   |                          | 136             | 3264              | 1,85 mm S350         | 1,5 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |  | 3079.00             | 3004.00            |
| WSW1C2351159 | 23.51         | 1.59        | 690                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 70              | 1680              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |  | 1336.00             | 1286.00            |
| WSW1C2351236 | 23.51         | 2.36        | 1024                       | Watertank WSW1C bottomring coated min 0.8 mm |                          | 105             | 2520              | 1,5 mm S320          | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |  | 2169.00             | 2119.00            |
| WSW1C2351312 | 23.51         | 3.12        | 1354                       | See WSWA1C                                   |                          | 140             | 3360              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |  | 3280.00             | 3205.00            |
| WSW1C2418159 | 24.18         | 1.59        | 730                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 72              | 1728              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |  | 1373.00             | 1323.00            |
| WSW1C2418236 | 24.18         | 2.36        | 1084                       | Watertank WSW1C bottomring coated min 0.8 mm |                          | 108             | 2592              | 1,5 mm S320          | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |  | 2230.00             | 2180.00            |
| WSW1C2418312 | 24.18         | 3.12        | 1433                       | See WSWA1C                                   |                          | 144             | 3456              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |  | 3371.00             | 3296.00            |
| WSW1C2485159 | 24.85         | 1.59        | 771                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 74              | 1776              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |  | 1409.00             | 1359.00            |
| WSW1C2485236 | 24.85         | 2.36        | 1145                       | Watertank WSW1C bottomring coated min 0.8 mm |                          | 111             | 2664              | 1,5 mm S320          | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |  | 2290.00             | 2240.00            |
| WSW1C2485312 | 24.85         | 3.12        | 1513                       | See WSWA1C                                   |                          | 148             | 3552              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |  | 3463.00             | 3388.00            |
| WSW1C2552159 | 25.52         | 1.59        | 813                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 76              | 1824              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |  | 1446.00             | 1396.00            |
| WSW1C2552236 | 25.52         | 2.36        | 1207                       | See WSWA1C                                   |                          | 114             | 2736              | 1,5 mm S350          | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |  | 2376.00             | 2301.00            |
| WSW1C2619159 | 26.19         | 1.59        | 857                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 78              | 1872              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |  | 1483.00             | 1433.00            |
| WSW1C2619236 | 26.19         | 2.36        | 1271                       | See WSWA1C                                   |                          | 117             | 2808              | 1,5 mm S350          | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |  | 2436.00             | 2361.00            |
| WSW1C2687159 | 26.87         | 1.59        | 902                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 80              | 1920              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |  | 1519.00             | 1469.00            |
| WSW1C2687236 | 26.87         | 2.36        | 1338                       | See WSWA1C                                   |                          | 120             | 2880              | 1,5 mm S350          | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |  | 2497.00             | 2422.00            |
| WSW1C2754159 | 27.54         | 1.59        | 947                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 82              | 1968              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |  | 1556.00             | 1506.00            |
| WSW1C2754236 | 27.54         | 2.36        | 1406                       | See WSWA1C                                   |                          | 123             | 2952              | 1,85 mm S350         | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |  | 2808.00             | 2708.00            |
| WSW1C2821159 | 28.21         | 1.59        | 994                        | Watertank WSW1C bottomring coated min 0.8 mm |                          | 84              | 2016              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |  | 1593.00             | 1543.00            |
| WSW1C2821236 | 28.21         | 2.36        | 1475                       | See WSWA1C                                   |                          | 126             | 3024              | 1,85 mm S350         | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |  | 2874.00             | 2774.00            |
| WSW1C2888159 | 28.88         | 1.59        | 1042                       | Watertank WSW1C bottomring coated min 0.8 mm |                          | 86              | 2064              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |  | 1630.00             | 1580.00            |
| WSW1C2888236 | 28.88         | 2.36        | 1546                       | See WSWA1C                                   |                          | 129             | 3096              | 1,85 mm S350         | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |  | 2940.00             | 2840.00            |

APRIL 2021

| Article no.  | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                                  | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 |  | Gross weight<br>kgs | Nett Weight<br>kgs |
|--------------|---------------|-------------|----------------------------|--|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|--|---------------------|--------------------|
|              |               |             |                            |  | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |  |                     |                    |
| WSW1C2955159 | 29.55         | 1.59        | 1090                       | Watertank WSW1C bottomring coated min 0.8 mm |                          | 88              | 2112              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |  | 1666.00             | 1616.00            |
| WSW1C2955236 | 29.55         | 2.36        | 1619                       | Watertank WSW1C bottomring coated min 0.8 mm |                          | 132             | 3168              | 1,85 mm S350         | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |  | 3006.00             | 2906.00            |
| WSW1C3022159 | 30.22         | 1.59        | 1140                       | Watertank WSW1C bottomring coated min 0.8 mm |                          | 90              | 2160              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |  | 1703.00             | 1653.00            |
| WSW1C3022236 | 30.22         | 2.36        | 1693                       | See WSWA1C                                   |                          | 135             | 3240              | 1,85 mm S350         | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |  |                     |                    |
| WSW1C3090159 | 30.90         | 1.59        | 1192                       | Watertank WSW1C bottomring coated min 0.8 mm |                          | 92              | 2208              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |  | 1740.00             | 1690.00            |
| WSW1C3090236 | 30.90         | 2.36        | 1770                       | See WSWA1C                                   |                          | 138             | 3312              | 1,85 mm S350         | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |  | 3138.00             | 3038.00            |
| WSWVC0134159 | 1.34          | 1.59        | 2                          | See WSWAVC                                   |                          | 4               | 96                | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |  |                     |                    |
| WSWVC0134236 | 1.34          | 2.36        | 3                          | See WSWAVC                                   |                          | 6               | 144               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |  |                     |                    |
| WSWVC0134312 | 1.34          | 3.12        | 4                          | See WSWAVC                                   |                          | 8               | 192               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |  |                     |                    |
| WSWVC0134388 | 1.34          | 3.88        | 5                          | See WSWAVC                                   |                          | 10              | 240               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |  |                     |                    |
| WSWVC0134464 | 1.34          | 4.64        | 7                          | See WSWAVC                                   |                          | 12              | 288               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |  |                     |                    |
| WSWVC0201159 | 2.01          | 1.59        | 5                          | Watertank WSWVC fully coated min 0.8 mm      |                          | 6               | 144               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |  | 117.00              | 92.00              |
| WSWVC0201236 | 2.01          | 2.36        | 7                          | Watertank WSWVC fully coated min 0.8 mm      |                          | 9               | 216               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |  | 162.00              | 137.00             |
| WSWVC0201312 | 2.01          | 3.12        | 10                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 12              | 288               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |  | 208.00              | 183.00             |
| WSWVC0201388 | 2.01          | 3.88        | 12                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 15              | 360               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |  | 254.00              | 229.00             |
| WSWVC0201464 | 2.01          | 4.64        | 15                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 18              | 432               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |  | 299.00              | 274.00             |
| WSWVC0269159 | 2.69          | 1.59        | 9                          | Watertank WSWVC fully coated min 0.8 mm      |                          | 8               | 192               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |  | 147.00              | 122.00             |
| WSWVC0269236 | 2.69          | 2.36        | 13                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 12              | 288               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |  | 208.00              | 183.00             |
| WSWVC0269312 | 2.69          | 3.12        | 18                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 16              | 384               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |  | 269.00              | 244.00             |
| WSWVC0269388 | 2.69          | 3.88        | 22                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 20              | 480               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |  | 330.00              | 305.00             |
| WSWVC0269464 | 2.69          | 4.64        | 26                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 24              | 576               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |  | 391.00              | 366.00             |
| WSWVC0336159 | 3.36          | 1.59        | 14                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 10              | 240               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |  | 178.00              | 153.00             |
| WSWVC0336236 | 3.36          | 2.36        | 21                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 15              | 360               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |  | 254.00              | 229.00             |
| WSWVC0336312 | 3.36          | 3.12        | 28                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 20              | 480               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |  | 330.00              | 305.00             |
| WSWVC0336388 | 3.36          | 3.88        | 34                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 25              | 600               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |  | 406.00              | 381.00             |
| WSWVC0336464 | 3.36          | 4.64        | 41                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 30              | 720               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |  | 482.00              | 457.00             |
| WSWVC0403159 | 4.03          | 1.59        | 20                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 12              | 288               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |  | 208.00              | 183.00             |
| WSWVC0403236 | 4.03          | 2.36        | 30                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 18              | 432               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |  | 299.00              | 274.00             |
| WSWVC0403312 | 4.03          | 3.12        | 40                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 24              | 576               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |  | 391.00              | 366.00             |
| WSWVC0403388 | 4.03          | 3.88        | 49                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 30              | 720               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |  | 482.00              | 457.00             |
| WSWVC0403464 | 4.03          | 4.64        | 59                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 36              | 864               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |  | 573.00              | 548.00             |
| WSWVC0470159 | 4.70          | 1.59        | 28                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 14              | 336               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |  | 238.00              | 213.00             |
| WSWVC0470236 | 4.70          | 2.36        | 41                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 21              | 504               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |  | 345.00              | 320.00             |
| WSWVC0470312 | 4.70          | 3.12        | 54                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 28              | 672               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |  | 451.00              | 426.00             |
| WSWVC0470388 | 4.70          | 3.88        | 67                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 35              | 840               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |  | 558.00              | 533.00             |
| WSWVC0470464 | 4.70          | 4.64        | 81                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 42              | 1008              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |  | 664.00              | 639.00             |
| WSWVC0537159 | 5.37          | 1.59        | 36                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 16              | 384               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |  | 269.00              | 244.00             |
| WSWVC0537236 | 5.37          | 2.36        | 53                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 24              | 576               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |  | 391.00              | 366.00             |
| WSWVC0537312 | 5.37          | 3.12        | 71                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 32              | 768               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |  | 512.00              | 487.00             |
| WSWVC0537388 | 5.37          | 3.88        | 88                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 40              | 960               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |  | 634.00              | 609.00             |
| WSWVC0537464 | 5.37          | 4.64        | 105                        | Watertank WSWVC fully coated min 0.8 mm      |                          | 48              | 1152              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |  | 756.00              | 731.00             |
| WSWVC0604159 | 6.04          | 1.59        | 46                         | Watertank WSWVC fully coated min 0.8 mm      |                          | 18              | 432               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |  | 299.00              | 274.00             |

**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no.  | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                             | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |         |
|--------------|---------------|-------------|----------------------------|---|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|---------|
|              |               |             |                            |   | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |         |
| WSWVC0604236 | 6.04          | 2.36        | 68                         | Watertank WSWVC fully coated min 0.8 mm |                          | 27              | 648               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 436.00             | 411.00  |
| WSWVC0604312 | 6.04          | 3.12        | 89                         | Watertank WSWVC fully coated min 0.8 mm |                          | 36              | 864               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 573.00             | 548.00  |
| WSWVC0604388 | 6.04          | 3.88        | 111                        | Watertank WSWVC fully coated min 0.8 mm |                          | 45              | 1080              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 710.00             | 685.00  |
| WSWVC0604464 | 6.04          | 4.64        | 133                        | Watertank WSWVC fully coated min 0.8 mm |                          | 54              | 1296              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 847.00             | 822.00  |
| WSWVC0672159 | 6.72          | 1.59        | 56                         | Watertank WSWVC fully coated min 0.8 mm |                          | 20              | 480               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 330.00             | 305.00  |
| WSWVC0672236 | 6.72          | 2.36        | 84                         | Watertank WSWVC fully coated min 0.8 mm |                          | 30              | 720               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 482.00             | 457.00  |
| WSWVC0672312 | 6.72          | 3.12        | 111                        | Watertank WSWVC fully coated min 0.8 mm |                          | 40              | 960               | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 634.00             | 609.00  |
| WSWVC0672388 | 6.72          | 3.88        | 138                        | Watertank WSWVC fully coated min 0.8 mm |                          | 50              | 1200              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 786.00             | 761.00  |
| WSWVC0672464 | 6.72          | 4.64        | 165                        | Watertank WSWVC fully coated min 0.8 mm |                          | 60              | 1440              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 974.00             | 949.00  |
| WSWVC0739159 | 7.39          | 1.59        | 68                         | Watertank WSWVC fully coated min 0.8 mm |                          | 22              | 528               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 360.00             | 335.00  |
| WSWVC0739236 | 7.39          | 2.36        | 101                        | Watertank WSWVC fully coated min 0.8 mm |                          | 33              | 792               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 527.00             | 502.00  |
| WSWVC0739312 | 7.39          | 3.12        | 134                        | Watertank WSWVC fully coated min 0.8 mm |                          | 44              | 1056              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 695.00             | 670.00  |
| WSWVC0739388 | 7.39          | 3.88        | 166                        | Watertank WSWVC fully coated min 0.8 mm |                          | 55              | 1320              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 862.00             | 837.00  |
| WSWVC0739464 | 7.39          | 4.64        | 199                        | Watertank WSWVC fully coated min 0.8 mm |                          | 66              | 1584              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 1069.00            | 1044.00 |
| WSWVC0806159 | 8.06          | 1.59        | 81                         | Watertank WSWVC fully coated min 0.8 mm |                          | 24              | 576               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 391.00             | 366.00  |
| WSWVC0806236 | 8.06          | 2.36        | 120                        | Watertank WSWVC fully coated min 0.8 mm |                          | 36              | 864               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 573.00             | 548.00  |
| WSWVC0806312 | 8.06          | 3.12        | 159                        | Watertank WSWVC fully coated min 0.8 mm |                          | 48              | 1152              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 756.00             | 731.00  |
| WSWVC0806388 | 8.06          | 3.88        | 198                        | Watertank WSWVC fully coated min 0.8 mm |                          | 60              | 1440              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 981.00             | 956.00  |
| WSWVC0806464 | 8.06          | 4.64        | 237                        | Watertank WSWVC fully coated min 0.8 mm |                          | 72              | 1728              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 1253.00            | 1228.00 |
| WSWVC0873159 | 8.73          | 1.59        | 95                         | Watertank WSWVC fully coated min 0.8 mm |                          | 26              | 624               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 421.00             | 396.00  |
| WSWVC0873236 | 8.73          | 2.36        | 141                        | Watertank WSWVC fully coated min 0.8 mm |                          | 39              | 936               | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 619.00             | 594.00  |
| WSWVC0873312 | 8.73          | 3.12        | 187                        | Watertank WSWVC fully coated min 0.8 mm |                          | 52              | 1248              | 0,8 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 817.00             | 792.00  |
| WSWVC0873388 | 8.73          | 3.88        | 232                        | Watertank WSWVC fully coated min 0.8 mm |                          | 65              | 1560              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 1061.00            | 1036.00 |
| WSWVC0873464 | 8.73          | 4.64        | 278                        | Watertank WSWVC fully coated min 0.8 mm |                          | 78              | 1872              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 1380.00            | 1330.00 |
| WSWVC0940159 | 9.40          | 1.59        | 110                        | Watertank WSWVC fully coated min 0.8 mm |                          | 28              | 672               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 451.00             | 426.00  |
| WSWVC0940236 | 9.40          | 2.36        | 164                        | Watertank WSWVC fully coated min 0.8 mm |                          | 42              | 1008              | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 664.00             | 639.00  |
| WSWVC0940312 | 9.40          | 3.12        | 217                        | Watertank WSWVC fully coated min 0.8 mm |                          | 56              | 1344              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 928.00             | 903.00  |
| WSWVC0940388 | 9.40          | 3.88        | 269                        | Watertank WSWVC fully coated min 0.8 mm |                          | 70              | 1680              | 1,0 mm               | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                     | 1191.00            | 1166.00 |
| WSWVC0940464 | 9.40          | 4.64        | 322                        | Watertank WSWVC fully coated min 0.8 mm |                          | 84              | 2016              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 1533.00            | 1483.00 |
| WSWVC1007159 | 10.07         | 1.59        | 127                        | Watertank WSWVC fully coated min 0.8 mm |                          | 30              | 720               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 482.00             | 457.00  |
| WSWVC1007236 | 10.07         | 2.36        | 188                        | Watertank WSWVC fully coated min 0.8 mm |                          | 45              | 1080              | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 710.00             | 685.00  |
| WSWVC1007312 | 10.07         | 3.12        | 248                        | Watertank WSWVC fully coated min 0.8 mm |                          | 60              | 1440              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 992.00             | 967.00  |
| WSWVC1007388 | 10.07         | 3.88        | 309                        | Watertank WSWVC fully coated min 0.8 mm |                          | 75              | 1800              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 1356.00            | 1306.00 |
| WSWVC1007464 | 10.07         | 4.64        | 370                        | Watertank WSWVC fully coated min 0.8 mm |                          | 90              | 2160              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 1696.00            | 1646.00 |
| WSWVC1075159 | 10.75         | 1.59        | 144                        | Watertank WSWVC fully coated min 0.8 mm |                          | 32              | 768               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 512.00             | 487.00  |
| WSWVC1075236 | 10.75         | 2.36        | 214                        | Watertank WSWVC fully coated min 0.8 mm |                          | 48              | 1152              | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 756.00             | 731.00  |
| WSWVC1075312 | 10.75         | 3.12        | 283                        | Watertank WSWVC fully coated min 0.8 mm |                          | 64              | 1536              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 1057.00            | 1032.00 |
| WSWVC1075388 | 10.75         | 3.88        | 352                        | Watertank WSWVC fully coated min 0.8 mm |                          | 80              | 1920              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 1443.00            | 1393.00 |
| WSWVC1075464 | 10.75         | 4.64        | 421                        | Watertank WSWVC fully coated min 0.8 mm |                          | 96              | 2304              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                     | 1805.00            | 1755.00 |
| WSWVC1142159 | 11.42         | 1.59        | 163                        | Watertank WSWVC fully coated min 0.8 mm |                          | 34              | 816               | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 543.00             | 518.00  |
| WSWVC1142236 | 11.42         | 2.36        | 242                        | Watertank WSWVC fully coated min 0.8 mm |                          | 51              | 1224              | 0,8 mm               | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 801.00             | 776.00  |
| WSWVC1142312 | 11.42         | 3.12        | 320                        | Watertank WSWVC fully coated min 0.8 mm |                          | 68              | 1632              | 1,0 mm               | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 1121.00            | 1096.00 |
| WSWVC1142388 | 11.42         | 3.88        | 397                        | Watertank WSWVC fully coated min 0.8 mm |                          | 85              | 2040              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                     | 1531.00            | 1481.00 |



APRIL 2021

| Article no.  | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                             | Bury Tank<br>minimum | Total<br>Plates | Total<br>Boltsets | Plate Thickness per Ring |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |
|--------------|---------------|-------------|----------------------------|---|----------------------|-----------------|-------------------|--------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|
|              |               |             |                            |   |                      |                 |                   | Bottom Ring<br>0,81m     | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |
| WSWVC1142464 | 11.42         | 4.64        | 475                        | Watertank WSWVC fully coated min 0.8 mm |                      | 102             | 2448              | 1,5 mm S320              | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 1968.00             | 1918.00            |
| WSWVC1209159 | 12.09         | 1.59        | 183                        | Watertank WSWVC fully coated min 0.8 mm |                      | 36              | 864               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 573.00              | 548.00             |
| WSWVC1209236 | 12.09         | 2.36        | 271                        | Watertank WSWVC fully coated min 0.8 mm |                      | 54              | 1296              | 0,8 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 847.00              | 822.00             |
| WSWVC1209312 | 12.09         | 3.12        | 358                        | Watertank WSWVC fully coated min 0.8 mm |                      | 72              | 1728              | 1,2 mm S350              | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1254.00             | 1229.00            |
| WSWVC1209388 | 12.09         | 3.88        | 445                        | Watertank WSWVC fully coated min 0.8 mm |                      | 90              | 2160              | 1,2 mm S350              | 1,2 mm S350     | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 1686.00             | 1636.00            |
| WSWVC1209464 | 12.09         | 4.64        | 533                        | Watertank WSWVC fully coated min 0.8 mm |                      | 108             | 2592              | 1,5 mm S320              | 1,2 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          | 0,8 mm          |                 | 2149.00             | 2099.00            |
| WSWVC1276159 | 12.76         | 1.59        | 203                        | Watertank WSWVC fully coated min 0.8 mm |                      | 38              | 912               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 604.00              | 579.00             |
| WSWVC1276236 | 12.76         | 2.36        | 302                        | Watertank WSWVC fully coated min 0.8 mm |                      | 57              | 1368              | 1,0 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 961.00              | 936.00             |
| WSWVC1276312 | 12.76         | 3.12        | 399                        | Watertank WSWVC fully coated min 0.8 mm |                      | 76              | 1824              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1416.00             | 1366.00            |
| WSWVC1276388 | 12.76         | 3.88        | 496                        | Watertank WSWVC fully coated min 0.8 mm |                      | 95              | 2280              | 1,2 mm S350              | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 1845.00             | 1795.00            |
| WSWVC1276464 | 12.76         | 4.64        | 593                        | See WSWAVC                              |                      | 114             | 2736              | 1,5 mm S350              | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 | 2359.00             | 2284.00            |
| WSWVC1343159 | 13.43         | 1.59        | 225                        | Watertank WSWVC fully coated min 0.8 mm |                      | 40              | 960               | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 634.00              | 609.00             |
| WSWVC1343236 | 13.43         | 2.36        | 334                        | Watertank WSWVC fully coated min 0.8 mm |                      | 60              | 1440              | 1,0 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 1010.00             | 985.00             |
| WSWVC1343312 | 13.43         | 3.12        | 442                        | Watertank WSWVC fully coated min 0.8 mm |                      | 80              | 1920              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1487.00             | 1437.00            |
| WSWVC1343388 | 13.43         | 3.88        | 550                        | Watertank WSWVC fully coated min 0.8 mm |                      | 100             | 2400              | 1,5 mm S320              | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 2002.00             | 1952.00            |
| WSWVC1343464 | 13.43         | 4.64        | 657                        | See WSWAVC                              |                      | 120             | 2880              | 1,5 mm S350              | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 | 2566.00             | 2466.00            |
| WSWVC1410159 | 14.10         | 1.59        | 248                        | Watertank WSWVC fully coated min 0.8 mm |                      | 42              | 1008              | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 664.00              | 639.00             |
| WSWVC1410236 | 14.10         | 2.36        | 369                        | Watertank WSWVC fully coated min 0.8 mm |                      | 63              | 1512              | 1,0 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 1059.00             | 1034.00            |
| WSWVC1410312 | 14.10         | 3.12        | 487                        | Watertank WSWVC fully coated min 0.8 mm |                      | 84              | 2016              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1559.00             | 1509.00            |
| WSWVC1410388 | 14.10         | 3.88        | 606                        | Watertank WSWVC fully coated min 0.8 mm |                      | 105             | 2520              | 1,5 mm S320              | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 2099.00             | 2049.00            |
| WSWVC1410464 | 14.10         | 4.64        | 725                        | See WSWAVC                              |                      | 126             | 3024              | 1,85 mm S350             | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 | 2805.00             | 2705.00            |
| WSWVC1478159 | 14.78         | 1.59        | 273                        | Watertank WSWVC fully coated min 0.8 mm |                      | 44              | 1056              | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 695.00              | 670.00             |
| WSWVC1478236 | 14.78         | 2.36        | 405                        | Watertank WSWVC fully coated min 0.8 mm |                      | 66              | 1584              | 1,0 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 1109.00             | 1084.00            |
| WSWVC1478312 | 14.78         | 3.12        | 535                        | Watertank WSWVC fully coated min 0.8 mm |                      | 88              | 2112              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1631.00             | 1581.00            |
| WSWVC1478388 | 14.78         | 3.88        | 666                        | Watertank WSWVC fully coated min 0.8 mm |                      | 110             | 2640              | 1,5 mm S320              | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 2197.00             | 2147.00            |
| WSWVC1478464 | 14.78         | 4.64        | 796                        | See WSWAVC                              |                      | 132             | 3168              | 1,85 mm S350             | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 | 2933.00             | 2833.00            |
| WSWVC1545159 | 15.45         | 1.59        | 298                        | Watertank WSWVC fully coated min 0.8 mm |                      | 46              | 1104              | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 725.00              | 700.00             |
| WSWVC1545236 | 15.45         | 2.36        | 442                        | Watertank WSWVC fully coated min 0.8 mm |                      | 69              | 1656              | 1,0 mm                   | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 1158.00             | 1133.00            |
| WSWVC1545312 | 15.45         | 3.12        | 585                        | Watertank WSWVC fully coated min 0.8 mm |                      | 92              | 2208              | 1,2 mm S350              | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1703.00             | 1653.00            |
| WSWVC1545388 | 15.45         | 3.88        | 727                        | See WSWAVC                              |                      | 115             | 2760              | 1,5 mm S350              | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 |                 | 2319.00             | 2244.00            |
| WSWVC1545464 | 15.45         | 4.64        | 870                        | See WSWAVC                              |                      | 138             | 3312              | 1,85 mm S350             | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          | 0,8 mm          |                 | 3062.00             | 2962.00            |
| WSWVC1612159 | 16.12         | 1.59        | 325                        | Watertank WSWVC fully coated min 0.8 mm |                      | 48              | 1152              | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 756.00              | 731.00             |
| WSWVC1612236 | 16.12         | 2.36        | 482                        | Watertank WSWVC fully coated min 0.8 mm |                      | 72              | 1728              | 1,2 mm S350              | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 1298.00             | 1273.00            |
| WSWVC1612312 | 16.12         | 3.12        | 637                        | Watertank WSWVC fully coated min 0.8 mm |                      | 96              | 2304              | 1,2 mm S350              | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                 | 1866.00             | 1816.00            |
| WSWVC1612388 | 16.12         | 3.88        | 792                        | See WSWAVC                              |                      | 120             | 2880              | 1,5 mm S350              | 1,2 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 | 2508.00             | 2433.00            |
| WSWVC1612464 | 16.12         | 4.64        | 947                        | See WSWAVC                              |                      | 144             | 3456              | 1,85 mm S350             | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 | 3282.00             | 3182.00            |
| WSWVC1679159 | 16.79         | 1.59        | 352                        | Watertank WSWVC fully coated min 0.8 mm |                      | 50              | 1200              | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 786.00              | 761.00             |
| WSWVC1679236 | 16.79         | 2.36        | 523                        | Watertank WSWVC fully coated min 0.8 mm |                      | 75              | 1800              | 1,2 mm S350              | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 1376.00             | 1326.00            |
| WSWVC1679312 | 16.79         | 3.12        | 691                        | Watertank WSWVC fully coated min 0.8 mm |                      | 100             | 2400              | 1,5 mm S320              | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                 | 2019.00             | 1969.00            |
| WSWVC1679388 | 16.79         | 3.88        | 859                        | See WSWAVC                              |                      | 125             | 3000              | 1,85 mm S350             | 1,5 mm S320     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 | 2824.00             | 2749.00            |
| WSWVC1679464 | 16.79         | 4.64        | 1027                       | See WSWAVC                              |                      | 150             | 3600              | 1,85 mm S350             | 1,85 mm S350    | 1,5 mm S320     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 | 3630.00             | 3530.00            |
| WSWVC1746159 | 17.46         | 1.59        | 381                        | Watertank WSWVC fully coated min 0.8 mm |                      | 52              | 1248              | 0,8 mm                   | 0,8 mm          |                 |                 |                 |                 |                 | 817.00              | 792.00             |
| WSWVC1746236 | 17.46         | 2.36        | 565                        | Watertank WSWVC fully coated min 0.8 mm |                      | 78              | 1872              | 1,2 mm S350              | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 | 1429.00             | 1379.00            |

APRIL 2021

| Article no.  | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                             | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |         |
|--------------|---------------|-------------|----------------------------|---|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|---------|
|              |               |             |                            |   | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |         |
| WSWVC1746312 | 17.46         | 3.12        | 747                        | Watertank WSWVC fully coated min 0.8 mm |                          | 104             | 2496              | 1,5 mm S320          | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 2098.00            | 2048.00 |
| WSWVC1746388 | 17.46         | 3.88        | 929                        | See WSWAVC                              |                          | 130             | 3120              | 1,85 mm S350         | 1,5 mm S320     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                     | 2934.00            | 2859.00 |
| WSWVC1813159 | 18.13         | 1.59        | 410                        | Watertank WSWVC fully coated min 0.8 mm |                          | 54              | 1296              | 0,8 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 847.00             | 822.00  |
| WSWVC1813236 | 18.13         | 2.36        | 609                        | Watertank WSWVC fully coated min 0.8 mm |                          | 81              | 1944              | 1,2 mm S350          | 0,8 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1482.00            | 1432.00 |
| WSWVC1813312 | 18.13         | 3.12        | 805                        | Watertank WSWVC fully coated min 0.8 mm |                          | 108             | 2592              | 1,5 mm S320          | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                 |                     | 2202.00            | 2127.00 |
| WSWVC1813388 | 18.13         | 3.88        | 1002                       | See WSWAVC                              |                          | 135             | 3240              | 1,85 mm S350         | 1,5 mm S320     | 1,2 mm S350     | 0,8 mm          | 0,8 mm          |                 |                 |                     | 3069.00            | 2969.00 |
| WSWVC1881159 | 18.81         | 1.59        | 442                        | Watertank WSWVC fully coated min 0.8 mm |                          | 56              | 1344              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 978.00             | 953.00  |
| WSWVC1881236 | 18.81         | 2.36        | 656                        | Watertank WSWVC fully coated min 0.8 mm |                          | 84              | 2016              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1636.00            | 1586.00 |
| WSWVC1881312 | 18.81         | 3.12        | 867                        | Watertank WSWVC fully coated min 0.8 mm |                          | 112             | 2688              | 1,5 mm S320          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |                     | 2381.00            | 2306.00 |
| WSWVC1881388 | 18.81         | 3.88        | 1078                       | See WSWAVC                              |                          | 140             | 3360              | 1,85 mm S350         | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                     | 3280.00            | 3180.00 |
| WSWVC1948159 | 19.48         | 1.59        | 474                        | Watertank WSWVC fully coated min 0.8 mm |                          | 58              | 1392              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1012.00            | 987.00  |
| WSWVC1948236 | 19.48         | 2.36        | 703                        | Watertank WSWVC fully coated min 0.8 mm |                          | 87              | 2088              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1693.00            | 1643.00 |
| WSWVC1948312 | 19.48         | 3.12        | 930                        | See WSWAVC                              |                          | 116             | 2784              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |                     | 2464.00            | 2389.00 |
| WSWVC1948388 | 19.48         | 3.88        | 1156                       | See WSWAVC                              |                          | 145             | 3480              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                     | 3394.00            | 3294.00 |
| WSWVC2015159 | 20.15         | 1.59        | 507                        | Watertank WSWVC fully coated min 0.8 mm |                          | 60              | 1440              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1046.00            | 1021.00 |
| WSWVC2015236 | 20.15         | 2.36        | 753                        | Watertank WSWVC fully coated min 0.8 mm |                          | 90              | 2160              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1750.00            | 1700.00 |
| WSWVC2015312 | 20.15         | 3.12        | 995                        | See WSWAVC                              |                          | 120             | 2880              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |                     | 2546.00            | 2471.00 |
| WSWVC2015388 | 20.15         | 3.88        | 1237                       | See WSWAVC                              |                          | 150             | 3600              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                     | 3507.00            | 3407.00 |
| WSWVC2082159 | 20.82         | 1.59        | 541                        | Watertank WSWVC fully coated min 0.8 mm |                          | 62              | 1488              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1080.00            | 1055.00 |
| WSWVC2082236 | 20.82         | 2.36        | 803                        | Watertank WSWVC fully coated min 0.8 mm |                          | 93              | 2232              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1806.00            | 1756.00 |
| WSWVC2082312 | 20.82         | 3.12        | 1062                       | See WSWAVC                              |                          | 124             | 2976              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |                     | 2799.00            | 2724.00 |
| WSWVC2149159 | 21.49         | 1.59        | 577                        | Watertank WSWVC fully coated min 0.8 mm |                          | 64              | 1536              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1114.00            | 1089.00 |
| WSWVC2149236 | 21.49         | 2.36        | 856                        | Watertank WSWVC fully coated min 0.8 mm |                          | 96              | 2304              | 1,2 mm S350          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 1863.00            | 1813.00 |
| WSWVC2149312 | 21.49         | 3.12        | 1132                       | See WSWAVC                              |                          | 128             | 3072              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          | 0,8 mm          |                 |                 |                 |                     | 2887.00            | 2812.00 |
| WSWVC2216159 | 22.16         | 1.59        | 613                        | Watertank WSWVC fully coated min 0.8 mm |                          | 66              | 1584              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1148.00            | 1123.00 |
| WSWVC2216236 | 22.16         | 2.36        | 910                        | Watertank WSWVC fully coated min 0.8 mm |                          | 99              | 2376              | 1,5 mm S320          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 2022.00            | 1972.00 |
| WSWVC2216312 | 22.16         | 3.12        | 1203                       | See WSWAVC                              |                          | 132             | 3168              | 1,85 mm S350         | 1,5 mm S320     | 1,0 mm          | 0,8 mm          |                 |                 |                 |                     | 3077.00            | 3002.00 |
| WSWVC2284159 | 22.84         | 1.59        | 651                        | Watertank WSWVC fully coated min 0.8 mm |                          | 68              | 1632              | 1,0 mm               | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1182.00            | 1157.00 |
| WSWVC2284236 | 22.84         | 2.36        | 967                        | Watertank WSWVC fully coated min 0.8 mm |                          | 102             | 2448              | 1,5 mm S320          | 1,0 mm          | 0,8 mm          |                 |                 |                 |                 |                     | 2082.00            | 2032.00 |
| WSWVC2284312 | 22.84         | 3.12        | 1278                       | See WSWAVC                              |                          | 136             | 3264              | 1,85 mm S350         | 1,5 mm S320     | 1,0 mm          | 0,8 mm          |                 |                 |                 |                     | 3168.00            | 3093.00 |
| WSWVC2351159 | 23.51         | 1.59        | 690                        | Watertank WSWVC fully coated min 0.8 mm |                          | 70              | 1680              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1374.00            | 1324.00 |
| WSWVC2351236 | 23.51         | 2.36        | 1024                       | Watertank WSWVC fully coated min 0.8 mm |                          | 105             | 2520              | 1,5 mm S320          | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2299.00            | 2224.00 |
| WSWVC2351312 | 23.51         | 3.12        | 1354                       | See WSWAVC                              |                          | 140             | 3360              | 1,85 mm S350         | 1,5 mm S320     | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                     | 3417.00            | 3317.00 |
| WSWVC2418159 | 24.18         | 1.59        | 730                        | Watertank WSWVC fully coated min 0.8 mm |                          | 72              | 1728              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1412.00            | 1362.00 |
| WSWVC2418236 | 24.18         | 2.36        | 1084                       | Watertank WSWVC fully coated min 0.8 mm |                          | 108             | 2592              | 1,5 mm S320          | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2363.00            | 2288.00 |
| WSWVC2418312 | 24.18         | 3.12        | 1433                       | See WSWAVC                              |                          | 144             | 3456              | 1,85 mm S350         | 1,5 mm S320     | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                     | 3511.00            | 3411.00 |
| WSWVC2485159 | 24.85         | 1.59        | 771                        | Watertank WSWVC fully coated min 0.8 mm |                          | 74              | 1776              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1450.00            | 1400.00 |
| WSWVC2485236 | 24.85         | 2.36        | 1145                       | Watertank WSWVC fully coated min 0.8 mm |                          | 111             | 2664              | 1,5 mm S320          | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2426.00            | 2351.00 |
| WSWVC2485312 | 24.85         | 3.12        | 1513                       | See WSWAVC                              |                          | 148             | 3552              | 1,85 mm S350         | 1,5 mm S320     | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                     | 3606.00            | 3506.00 |
| WSWVC2552159 | 25.52         | 1.59        | 813                        | Watertank WSWVC fully coated min 0.8 mm |                          | 76              | 1824              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1488.00            | 1438.00 |
| WSWVC2552236 | 25.52         | 2.36        | 1207                       | See WSWAVC                              |                          | 114             | 2736              | 1,5 mm S350          | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2490.00            | 2415.00 |
| WSWVC2619159 | 26.19         | 1.59        | 857                        | Watertank WSWVC fully coated min 0.8 mm |                          | 78              | 1872              | 1,2 mm S350          | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1526.00            | 1476.00 |
| WSWVC2619236 | 26.19         | 2.36        | 1271                       | See WSWAVC                              |                          | 117             | 2808              | 1,5 mm S350          | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2553.00            | 2478.00 |

**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no.  | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                             | Bury Tank<br>minimum | Total<br>Plates | Total<br>Boltsets | Plate Thickness per Ring |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |         |
|--------------|---------------|-------------|----------------------------|---|----------------------|-----------------|-------------------|--------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|---------|
|              |               |             |                            |   |                      |                 |                   | Bottom Ring<br>0,81m     | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |         |
| WSWVC2687159 | 26.87         | 1.59        | 902                        | Watertank WSWVC fully coated min 0.8 mm |                      | 80              | 1920              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1563.00            | 1513.00 |
| WSWVC2687236 | 26.87         | 2.36        | 1338                       | See WSWAVC                              |                      | 120             | 2880              | 1,5 mm S350              | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2617.00            | 2542.00 |
| WSWVC2754159 | 27.54         | 1.59        | 947                        | Watertank WSWVC fully coated min 0.8 mm |                      | 82              | 1968              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1601.00            | 1551.00 |
| WSWVC2754236 | 27.54         | 2.36        | 1406                       | See WSWAVC                              |                      | 123             | 2952              | 1,85 mm S350             | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 2931.00            | 2831.00 |
| WSWVC2821159 | 28.21         | 1.59        | 994                        | Watertank WSWVC fully coated min 0.8 mm |                      | 84              | 2016              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1639.00            | 1589.00 |
| WSWVC2821236 | 28.21         | 2.36        | 1475                       | See WSWAVC                              |                      | 126             | 3024              | 1,85 mm S350             | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 3000.00            | 2900.00 |
| WSWVC2888159 | 28.88         | 1.59        | 1042                       | Watertank WSWVC fully coated min 0.8 mm |                      | 86              | 2064              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1677.00            | 1627.00 |
| WSWVC2888236 | 28.88         | 2.36        | 1546                       | See WSWAVC                              |                      | 129             | 3096              | 1,85 mm S350             | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 3069.00            | 2969.00 |
| WSWVC2955159 | 29.55         | 1.59        | 1090                       | Watertank WSWVC fully coated min 0.8 mm |                      | 88              | 2112              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1715.00            | 1665.00 |
| WSWVC2955236 | 29.55         | 2.36        | 1619                       | See WSWAVC                              |                      | 132             | 3168              | 1,85 mm S350             | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 3138.00            | 3038.00 |
| WSWVC3022159 | 30.22         | 1.59        | 1140                       | Watertank WSWVC fully coated min 0.8 mm |                      | 90              | 2160              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1753.00            | 1703.00 |
| WSWVC3022236 | 30.22         | 2.36        | 1693                       | See WSWAVC                              |                      | 135             | 3240              | 1,85 mm S350             | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 3207.00            | 3107.00 |
| WSWVC3090159 | 30.90         | 1.59        | 1192                       | Watertank WSWVC fully coated min 0.8 mm |                      | 92              | 2208              | 1,2 mm S350              | 0,8 mm          |                 |                 |                 |                 |                 |                     | 1790.00            | 1740.00 |
| WSWVC3090236 | 30.90         | 2.36        | 1770                       | See WSWAVC                              |                      | 138             | 3312              | 1,85 mm S350             | 1,2 mm S350     | 0,8 mm          |                 |                 |                 |                 |                     | 3276.00            | 3176.00 |

|             |      |      |    |                                       |  |    |     |        |        |        |        |        |        |  |  |        |        |
|-------------|------|------|----|---------------------------------------|--|----|-----|--------|--------|--------|--------|--------|--------|--|--|--------|--------|
| WSWA0134159 | 1.34 | 1.59 | 2  | Watertank WSWA galvanized min. 1.0 mm |  | 4  | 96  | 1,0 mm | 1,0 mm |        |        |        |        |  |  | 96.00  | 71.00  |
| WSWA0134236 | 1.34 | 2.36 | 3  | Watertank WSWA galvanized min. 1.0 mm |  | 6  | 144 | 1,0 mm | 1,0 mm | 1,0 mm |        |        |        |  |  | 131.00 | 106.00 |
| WSWA0134312 | 1.34 | 3.12 | 4  | Watertank WSWA galvanized min. 1.0 mm |  | 8  | 192 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |        |        |  |  | 166.00 | 141.00 |
| WSWA0134388 | 1.34 | 3.88 | 5  | Watertank WSWA galvanized min. 1.0 mm |  | 10 | 240 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |        |  |  | 201.00 | 176.00 |
| WSWA0134464 | 1.34 | 4.64 | 7  | Watertank WSWA galvanized min. 1.0 mm |  | 12 | 288 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |  |  | 236.00 | 211.00 |
| WSWA0201159 | 2.01 | 1.59 | 5  | Watertank WSWA galvanized min. 1.0 mm |  | 6  | 144 | 1,0 mm | 1,0 mm |        |        |        |        |  |  | 131.00 | 106.00 |
| WSWA0201236 | 2.01 | 2.36 | 7  | Watertank WSWA galvanized min. 1.0 mm |  | 9  | 216 | 1,0 mm | 1,0 mm | 1,0 mm |        |        |        |  |  | 183.00 | 158.00 |
| WSWA0201312 | 2.01 | 3.12 | 10 | Watertank WSWA galvanized min. 1.0 mm |  | 12 | 288 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |        |        |  |  | 236.00 | 211.00 |
| WSWA0201388 | 2.01 | 3.88 | 12 | Watertank WSWA galvanized min. 1.0 mm |  | 15 | 360 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |        |  |  | 288.00 | 263.00 |
| WSWA0201464 | 2.01 | 4.64 | 15 | Watertank WSWA galvanized min. 1.0 mm |  | 18 | 432 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |  |  | 341.00 | 316.00 |
| WSWA0269159 | 2.69 | 1.59 | 9  | Watertank WSWA galvanized min. 1.0 mm |  | 8  | 192 | 1,0 mm | 1,0 mm |        |        |        |        |  |  | 166.00 | 141.00 |
| WSWA0269236 | 2.69 | 2.36 | 13 | Watertank WSWA galvanized min. 1.0 mm |  | 12 | 288 | 1,0 mm | 1,0 mm | 1,0 mm |        |        |        |  |  | 236.00 | 211.00 |
| WSWA0269312 | 2.69 | 3.12 | 18 | Watertank WSWA galvanized min. 1.0 mm |  | 16 | 384 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |        |        |  |  | 306.00 | 281.00 |
| WSWA0269388 | 2.69 | 3.88 | 22 | Watertank WSWA galvanized min. 1.0 mm |  | 20 | 480 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |        |  |  | 376.00 | 351.00 |
| WSWA0269464 | 2.69 | 4.64 | 26 | Watertank WSWA galvanized min. 1.0 mm |  | 24 | 576 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |  |  | 446.00 | 421.00 |
| WSWA0336159 | 3.36 | 1.59 | 14 | Watertank WSWA galvanized min. 1.0 mm |  | 10 | 240 | 1,0 mm | 1,0 mm |        |        |        |        |  |  | 201.00 | 176.00 |
| WSWA0336236 | 3.36 | 2.36 | 21 | Watertank WSWA galvanized min. 1.0 mm |  | 15 | 360 | 1,0 mm | 1,0 mm | 1,0 mm |        |        |        |  |  | 288.00 | 263.00 |
| WSWA0336312 | 3.36 | 3.12 | 28 | Watertank WSWA galvanized min. 1.0 mm |  | 20 | 480 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |        |        |  |  | 376.00 | 351.00 |
| WSWA0336388 | 3.36 | 3.88 | 34 | Watertank WSWA galvanized min. 1.0 mm |  | 25 | 600 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |        |  |  | 463.00 | 438.00 |
| WSWA0336464 | 3.36 | 4.64 | 41 | Watertank WSWA galvanized min. 1.0 mm |  | 30 | 720 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |  |  | 551.00 | 526.00 |
| WSWA0403159 | 4.03 | 1.59 | 20 | Watertank WSWA galvanized min. 1.0 mm |  | 12 | 288 | 1,0 mm | 1,0 mm |        |        |        |        |  |  | 236.00 | 211.00 |
| WSWA0403236 | 4.03 | 2.36 | 30 | Watertank WSWA galvanized min. 1.0 mm |  | 18 | 432 | 1,0 mm | 1,0 mm | 1,0 mm |        |        |        |  |  | 341.00 | 316.00 |
| WSWA0403312 | 4.03 | 3.12 | 40 | Watertank WSWA galvanized min. 1.0 mm |  | 24 | 576 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |        |        |  |  | 446.00 | 421.00 |
| WSWA0403388 | 4.03 | 3.88 | 49 | Watertank WSWA galvanized min. 1.0 mm |  | 30 | 720 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |        |  |  | 551.00 | 526.00 |
| WSWA0403464 | 4.03 | 4.64 | 59 | Watertank WSWA galvanized min. 1.0 mm |  | 36 | 864 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |  |  | 656.00 | 631.00 |
| WSWA0470159 | 4.70 | 1.59 | 28 | Watertank WSWA galvanized min. 1.0 mm |  | 14 | 336 | 1,0 mm | 1,0 mm |        |        |        |        |  |  | 271.00 | 246.00 |
| WSWA0470236 | 4.70 | 2.36 | 41 | Watertank WSWA galvanized min. 1.0 mm |  | 21 | 504 | 1,0 mm | 1,0 mm | 1,0 mm |        |        |        |  |  | 393.00 | 368.00 |
| WSWA0470312 | 4.70 | 3.12 | 54 | Watertank WSWA galvanized min. 1.0 mm |  | 28 | 672 | 1,0 mm | 1,0 mm | 1,0 mm | 1,0 mm |        |        |  |  | 516.00 | 491.00 |

APRIL 2021

| Article no. | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                           | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |
|-------------|---------------|-------------|----------------------------|---------------------------------------|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|
|             |               |             |                            |                                       | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |
| WSWA0470388 | 4.70          | 3.88        | 67                         | Watertank WSWA galvanized min. 1.0 mm |                          | 35              | 840               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 638.00              | 613.00             |
| WSWA0470464 | 4.70          | 4.64        | 81                         | Watertank WSWA galvanized min. 1.0 mm |                          | 42              | 1008              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 761.00              | 736.00             |
| WSWA0537159 | 5.37          | 1.59        | 36                         | Watertank WSWA galvanized min. 1.0 mm |                          | 16              | 384               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 306.00              | 281.00             |
| WSWA0537236 | 5.37          | 2.36        | 53                         | Watertank WSWA galvanized min. 1.0 mm |                          | 24              | 576               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 446.00              | 421.00             |
| WSWA0537312 | 5.37          | 3.12        | 71                         | Watertank WSWA galvanized min. 1.0 mm |                          | 32              | 768               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 586.00              | 561.00             |
| WSWA0537388 | 5.37          | 3.88        | 88                         | Watertank WSWA galvanized min. 1.0 mm |                          | 40              | 960               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 726.00              | 701.00             |
| WSWA0537464 | 5.37          | 4.64        | 105                        | Watertank WSWA galvanized min. 1.0 mm |                          | 48              | 1152              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 866.00              | 841.00             |
| WSWA0537537 | 5.37          | 5.37        | 122                        | Watertank WSWA galvanized min. 1.0 mm |                          | 56              | 1344              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1006.00             | 981.00             |
| WSWA0604159 | 6.04          | 1.59        | 46                         | Watertank WSWA galvanized min. 1.0 mm |                          | 18              | 432               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 341.00              | 316.00             |
| WSWA0604236 | 6.04          | 2.36        | 68                         | Watertank WSWA galvanized min. 1.0 mm |                          | 27              | 648               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 498.00              | 473.00             |
| WSWA0604312 | 6.04          | 3.12        | 89                         | Watertank WSWA galvanized min. 1.0 mm |                          | 36              | 864               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 656.00              | 631.00             |
| WSWA0604388 | 6.04          | 3.88        | 111                        | Watertank WSWA galvanized min. 1.0 mm |                          | 45              | 1080              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 814.00              | 789.00             |
| WSWA0604464 | 6.04          | 4.64        | 133                        | Watertank WSWA galvanized min. 1.0 mm |                          | 54              | 1296              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 971.00              | 946.00             |
| WSWA0604537 | 6.04          | 5.37        | 154                        | Watertank WSWA galvanized min. 1.0 mm |                          | 63              | 1512              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1129.00             | 1104.00            |
| WSWA0672159 | 6.72          | 1.59        | 56                         | Watertank WSWA galvanized min. 1.0 mm |                          | 20              | 480               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 376.00              | 351.00             |
| WSWA0672236 | 6.72          | 2.36        | 84                         | Watertank WSWA galvanized min. 1.0 mm |                          | 30              | 720               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 551.00              | 526.00             |
| WSWA0672312 | 6.72          | 3.12        | 111                        | Watertank WSWA galvanized min. 1.0 mm |                          | 40              | 960               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 726.00              | 701.00             |
| WSWA0672388 | 6.72          | 3.88        | 138                        | Watertank WSWA galvanized min. 1.0 mm |                          | 50              | 1200              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 901.00              | 876.00             |
| WSWA0672464 | 6.72          | 4.64        | 165                        | Watertank WSWA galvanized min. 1.0 mm |                          | 60              | 1440              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1076.00             | 1051.00            |
| WSWA0672537 | 6.72          | 5.37        | 190                        | Watertank WSWA galvanized min. 1.0 mm |                          | 70              | 1680              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1251.00             | 1226.00            |
| WSWA0739159 | 7.39          | 1.59        | 68                         | Watertank WSWA galvanized min. 1.0 mm |                          | 22              | 528               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 411.00              | 386.00             |
| WSWA0739236 | 7.39          | 2.36        | 101                        | Watertank WSWA galvanized min. 1.0 mm |                          | 33              | 792               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 603.00              | 578.00             |
| WSWA0739312 | 7.39          | 3.12        | 134                        | Watertank WSWA galvanized min. 1.0 mm |                          | 44              | 1056              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 796.00              | 771.00             |
| WSWA0739388 | 7.39          | 3.88        | 166                        | Watertank WSWA galvanized min. 1.0 mm |                          | 55              | 1320              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 989.00              | 964.00             |
| WSWA0739464 | 7.39          | 4.64        | 199                        | Watertank WSWA galvanized min. 1.0 mm |                          | 66              | 1584              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1181.00             | 1156.00            |
| WSWA0739537 | 7.39          | 5.37        | 230                        | Watertank WSWA galvanized min. 1.0 mm |                          | 77              | 1848              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1434.00             | 1384.00            |
| WSWA0806159 | 8.06          | 1.59        | 81                         | Watertank WSWA galvanized min. 1.0 mm |                          | 24              | 576               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 446.00              | 421.00             |
| WSWA0806236 | 8.06          | 2.36        | 120                        | Watertank WSWA galvanized min. 1.0 mm |                          | 36              | 864               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 656.00              | 631.00             |
| WSWA0806312 | 8.06          | 3.12        | 159                        | Watertank WSWA galvanized min. 1.0 mm |                          | 48              | 1152              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 866.00              | 841.00             |
| WSWA0806388 | 8.06          | 3.88        | 198                        | Watertank WSWA galvanized min. 1.0 mm |                          | 60              | 1440              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1076.00             | 1051.00            |
| WSWA0806464 | 8.06          | 4.64        | 237                        | Watertank WSWA galvanized min. 1.0 mm |                          | 72              | 1728              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1350.00             | 1300.00            |
| WSWA0806537 | 8.06          | 5.37        | 274                        | Watertank WSWA galvanized min. 1.0 mm |                          | 84              | 2016              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1598.00             | 1548.00            |
| WSWA0873159 | 8.73          | 1.59        | 95                         | Watertank WSWA galvanized min. 1.0 mm |                          | 26              | 624               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 481.00              | 456.00             |
| WSWA0873236 | 8.73          | 2.36        | 141                        | Watertank WSWA galvanized min. 1.0 mm |                          | 39              | 936               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 708.00              | 683.00             |
| WSWA0873312 | 8.73          | 3.12        | 187                        | Watertank WSWA galvanized min. 1.0 mm |                          | 52              | 1248              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 936.00              | 911.00             |
| WSWA0873388 | 8.73          | 3.88        | 232                        | Watertank WSWA galvanized min. 1.0 mm |                          | 65              | 1560              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1164.00             | 1139.00            |
| WSWA0873464 | 8.73          | 4.64        | 278                        | Watertank WSWA galvanized min. 1.0 mm |                          | 78              | 1872              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1458.00             | 1408.00            |
| WSWA0873537 | 8.73          | 5.37        | 321                        | Watertank WSWA galvanized min. 1.0 mm |                          | 91              | 2184              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1727.00             | 1677.00            |
| WSWA0940159 | 9.40          | 1.59        | 110                        | Watertank WSWA galvanized min. 1.0 mm |                          | 28              | 672               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 516.00              | 491.00             |
| WSWA0940236 | 9.40          | 2.36        | 164                        | Watertank WSWA galvanized min. 1.0 mm |                          | 42              | 1008              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 761.00              | 736.00             |
| WSWA0940312 | 9.40          | 3.12        | 217                        | Watertank WSWA galvanized min. 1.0 mm |                          | 56              | 1344              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1006.00             | 981.00             |
| WSWA0940388 | 9.40          | 3.88        | 269                        | Watertank WSWA galvanized min. 1.0 mm |                          | 70              | 1680              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1251.00             | 1226.00            |
| WSWA0940464 | 9.40          | 4.64        | 322                        | Watertank WSWA galvanized min. 1.0 mm |                          | 84              | 2016              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1566.00             | 1516.00            |

**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no. | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                           | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |
|-------------|---------------|-------------|----------------------------|---------------------------------------|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|
|             |               |             |                            |                                       | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |
| WSWA0940537 | 9.40          | 5.37        | 373                        | Watertank WSWA galvanized min. 1.0 mm |                          | 98              | 2352              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1856.00             | 1806.00            |
| WSWA1007159 | 10.07         | 1.59        | 127                        | Watertank WSWA galvanized min. 1.0 mm |                          | 30              | 720               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 551.00              | 526.00             |
| WSWA1007236 | 10.07         | 2.36        | 188                        | Watertank WSWA galvanized min. 1.0 mm |                          | 45              | 1080              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 814.00              | 789.00             |
| WSWA1007312 | 10.07         | 3.12        | 248                        | Watertank WSWA galvanized min. 1.0 mm |                          | 60              | 1440              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1076.00             | 1051.00            |
| WSWA1007388 | 10.07         | 3.88        | 309                        | Watertank WSWA galvanized min. 1.0 mm |                          | 75              | 1800              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1412.00             | 1362.00            |
| WSWA1007464 | 10.07         | 4.64        | 370                        | Watertank WSWA galvanized min. 1.0 mm |                          | 90              | 2160              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1723.00             | 1673.00            |
| WSWA1007537 | 10.07         | 5.37        | 428                        | Watertank WSWA galvanized min. 1.0 mm |                          | 105             | 2520              | 1,5 mm S350          | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 2105.00             | 2055.00            |
| WSWA1075159 | 10.75         | 1.59        | 144                        | Watertank WSWA galvanized min. 1.0 mm |                          | 32              | 768               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 586.00              | 561.00             |
| WSWA1075236 | 10.75         | 2.36        | 214                        | Watertank WSWA galvanized min. 1.0 mm |                          | 48              | 1152              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 866.00              | 841.00             |
| WSWA1075312 | 10.75         | 3.12        | 283                        | Watertank WSWA galvanized min. 1.0 mm |                          | 64              | 1536              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1146.00             | 1121.00            |
| WSWA1075388 | 10.75         | 3.88        | 352                        | Watertank WSWA galvanized min. 1.0 mm |                          | 80              | 1920              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1503.00             | 1453.00            |
| WSWA1075464 | 10.75         | 4.64        | 421                        | Watertank WSWA galvanized min. 1.0 mm |                          | 96              | 2304              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1834.00             | 1784.00            |
| WSWA1075537 | 10.75         | 5.37        | 487                        | Watertank WSWA galvanized min. 1.0 mm |                          | 112             | 2688              | 1,5 mm S350          | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 2242.00             | 2192.00            |
| WSWA1142159 | 11.42         | 1.59        | 163                        | Watertank WSWA galvanized min. 1.0 mm |                          | 34              | 816               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 621.00              | 596.00             |
| WSWA1142236 | 11.42         | 2.36        | 242                        | Watertank WSWA galvanized min. 1.0 mm |                          | 51              | 1224              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 919.00              | 894.00             |
| WSWA1142312 | 11.42         | 3.12        | 320                        | Watertank WSWA galvanized min. 1.0 mm |                          | 68              | 1632              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1216.00             | 1191.00            |
| WSWA1142388 | 11.42         | 3.88        | 397                        | Watertank WSWA galvanized min. 1.0 mm |                          | 85              | 2040              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1593.00             | 1543.00            |
| WSWA1142464 | 11.42         | 4.64        | 475                        | Watertank WSWA galvanized min. 1.0 mm |                          | 102             | 2448              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 2027.00             | 1977.00            |
| WSWA1142537 | 11.42         | 5.37        | 550                        | Watertank WSWA galvanized min. 1.0 mm |                          | 119             | 2856              | 1,5 mm S350          | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 2461.00             | 2411.00            |
| WSWA1209159 | 12.09         | 1.59        | 183                        | Watertank WSWA galvanized min. 1.0 mm |                          | 36              | 864               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 656.00              | 631.00             |
| WSWA1209236 | 12.09         | 2.36        | 271                        | Watertank WSWA galvanized min. 1.0 mm |                          | 54              | 1296              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 971.00              | 946.00             |
| WSWA1209312 | 12.09         | 3.12        | 358                        | Watertank WSWA galvanized min. 1.0 mm |                          | 72              | 1728              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1369.00             | 1319.00            |
| WSWA1209388 | 12.09         | 3.88        | 445                        | Watertank WSWA galvanized min. 1.0 mm |                          | 90              | 2160              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1742.00             | 1692.00            |
| WSWA1209464 | 12.09         | 4.64        | 533                        | Watertank WSWA galvanized min. 1.0 mm |                          | 108             | 2592              | 1,5 mm S350          | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 2201.00             | 2151.00            |
| WSWA1209537 | 12.09         | 5.37        | 616                        | Watertank WSWA galvanized min. 1.0 mm |                          | 126             | 3024              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 2788.00             | 2713.00            |
| WSWA1276159 | 12.76         | 1.59        | 203                        | Watertank WSWA galvanized min. 1.0 mm |                          | 38              | 912               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 691.00              | 666.00             |
| WSWA1276236 | 12.76         | 2.36        | 302                        | Watertank WSWA galvanized min. 1.0 mm |                          | 57              | 1368              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1024.00             | 999.00             |
| WSWA1276312 | 12.76         | 3.12        | 399                        | Watertank WSWA galvanized min. 1.0 mm |                          | 76              | 1824              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1442.00             | 1392.00            |
| WSWA1276388 | 12.76         | 3.88        | 496                        | Watertank WSWA galvanized min. 1.0 mm |                          | 95              | 2280              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1836.00             | 1786.00            |
| WSWA1276464 | 12.76         | 4.64        | 593                        | Watertank WSWA galvanized min. 1.0 mm |                          | 114             | 2736              | 1,5 mm S350          | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 2345.00             | 2270.00            |
| WSWA1276537 | 12.76         | 5.37        | 687                        | Watertank WSWA galvanized min. 1.0 mm |                          | 133             | 3192              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 3113.00             | 3013.00            |
| WSWA1343159 | 13.43         | 1.59        | 225                        | Watertank WSWA galvanized min. 1.0 mm |                          | 40              | 960               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 726.00              | 701.00             |
| WSWA1343236 | 13.43         | 2.36        | 334                        | Watertank WSWA galvanized min. 1.0 mm |                          | 60              | 1440              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1076.00             | 1051.00            |
| WSWA1343312 | 13.43         | 3.12        | 442                        | Watertank WSWA galvanized min. 1.0 mm |                          | 80              | 1920              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1515.00             | 1465.00            |
| WSWA1343388 | 13.43         | 3.88        | 550                        | Watertank WSWA galvanized min. 1.0 mm |                          | 100             | 2400              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 2026.00             | 1976.00            |
| WSWA1343464 | 13.43         | 4.64        | 657                        | Watertank WSWA galvanized min. 1.0 mm |                          | 120             | 2880              | 1,5 mm S350          | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 2561.00             | 2486.00            |
| WSWA1343537 | 13.43         | 5.37        | 761                        | Watertank WSWA galvanized min. 1.0 mm |                          | 140             | 3360              | 1,85 mm S350         | 1,5 mm S350     | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 3185.00             | 3110.00            |
| WSWA1410159 | 14.10         | 1.59        | 248                        | Watertank WSWA galvanized min. 1.0 mm |                          | 42              | 1008              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 761.00              | 736.00             |
| WSWA1410236 | 14.10         | 2.36        | 369                        | Watertank WSWA galvanized min. 1.0 mm |                          | 63              | 1512              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1129.00             | 1104.00            |
| WSWA1410312 | 14.10         | 3.12        | 487                        | Watertank WSWA galvanized min. 1.0 mm |                          | 84              | 2016              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1589.00             | 1539.00            |
| WSWA1410388 | 14.10         | 3.88        | 606                        | Watertank WSWA galvanized min. 1.0 mm |                          | 105             | 2520              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 2124.00             | 2074.00            |
| WSWA1410464 | 14.10         | 4.64        | 725                        | Watertank WSWA galvanized min. 1.0 mm |                          | 126             | 3024              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 2805.00             | 2730.00            |
| WSWA1410537 | 14.10         | 5.37        | 838                        | Watertank WSWA galvanized min. 1.0 mm |                          | 147             | 3528              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 3485.00             | 3385.00            |

**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no.  | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                           | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |         |
|--------------|---------------|-------------|----------------------------|---------------------------------------|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|---------|
|              |               |             |                            |                                       | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |         |
| WSWA1478159  | 14.78         | 1.59        | 273                        | Watertank WSWA galvanized min. 1.0 mm |                          | 44              | 1056              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 796.00             | 771.00  |
| WSWA1478236  | 14.78         | 2.36        | 405                        | Watertank WSWA galvanized min. 1.0 mm |                          | 66              | 1584              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 1181.00            | 1156.00 |
| WSWA1478312  | 14.78         | 3.12        | 535                        | Watertank WSWA galvanized min. 1.0 mm |                          | 88              | 2112              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 1662.00            | 1612.00 |
| WSWA1478388  | 14.78         | 3.88        | 666                        | Watertank WSWA galvanized min. 1.0 mm |                          | 110             | 2640              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 2223.00            | 2173.00 |
| WSWA1478464  | 14.78         | 4.64        | 796                        | Watertank WSWA galvanized min. 1.0 mm |                          | 132             | 3168              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 2935.00            | 2860.00 |
| WSWA1478537R | 14.78         | 5.37        | 921                        | Watertank WSWA galvanized min. 1.0 mm | 0.40m                    | 154             | 3696              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                     | 3647.00            | 3547.00 |
| WSWA1545159  | 15.45         | 1.59        | 298                        | Watertank WSWA galvanized min. 1.0 mm |                          | 46              | 1104              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 831.00             | 806.00  |
| WSWA1545236  | 15.45         | 2.36        | 442                        | Watertank WSWA galvanized min. 1.0 mm |                          | 69              | 1656              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 1234.00            | 1209.00 |
| WSWA1545312  | 15.45         | 3.12        | 585                        | Watertank WSWA galvanized min. 1.0 mm |                          | 92              | 2208              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 1735.00            | 1685.00 |
| WSWA1545388  | 15.45         | 3.88        | 727                        | Watertank WSWA galvanized min. 1.0 mm |                          | 115             | 2760              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 2322.00            | 2272.00 |
| WSWA1545464  | 15.45         | 4.64        | 870                        | Watertank WSWA galvanized min. 1.0 mm |                          | 138             | 3312              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 3065.00            | 2990.00 |
| WSWA1545537R | 15.45         | 5.37        | 1007                       | Watertank WSWA galvanized min. 1.0 mm | 0.40m                    | 161             | 3864              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                     | 3808.00            | 3708.00 |
| WSWA1612159  | 16.12         | 1.59        | 325                        | Watertank WSWA galvanized min. 1.0 mm |                          | 48              | 1152              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 866.00             | 841.00  |
| WSWA1612236  | 16.12         | 2.36        | 482                        | Watertank WSWA galvanized min. 1.0 mm |                          | 72              | 1728              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 1388.00            | 1338.00 |
| WSWA1612312  | 16.12         | 3.12        | 637                        | Watertank WSWA galvanized min. 1.0 mm |                          | 96              | 2304              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 1885.00            | 1835.00 |
| WSWA1612388  | 16.12         | 3.88        | 792                        | Watertank WSWA galvanized min. 1.0 mm |                          | 120             | 2880              | 1,5 mm S350          | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                     | 2523.00            | 2448.00 |
| WSWA1612464  | 16.12         | 4.64        | 947                        | Watertank WSWA galvanized min. 1.0 mm |                          | 144             | 3456              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                     | 3297.00            | 3197.00 |
| WSWA1612537R | 16.12         | 5.37        | 1096                       | Watertank WSWA galvanized min. 1.0 mm | 0.80m                    | 168             | 4032              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                     | 4071.00            | 3946.00 |
| WSWA1679159  | 16.79         | 1.59        | 352                        | Watertank WSWA galvanized min. 1.0 mm |                          | 50              | 1200              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 901.00             | 876.00  |
| WSWA1679236  | 16.79         | 2.36        | 523                        | Watertank WSWA galvanized min. 1.0 mm |                          | 75              | 1800              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 1444.00            | 1394.00 |
| WSWA1679312  | 16.79         | 3.12        | 691                        | Watertank WSWA galvanized min. 1.0 mm |                          | 100             | 2400              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 2082.00            | 2032.00 |
| WSWA1679388  | 16.79         | 3.88        | 859                        | Watertank WSWA galvanized min. 1.0 mm |                          | 125             | 3000              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                     | 2887.00            | 2812.00 |
| WSWA1679464  | 16.79         | 4.64        | 1027                       | Watertank WSWA galvanized min. 1.0 mm |                          | 150             | 3600              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                     | 3692.00            | 3592.00 |
| WSWA1679537R | 16.79         | 5.37        | 1189                       | Watertank WSWA galvanized min. 1.0 mm | 0.80m                    | 175             | 4200              | 1,85 mm S350         | 1,85 mm S350    | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                     | 4498.00            | 4373.00 |
| WSWA1746159  | 17.46         | 1.59        | 381                        | Watertank WSWA galvanized min. 1.0 mm |                          | 52              | 1248              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 936.00             | 911.00  |
| WSWA1746236  | 17.46         | 2.36        | 565                        | Watertank WSWA galvanized min. 1.0 mm |                          | 78              | 1872              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 1500.00            | 1450.00 |
| WSWA1746312  | 17.46         | 3.12        | 747                        | Watertank WSWA galvanized min. 1.0 mm |                          | 104             | 2496              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 2163.00            | 2113.00 |
| WSWA1746388  | 17.46         | 3.88        | 929                        | Watertank WSWA galvanized min. 1.0 mm |                          | 130             | 3120              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                     | 2999.00            | 2924.00 |
| WSWA1746464R | 17.46         | 4.64        | 1111                       | Watertank WSWA galvanized min. 1.0 mm | 0.40m                    | 156             | 3744              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                     | 3836.00            | 3736.00 |
| WSWA1813159  | 18.13         | 1.59        | 410                        | Watertank WSWA galvanized min. 1.0 mm |                          | 54              | 1296              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 971.00             | 946.00  |
| WSWA1813236  | 18.13         | 2.36        | 609                        | Watertank WSWA galvanized min. 1.0 mm |                          | 81              | 1944              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 1555.00            | 1505.00 |
| WSWA1813312  | 18.13         | 3.12        | 805                        | Watertank WSWA galvanized min. 1.0 mm |                          | 108             | 2592              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 2244.00            | 2194.00 |
| WSWA1813388  | 18.13         | 3.88        | 1002                       | Watertank WSWA galvanized min. 1.0 mm |                          | 135             | 3240              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                     | 3112.00            | 3037.00 |
| WSWA1813464R | 18.13         | 4.64        | 1198                       | Watertank WSWA galvanized min. 1.0 mm | 0.40m                    | 162             | 3888              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                     | 3980.00            | 3880.00 |
| WSWA1881159  | 18.81         | 1.59        | 442                        | Watertank WSWA galvanized min. 1.0 mm |                          | 56              | 1344              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1006.00            | 981.00  |
| WSWA1881236  | 18.81         | 2.36        | 656                        | Watertank WSWA galvanized min. 1.0 mm |                          | 84              | 2016              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 1611.00            | 1561.00 |
| WSWA1881312  | 18.81         | 3.12        | 867                        | Watertank WSWA galvanized min. 1.0 mm |                          | 112             | 2688              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 2350.00            | 2275.00 |
| WSWA1881388  | 18.81         | 3.88        | 1078                       | Watertank WSWA galvanized min. 1.0 mm |                          | 140             | 3360              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                     | 3249.00            | 3149.00 |
| WSWA1881464R | 18.81         | 4.64        | 1289                       | Watertank WSWA galvanized min. 1.0 mm | 0.80m                    | 168             | 4032              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                     | 4148.00            | 4023.00 |
| WSWA1948159  | 19.48         | 1.59        | 474                        | Watertank WSWA galvanized min. 1.0 mm |                          | 58              | 1392              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1041.00            | 1016.00 |
| WSWA1948236  | 19.48         | 2.36        | 703                        | Watertank WSWA galvanized min. 1.0 mm |                          | 87              | 2088              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 1667.00            | 1617.00 |
| WSWA1948312  | 19.48         | 3.12        | 930                        | Watertank WSWA galvanized min. 1.0 mm |                          | 116             | 2784              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 2432.00            | 2357.00 |
| WSWA1948388  | 19.48         | 3.88        | 1156                       | Watertank WSWA galvanized min. 1.0 mm |                          | 145             | 3480              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                     | 3362.00            | 3262.00 |

**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no.  | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                           | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 |         | Gross weight<br>kgs | Nett Weight<br>kgs |
|--------------|---------------|-------------|----------------------------|---------------------------------------|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------|---------------------|--------------------|
|              |               |             |                            |                                       | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |         |                     |                    |
| WSWA1948464R | 19.48         | 4.64        | 1383                       | Watertank WSWA galvanized min. 1.0 mm | 0.80m                    | 174             | 4176              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 4292.00 | 4167.00             |                    |
| WSWA2015159  | 20.15         | 1.59        | 507                        | Watertank WSWA galvanized min. 1.0 mm |                          | 60              | 1440              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 1076.00 | 1051.00             |                    |
| WSWA2015236  | 20.15         | 2.36        | 753                        | Watertank WSWA galvanized min. 1.0 mm |                          | 90              | 2160              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1723.00 | 1673.00             |                    |
| WSWA2015312  | 20.15         | 3.12        | 995                        | Watertank WSWA galvanized min. 1.0 mm |                          | 120             | 2880              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2513.00 | 2438.00             |                    |
| WSWA2015388  | 20.15         | 3.88        | 1237                       | Watertank WSWA galvanized min. 1.0 mm |                          | 150             | 3600              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3474.00 | 3374.00             |                    |
| WSWA2015464R | 20.15         | 4.64        | 1480                       | Watertank WSWA galvanized min. 1.0 mm | 0.80m                    | 180             | 4320              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 4436.00 | 4311.00             |                    |
| WSWA2082159  | 20.82         | 1.59        | 541                        | Watertank WSWA galvanized min. 1.0 mm |                          | 62              | 1488              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 1111.00 | 1086.00             |                    |
| WSWA2082236  | 20.82         | 2.36        | 803                        | Watertank WSWA galvanized min. 1.0 mm |                          | 93              | 2232              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1778.00 | 1728.00             |                    |
| WSWA2082312  | 20.82         | 3.12        | 1062                       | Watertank WSWA galvanized min. 1.0 mm |                          | 124             | 2976              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2771.00 | 2696.00             |                    |
| WSWA2082388R | 20.82         | 3.88        | 1321                       | Watertank WSWA galvanized min. 1.0 mm | 0.40m                    | 155             | 3720              | 1,85 mm S350         | 1,85 mm S350    | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3763.00 | 3663.00             |                    |
| WSWA2149159  | 21.49         | 1.59        | 577                        | Watertank WSWA galvanized min. 1.0 mm |                          | 64              | 1536              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 1146.00 | 1121.00             |                    |
| WSWA2149236  | 21.49         | 2.36        | 856                        | Watertank WSWA galvanized min. 1.0 mm |                          | 96              | 2304              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1834.00 | 1784.00             |                    |
| WSWA2149312  | 21.49         | 3.12        | 1132                       | Watertank WSWA galvanized min. 1.0 mm |                          | 128             | 3072              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2858.00 | 2783.00             |                    |
| WSWA2149388R | 21.49         | 3.88        | 1407                       | Watertank WSWA galvanized min. 1.0 mm | 0.40m                    | 160             | 3840              | 1,85 mm S350         | 1,85 mm S350    | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3882.00 | 3782.00             |                    |
| WSWA2216159  | 22.16         | 1.59        | 613                        | Watertank WSWA galvanized min. 1.0 mm |                          | 66              | 1584              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 1181.00 | 1156.00             |                    |
| WSWA2216236  | 22.16         | 2.36        | 910                        | Watertank WSWA galvanized min. 1.0 mm |                          | 99              | 2376              | 1,5 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 2048.00 | 1998.00             |                    |
| WSWA2216312  | 22.16         | 3.12        | 1203                       | Watertank WSWA galvanized min. 1.0 mm |                          | 132             | 3168              | 1,85 mm S350         | 1,5 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 3103.00 | 3028.00             |                    |
| WSWA2216388R | 22.16         | 3.88        | 1496                       | Watertank WSWA galvanized min. 1.0 mm | 0.40m                    | 165             | 3960              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 4158.00 | 4058.00             |                    |
| WSWA2284159  | 22.84         | 1.59        | 651                        | Watertank WSWA galvanized min. 1.0 mm |                          | 68              | 1632              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 1216.00 | 1191.00             |                    |
| WSWA2284236  | 22.84         | 2.36        | 967                        | Watertank WSWA galvanized min. 1.0 mm |                          | 102             | 2448              | 1,5 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 2109.00 | 2059.00             |                    |
| WSWA2284312  | 22.84         | 3.12        | 1278                       | Watertank WSWA galvanized min. 1.0 mm |                          | 136             | 3264              | 1,85 mm S350         | 1,5 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 3195.00 | 3120.00             |                    |
| WSWA2284388R | 22.84         | 3.88        | 1590                       | Watertank WSWA galvanized min. 1.0 mm | 0.80m                    | 170             | 4080              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 4281.00 | 4181.00             |                    |
| WSWA2351159  | 23.51         | 1.59        | 690                        | Watertank WSWA galvanized min. 1.0 mm |                          | 70              | 1680              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 | 1388.00 | 1338.00             |                    |
| WSWA2351236  | 23.51         | 2.36        | 1024                       | Watertank WSWA galvanized min. 1.0 mm |                          | 105             | 2520              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 2306.00 | 2231.00             |                    |
| WSWA2351312  | 23.51         | 3.12        | 1354                       | Watertank WSWA galvanized min. 1.0 mm |                          | 140             | 3360              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 |                 | 3424.00 | 3324.00             |                    |
| WSWA2351388R | 23.51         | 3.88        | 1684                       | Watertank WSWA galvanized min. 1.0 mm | 0.80m                    | 175             | 4200              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 | 4541.00 | 4416.00             |                    |
| WSWA2418159  | 24.18         | 1.59        | 730                        | Watertank WSWA galvanized min. 1.0 mm |                          | 72              | 1728              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 | 1427.00 | 1377.00             |                    |
| WSWA2418236  | 24.18         | 2.36        | 1084                       | Watertank WSWA galvanized min. 1.0 mm |                          | 108             | 2592              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 2370.00 | 2295.00             |                    |
| WSWA2418312  | 24.18         | 3.12        | 1433                       | Watertank WSWA galvanized min. 1.0 mm |                          | 144             | 3456              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 |                 | 3519.00 | 3419.00             |                    |
| WSWA2418388R | 24.18         | 3.88        | 1782                       | Watertank WSWA galvanized min. 1.0 mm | 0.80m                    | 180             | 4320              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 | 4667.00 | 4542.00             |                    |
| WSWA2485159  | 24.85         | 1.59        | 771                        | Watertank WSWA galvanized min. 1.0 mm |                          | 74              | 1776              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 | 1465.00 | 1415.00             |                    |
| WSWA2485236  | 24.85         | 2.36        | 1145                       | Watertank WSWA galvanized min. 1.0 mm |                          | 111             | 2664              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 2434.00 | 2359.00             |                    |
| WSWA2485312  | 24.85         | 3.12        | 1513                       | Watertank WSWA galvanized min. 1.0 mm |                          | 148             | 3552              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 |                 | 3614.00 | 3514.00             |                    |
| WSWA2485388R | 24.85         | 3.88        | 1882                       | Watertank WSWA galvanized min. 1.0 mm | 0.80m                    | 185             | 4440              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 | 4793.00 | 4668.00             |                    |
| WSWA2552159  | 25.52         | 1.59        | 813                        | Watertank WSWA galvanized min. 1.0 mm |                          | 76              | 1824              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 | 1503.00 | 1453.00             |                    |
| WSWA2552236  | 25.52         | 2.36        | 1207                       | Watertank WSWA galvanized min. 1.0 mm |                          | 114             | 2736              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 2497.00 | 2422.00             |                    |
| WSWA2619159  | 26.19         | 1.59        | 857                        | Watertank WSWA galvanized min. 1.0 mm |                          | 78              | 1872              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 | 1541.00 | 1491.00             |                    |
| WSWA2619236  | 26.19         | 2.36        | 1271                       | Watertank WSWA galvanized min. 1.0 mm |                          | 117             | 2808              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 2561.00 | 2486.00             |                    |
| WSWA2687159  | 26.87         | 1.59        | 902                        | Watertank WSWA galvanized min. 1.0 mm |                          | 80              | 1920              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 | 1579.00 | 1529.00             |                    |
| WSWA2687236  | 26.87         | 2.36        | 1338                       | Watertank WSWA galvanized min. 1.0 mm |                          | 120             | 2880              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 2625.00 | 2550.00             |                    |
| WSWA2754159  | 27.54         | 1.59        | 947                        | Watertank WSWA galvanized min. 1.0 mm |                          | 82              | 1968              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 | 1618.00 | 1568.00             |                    |
| WSWA2754236  | 27.54         | 2.36        | 1406                       | Watertank WSWA galvanized min. 1.0 mm |                          | 123             | 2952              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 2947.00 | 2847.00             |                    |
| WSWA2821159  | 28.21         | 1.59        | 994                        | Watertank WSWA galvanized min. 1.0 mm |                          | 84              | 2016              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 | 1656.00 | 1606.00             |                    |

**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no.   | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                                   | Bury Tank<br>minimum | Total<br>Plates | Total<br>Boltsets | Plate Thickness per Ring |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |         |
|---------------|---------------|-------------|----------------------------|---|----------------------|-----------------|-------------------|--------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|---------|
|               |               |             |                            |   |                      |                 |                   | Bottom Ring<br>0,81m     | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |         |
| WSWA2821236   | 28.21         | 2.36        | 1475                       | Watertank WSWA galvanized min. 1.0 mm         |                      | 126             | 3024              | 1,85 mm S350             | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 3017.00            | 2917.00 |
| WSWA2888159   | 28.88         | 1.59        | 1042                       | Watertank WSWA galvanized min. 1.0 mm         |                      | 86              | 2064              | 1,2 mm S350              | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1694.00            | 1644.00 |
| WSWA2888236   | 28.88         | 2.36        | 1546                       | Watertank WSWA galvanized min. 1.0 mm         |                      | 129             | 3096              | 1,85 mm S350             | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 3086.00            | 2986.00 |
| WSWA2955159   | 29.55         | 1.59        | 1090                       | Watertank WSWA galvanized min. 1.0 mm         |                      | 88              | 2112              | 1,2 mm S350              | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1732.00            | 1682.00 |
| WSWA2955236   | 29.55         | 2.36        | 1619                       | Watertank WSWA galvanized min. 1.0 mm         |                      | 132             | 3168              | 1,85 mm S350             | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 3156.00            | 3056.00 |
| WSWA3022159   | 30.22         | 1.59        | 1140                       | Watertank WSWA galvanized min. 1.0 mm         |                      | 90              | 2160              | 1,2 mm S350              | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1771.00            | 1721.00 |
| WSWA3022236   | 30.22         | 2.36        | 1693                       | Watertank WSWA galvanized min. 1.0 mm         |                      | 135             | 3240              | 1,85 mm S350             | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 3225.00            | 3125.00 |
| WSWA3090159   | 30.90         | 1.59        | 1192                       | Watertank WSWA galvanized min. 1.0 mm         |                      | 92              | 2208              | 1,2 mm S350              | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1809.00            | 1759.00 |
| WSWA3090236   | 30.90         | 2.36        | 1770                       | Watertank WSWA galvanized min. 1.0 mm         |                      | 138             | 3312              | 1,85 mm S350             | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 3295.00            | 3195.00 |
| WSWA1C0134159 | 1.34          | 1.59        | 2                          | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 4               | 96                | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 |                     | 98.00              | 73.00   |
| WSWA1C0134236 | 1.34          | 2.36        | 3                          | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 6               | 144               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 133.00             | 108.00  |
| WSWA1C0134312 | 1.34          | 3.12        | 4                          | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 8               | 192               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 168.00             | 143.00  |
| WSWA1C0134388 | 1.34          | 3.88        | 5                          | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 10              | 240               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 203.00             | 178.00  |
| WSWA1C0134464 | 1.34          | 4.64        | 7                          | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 12              | 288               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 238.00             | 213.00  |
| WSWA1C0201159 | 2.01          | 1.59        | 5                          | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 6               | 144               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 |                     | 134.00             | 109.00  |
| WSWA1C0201236 | 2.01          | 2.36        | 7                          | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 9               | 216               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 187.00             | 162.00  |
| WSWA1C0201312 | 2.01          | 3.12        | 10                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 12              | 288               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 240.00             | 215.00  |
| WSWA1C0201388 | 2.01          | 3.88        | 12                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 15              | 360               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 292.00             | 267.00  |
| WSWA1C0201464 | 2.01          | 4.64        | 15                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 18              | 432               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 345.00             | 320.00  |
| WSWA1C0269159 | 2.69          | 1.59        | 9                          | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 8               | 192               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 |                     | 171.00             | 146.00  |
| WSWA1C0269236 | 2.69          | 2.36        | 13                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 12              | 288               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 241.00             | 216.00  |
| WSWA1C0269312 | 2.69          | 3.12        | 18                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 16              | 384               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 311.00             | 286.00  |
| WSWA1C0269388 | 2.69          | 3.88        | 22                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 20              | 480               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 381.00             | 356.00  |
| WSWA1C0269464 | 2.69          | 4.64        | 26                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 24              | 576               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 451.00             | 426.00  |
| WSWA1C0336159 | 3.36          | 1.59        | 14                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 10              | 240               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 |                     | 207.00             | 182.00  |
| WSWA1C0336236 | 3.36          | 2.36        | 21                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 15              | 360               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 295.00             | 270.00  |
| WSWA1C0336312 | 3.36          | 3.12        | 28                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 20              | 480               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 382.00             | 357.00  |
| WSWA1C0336388 | 3.36          | 3.88        | 34                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 25              | 600               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 470.00             | 445.00  |
| WSWA1C0336464 | 3.36          | 4.64        | 41                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 30              | 720               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 557.00             | 532.00  |
| WSWA1C0403159 | 4.03          | 1.59        | 20                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 12              | 288               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 |                     | 243.00             | 218.00  |
| WSWA1C0403236 | 4.03          | 2.36        | 30                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 18              | 432               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 349.00             | 324.00  |
| WSWA1C0403312 | 4.03          | 3.12        | 40                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 24              | 576               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 454.00             | 429.00  |
| WSWA1C0403388 | 4.03          | 3.88        | 49                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 30              | 720               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 559.00             | 534.00  |
| WSWA1C0403464 | 4.03          | 4.64        | 59                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 36              | 864               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 664.00             | 639.00  |
| WSWA1C0470159 | 4.70          | 1.59        | 28                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 14              | 336               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 |                     | 280.00             | 255.00  |
| WSWA1C0470236 | 4.70          | 2.36        | 41                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 21              | 504               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 402.00             | 377.00  |
| WSWA1C0470312 | 4.70          | 3.12        | 54                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 28              | 672               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 525.00             | 500.00  |
| WSWA1C0470388 | 4.70          | 3.88        | 67                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 35              | 840               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 648.00             | 623.00  |
| WSWA1C0470464 | 4.70          | 4.64        | 81                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 42              | 1008              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 770.00             | 745.00  |
| WSWA1C0537159 | 5.37          | 1.59        | 36                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 16              | 384               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 |                     | 316.00             | 291.00  |
| WSWA1C0537236 | 5.37          | 2.36        | 53                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 24              | 576               | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 456.00             | 431.00  |
| WSWA1C0537312 | 5.37          | 3.12        | 71                         | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 32              | 768               | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 596.00             | 571.00  |



APRIL 2021

| Article no.   | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                                   | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |
|---------------|---------------|-------------|----------------------------|---|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|
|               |               |             |                            |   | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |
| WSWA1C0537388 | 5.37          | 3.88        | 88                         | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 40              | 960               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 736.00              | 711.00             |
| WSWA1C0537464 | 5.37          | 4.64        | 105                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 48              | 1152              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 876.00              | 851.00             |
| WSWA1C0537537 | 5.37          | 5.37        | 122                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 56              | 1344              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1017.00             | 992.00             |
| WSWA1C0604159 | 6.04          | 1.59        | 46                         | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 18              | 432               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 352.00              | 327.00             |
| WSWA1C0604236 | 6.04          | 2.36        | 68                         | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 27              | 648               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 510.00              | 485.00             |
| WSWA1C0604312 | 6.04          | 3.12        | 89                         | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 36              | 864               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 668.00              | 643.00             |
| WSWA1C0604388 | 6.04          | 3.88        | 111                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 45              | 1080              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 825.00              | 800.00             |
| WSWA1C0604464 | 6.04          | 4.64        | 133                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 54              | 1296              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 983.00              | 958.00             |
| WSWA1C0604537 | 6.04          | 5.37        | 154                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 63              | 1512              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1140.00             | 1115.00            |
| WSWA1C0672159 | 6.72          | 1.59        | 56                         | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 20              | 480               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 389.00              | 364.00             |
| WSWA1C0672236 | 6.72          | 2.36        | 84                         | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 30              | 720               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 564.00              | 539.00             |
| WSWA1C0672312 | 6.72          | 3.12        | 111                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 40              | 960               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 739.00              | 714.00             |
| WSWA1C0672388 | 6.72          | 3.88        | 138                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 50              | 1200              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 914.00              | 889.00             |
| WSWA1C0672464 | 6.72          | 4.64        | 165                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 60              | 1440              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1089.00             | 1064.00            |
| WSWA1C0672537 | 6.72          | 5.37        | 190                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 70              | 1680              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1264.00             | 1239.00            |
| WSWA1C0739159 | 7.39          | 1.59        | 68                         | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 22              | 528               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 425.00              | 400.00             |
| WSWA1C0739236 | 7.39          | 2.36        | 101                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 33              | 792               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 618.00              | 593.00             |
| WSWA1C0739312 | 7.39          | 3.12        | 134                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 44              | 1056              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 810.00              | 785.00             |
| WSWA1C0739388 | 7.39          | 3.88        | 166                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 55              | 1320              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1003.00             | 978.00             |
| WSWA1C0739464 | 7.39          | 4.64        | 199                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 66              | 1584              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1196.00             | 1171.00            |
| WSWA1C0739537 | 7.39          | 5.37        | 230                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 77              | 1848              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1455.00             | 1405.00            |
| WSWA1C0806159 | 8.06          | 1.59        | 81                         | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 24              | 576               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 461.00              | 436.00             |
| WSWA1C0806236 | 8.06          | 2.36        | 120                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 36              | 864               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 672.00              | 647.00             |
| WSWA1C0806312 | 8.06          | 3.12        | 159                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 48              | 1152              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 882.00              | 857.00             |
| WSWA1C0806388 | 8.06          | 3.88        | 198                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 60              | 1440              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1092.00             | 1067.00            |
| WSWA1C0806464 | 8.06          | 4.64        | 237                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 72              | 1728              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1373.00             | 1323.00            |
| WSWA1C0806537 | 8.06          | 5.37        | 274                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 84              | 2016              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1621.00             | 1571.00            |
| WSWA1C0873159 | 8.73          | 1.59        | 95                         | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 26              | 624               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 498.00              | 473.00             |
| WSWA1C0873236 | 8.73          | 2.36        | 141                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 39              | 936               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 725.00              | 700.00             |
| WSWA1C0873312 | 8.73          | 3.12        | 187                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 52              | 1248              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 953.00              | 928.00             |
| WSWA1C0873388 | 8.73          | 3.88        | 232                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 65              | 1560              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1181.00             | 1156.00            |
| WSWA1C0873464 | 8.73          | 4.64        | 278                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 78              | 1872              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1483.00             | 1433.00            |
| WSWA1C0873537 | 8.73          | 5.37        | 321                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 91              | 2184              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1752.00             | 1702.00            |
| WSWA1C0940159 | 9.40          | 1.59        | 110                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 28              | 672               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 534.00              | 509.00             |
| WSWA1C0940236 | 9.40          | 2.36        | 164                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 42              | 1008              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 779.00              | 754.00             |
| WSWA1C0940312 | 9.40          | 3.12        | 217                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 56              | 1344              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1024.00             | 999.00             |
| WSWA1C0940388 | 9.40          | 3.88        | 269                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 70              | 1680              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1270.00             | 1245.00            |
| WSWA1C0940464 | 9.40          | 4.64        | 322                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 84              | 2016              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1593.00             | 1543.00            |
| WSWA1C0940537 | 9.40          | 5.37        | 373                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 98              | 2352              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1883.00             | 1833.00            |
| WSWA1C1007159 | 10.07         | 1.59        | 127                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 30              | 720               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 570.00              | 545.00             |
| WSWA1C1007236 | 10.07         | 2.36        | 188                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 45              | 1080              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 833.00              | 808.00             |
| WSWA1C1007312 | 10.07         | 3.12        | 248                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 60              | 1440              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1096.00             | 1071.00            |
| WSWA1C1007388 | 10.07         | 3.88        | 309                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 75              | 1800              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1440.00             | 1390.00            |

APRIL 2021

| Article no.   | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                                   | Bury Tank<br>minimum | Total<br>Plates | Total<br>Boltsets | Plate Thickness per Ring |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |         |
|---------------|---------------|-------------|----------------------------|---|----------------------|-----------------|-------------------|--------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|---------|
|               |               |             |                            |   |                      |                 |                   | Bottom Ring<br>0,81m     | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |         |
| WSWA1C1007464 | 10.07         | 4.64        | 370                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 90              | 2160              | 1,2 mm S350              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1751.00             | 1701.00            |         |
| WSWA1C1007537 | 10.07         | 5.37        | 428                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 105             | 2520              | 1,5 mm S320              | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                     | 2108.00            | 2058.00 |
| WSWA1C1075159 | 10.75         | 1.59        | 144                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 32              | 768               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 607.00              | 582.00             |         |
| WSWA1C1075236 | 10.75         | 2.36        | 214                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 48              | 1152              | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 887.00              | 862.00             |         |
| WSWA1C1075312 | 10.75         | 3.12        | 283                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 64              | 1536              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1167.00             | 1142.00            |         |
| WSWA1C1075388 | 10.75         | 3.88        | 352                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 80              | 1920              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1533.00             | 1483.00            |         |
| WSWA1C1075464 | 10.75         | 4.64        | 421                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 96              | 2304              | 1,2 mm S350              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1864.00             | 1814.00            |         |
| WSWA1C1075537 | 10.75         | 5.37        | 487                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 112             | 2688              | 1,5 mm S320              | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 2245.00             | 2195.00            |         |
| WSWA1C1142159 | 11.42         | 1.59        | 163                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 34              | 816               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 643.00              | 618.00             |         |
| WSWA1C1142236 | 11.42         | 2.36        | 242                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 51              | 1224              | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 941.00              | 916.00             |         |
| WSWA1C1142312 | 11.42         | 3.12        | 320                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 68              | 1632              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1238.00             | 1213.00            |         |
| WSWA1C1142388 | 11.42         | 3.88        | 397                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 85              | 2040              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1626.00             | 1576.00            |         |
| WSWA1C1142464 | 11.42         | 4.64        | 475                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 102             | 2448              | 1,5 mm S320              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 2031.00             | 1981.00            |         |
| WSWA1C1142537 | 11.42         | 5.37        | 550                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 119             | 2856              | 1,5 mm S350              | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 2489.00             | 2414.00            |         |
| WSWA1C1209159 | 12.09         | 1.59        | 183                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 36              | 864               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 679.00              | 654.00             |         |
| WSWA1C1209236 | 12.09         | 2.36        | 271                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 54              | 1296              | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 995.00              | 970.00             |         |
| WSWA1C1209312 | 12.09         | 3.12        | 358                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 72              | 1728              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1403.00             | 1353.00            |         |
| WSWA1C1209388 | 12.09         | 3.88        | 445                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 90              | 2160              | 1,2 mm S350              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1776.00             | 1726.00            |         |
| WSWA1C1209464 | 12.09         | 4.64        | 533                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 108             | 2592              | 1,5 mm S320              | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 2205.00             | 2155.00            |         |
| WSWA1C1209537 | 12.09         | 5.37        | 616                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 126             | 3024              | 1,85 mm S350             | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 2788.00             | 2713.00            |         |
| WSWA1C1276159 | 12.76         | 1.59        | 203                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 38              | 912               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 716.00              | 691.00             |         |
| WSWA1C1276236 | 12.76         | 2.36        | 302                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 57              | 1368              | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1048.00             | 1023.00            |         |
| WSWA1C1276312 | 12.76         | 3.12        | 399                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 76              | 1824              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1478.00             | 1428.00            |         |
| WSWA1C1276388 | 12.76         | 3.88        | 496                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 95              | 2280              | 1,2 mm S350              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1872.00             | 1822.00            |         |
| WSWA1C1276464 | 12.76         | 4.64        | 593                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 114             | 2736              | 1,5 mm S350              | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 2349.00             | 2274.00            |         |
| WSWA1C1276537 | 12.76         | 5.37        | 687                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 133             | 3192              | 1,85 mm S350             | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 3113.00             | 3013.00            |         |
| WSWA1C1343159 | 13.43         | 1.59        | 225                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 40              | 960               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 752.00              | 727.00             |         |
| WSWA1C1343236 | 13.43         | 2.36        | 334                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 60              | 1440              | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1102.00             | 1077.00            |         |
| WSWA1C1343312 | 13.43         | 3.12        | 442                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 80              | 1920              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1553.00             | 1503.00            |         |
| WSWA1C1343388 | 13.43         | 3.88        | 550                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 100             | 2400              | 1,5 mm S320              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 2030.00             | 1980.00            |         |
| WSWA1C1343464 | 13.43         | 4.64        | 657                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 120             | 2880              | 1,5 mm S350              | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 2565.00             | 2490.00            |         |
| WSWA1C1343537 | 13.43         | 5.37        | 761                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 140             | 3360              | 1,85 mm S350             | 1,5 mm S350     | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 3210.00             | 3110.00            |         |
| WSWA1C1410159 | 14.10         | 1.59        | 248                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 42              | 1008              | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 788.00              | 763.00             |         |
| WSWA1C1410236 | 14.10         | 2.36        | 369                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 63              | 1512              | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1156.00             | 1131.00            |         |
| WSWA1C1410312 | 14.10         | 3.12        | 487                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 84              | 2016              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1629.00             | 1579.00            |         |
| WSWA1C1410388 | 14.10         | 3.88        | 606                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 105             | 2520              | 1,5 mm S320              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 2129.00             | 2079.00            |         |
| WSWA1C1410464 | 14.10         | 4.64        | 725                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 126             | 3024              | 1,85 mm S350             | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 2805.00             | 2730.00            |         |
| WSWA1C1410537 | 14.10         | 5.37        | 838                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 147             | 3528              | 1,85 mm S350             | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 3485.00             | 3385.00            |         |
| WSWA1C1478159 | 14.78         | 1.59        | 273                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 44              | 1056              | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 825.00              | 800.00             |         |
| WSWA1C1478236 | 14.78         | 2.36        | 405                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 66              | 1584              | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1210.00             | 1185.00            |         |
| WSWA1C1478312 | 14.78         | 3.12        | 535                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 88              | 2112              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1704.00             | 1654.00            |         |
| WSWA1C1478388 | 14.78         | 3.88        | 666                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 110             | 2640              | 1,5 mm S320              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 2228.00             | 2178.00            |         |
| WSWA1C1478464 | 14.78         | 4.64        | 796                        | Watertank WSWA1C bottomring coated min 1.0 mm |                      | 132             | 3168              | 1,85 mm S350             | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 2935.00             | 2860.00            |         |

**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no.    | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                                   | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 |         | Gross weight<br>kgs | Nett Weight<br>kgs |
|----------------|---------------|-------------|----------------------------|---|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------|---------------------|--------------------|
|                |               |             |                            |   | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |         |                     |                    |
| WSWA1C1478537R | 14.78         | 5.37        | 921                        | Watertank WSWA1C bottomring coated min 1.0 mm | 0.40m                    | 154             | 3696              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 3647.00 | 3547.00             |                    |
| WSWA1C1545159  | 15.45         | 1.59        | 298                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 46              | 1104              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 861.00  | 836.00              |                    |
| WSWA1C1545236  | 15.45         | 2.36        | 442                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 69              | 1656              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1264.00 | 1239.00             |                    |
| WSWA1C1545312  | 15.45         | 3.12        | 585                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 92              | 2208              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1779.00 | 1729.00             |                    |
| WSWA1C1545388  | 15.45         | 3.88        | 727                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 115             | 2760              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 2352.00 | 2277.00             |                    |
| WSWA1C1545464  | 15.45         | 4.64        | 870                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 138             | 3312              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 3065.00 | 2990.00             |                    |
| WSWA1C1545537R | 15.45         | 5.37        | 1007                       | Watertank WSWA1C bottomring coated min 1.0 mm | 0.40m                    | 161             | 3864              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 3808.00 | 3708.00             |                    |
| WSWA1C1612159  | 16.12         | 1.59        | 325                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 48              | 1152              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 897.00  | 872.00              |                    |
| WSWA1C1612236  | 16.12         | 2.36        | 482                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 72              | 1728              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1434.00 | 1384.00             |                    |
| WSWA1C1612312  | 16.12         | 3.12        | 637                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 96              | 2304              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1931.00 | 1881.00             |                    |
| WSWA1C1612388  | 16.12         | 3.88        | 792                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 120             | 2880              | 1,5 mm S350          | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 2527.00 | 2452.00             |                    |
| WSWA1C1612464  | 16.12         | 4.64        | 947                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 144             | 3456              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 3297.00 | 3197.00             |                    |
| WSWA1C1612537R | 16.12         | 5.37        | 1096                       | Watertank WSWA1C bottomring coated min 1.0 mm | 0.80m                    | 168             | 4032              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 4071.00 | 3946.00             |                    |
| WSWA1C1679159  | 16.79         | 1.59        | 352                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 50              | 1200              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 934.00  | 909.00              |                    |
| WSWA1C1679236  | 16.79         | 2.36        | 523                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 75              | 1800              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1491.00 | 1441.00             |                    |
| WSWA1C1679312  | 16.79         | 3.12        | 691                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 100             | 2400              | 1,5 mm S320          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2087.00 | 2037.00             |                    |
| WSWA1C1679388  | 16.79         | 3.88        | 859                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 125             | 3000              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 2887.00 | 2812.00             |                    |
| WSWA1C1679464  | 16.79         | 4.64        | 1027                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 150             | 3600              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 3692.00 | 3592.00             |                    |
| WSWA1C1679537R | 16.79         | 5.37        | 1189                       | Watertank WSWA1C bottomring coated min 1.0 mm | 0.80m                    | 175             | 4200              | 1,85 mm S350         | 1,85 mm S350    | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 4498.00 | 4373.00             |                    |
| WSWA1C1746159  | 17.46         | 1.59        | 381                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 52              | 1248              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 970.00  | 945.00              |                    |
| WSWA1C1746236  | 17.46         | 2.36        | 565                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 78              | 1872              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1549.00 | 1499.00             |                    |
| WSWA1C1746312  | 17.46         | 3.12        | 747                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 104             | 2496              | 1,5 mm S320          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2168.00 | 2118.00             |                    |
| WSWA1C1746388  | 17.46         | 3.88        | 929                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 130             | 3120              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 2999.00 | 2924.00             |                    |
| WSWA1C1746464R | 17.46         | 4.64        | 1111                       | Watertank WSWA1C bottomring coated min 1.0 mm | 0.40m                    | 156             | 3744              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 3836.00 | 3736.00             |                    |
| WSWA1C1813159  | 18.13         | 1.59        | 410                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 54              | 1296              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 1006.00 | 981.00              |                    |
| WSWA1C1813236  | 18.13         | 2.36        | 609                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 81              | 1944              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1607.00 | 1557.00             |                    |
| WSWA1C1813312  | 18.13         | 3.12        | 805                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 108             | 2592              | 1,5 mm S320          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2250.00 | 2200.00             |                    |
| WSWA1C1813388  | 18.13         | 3.88        | 1002                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 135             | 3240              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3112.00 | 3037.00             |                    |
| WSWA1C1813464R | 18.13         | 4.64        | 1198                       | Watertank WSWA1C bottomring coated min 1.0 mm | 0.40m                    | 162             | 3888              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 3980.00 | 3880.00             |                    |
| WSWA1C1881159  | 18.81         | 1.59        | 442                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 56              | 1344              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 1043.00 | 1018.00             |                    |
| WSWA1C1881236  | 18.81         | 2.36        | 656                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 84              | 2016              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1664.00 | 1614.00             |                    |
| WSWA1C1881312  | 18.81         | 3.12        | 867                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 112             | 2688              | 1,5 mm S320          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2356.00 | 2281.00             |                    |
| WSWA1C1881388  | 18.81         | 3.88        | 1078                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 140             | 3360              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3249.00 | 3149.00             |                    |
| WSWA1C1881464R | 18.81         | 4.64        | 1289                       | Watertank WSWA1C bottomring coated min 1.0 mm | 0.80m                    | 168             | 4032              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 4148.00 | 4023.00             |                    |
| WSWA1C1948159  | 19.48         | 1.59        | 474                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 58              | 1392              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 1079.00 | 1054.00             |                    |
| WSWA1C1948236  | 19.48         | 2.36        | 703                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 87              | 2088              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1722.00 | 1672.00             |                    |
| WSWA1C1948312  | 19.48         | 3.12        | 930                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 116             | 2784              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2437.00 | 2362.00             |                    |
| WSWA1C1948388  | 19.48         | 3.88        | 1156                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 145             | 3480              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3362.00 | 3262.00             |                    |
| WSWA1C1948464R | 19.48         | 4.64        | 1383                       | Watertank WSWA1C bottomring coated min 1.0 mm | 0.80m                    | 174             | 4176              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 4292.00 | 4167.00             |                    |
| WSWA1C2015159  | 20.15         | 1.59        | 507                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 60              | 1440              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 1115.00 | 1090.00             |                    |
| WSWA1C2015236  | 20.15         | 2.36        | 753                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 90              | 2160              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1780.00 | 1730.00             |                    |
| WSWA1C2015312  | 20.15         | 3.12        | 995                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 120             | 2880              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2519.00 | 2444.00             |                    |
| WSWA1C2015388  | 20.15         | 3.88        | 1237                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 150             | 3600              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3474.00 | 3374.00             |                    |

**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no.    | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                                   | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |
|----------------|---------------|-------------|----------------------------|---|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|
|                |               |             |                            |   | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |
| WSWA1C2015464R | 20.15         | 4.64        | 1480                       | Watertank WSWA1C bottomring coated min 1.0 mm | 0.80m                    | 180             | 4320              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 4436.00         | 4311.00             |                    |
| WSWA1C2082159  | 20.82         | 1.59        | 541                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 62              | 1488              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 | 1152.00         | 1127.00             |                    |
| WSWA1C2082236  | 20.82         | 2.36        | 803                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 93              | 2232              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1837.00         | 1787.00             |                    |
| WSWA1C2082312  | 20.82         | 3.12        | 1062                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 124             | 2976              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 2771.00         | 2696.00             |                    |
| WSWA1C2082388R | 20.82         | 3.88        | 1321                       | Watertank WSWA1C bottomring coated min 1.0 mm | 0.40m                    | 155             | 3720              | 1,85 mm S350         | 1,85 mm S350    | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 3763.00         | 3663.00             |                    |
| WSWA1C2149159  | 21.49         | 1.59        | 577                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 64              | 1536              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 | 1188.00         | 1163.00             |                    |
| WSWA1C2149236  | 21.49         | 2.36        | 856                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 96              | 2304              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1895.00         | 1845.00             |                    |
| WSWA1C2149312  | 21.49         | 3.12        | 1132                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 128             | 3072              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 2858.00         | 2783.00             |                    |
| WSWA1C2149388R | 21.49         | 3.88        | 1407                       | Watertank WSWA1C bottomring coated min 1.0 mm | 0.40m                    | 160             | 3840              | 1,85 mm S350         | 1,85 mm S350    | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 3882.00         | 3782.00             |                    |
| WSWA1C2216159  | 22.16         | 1.59        | 613                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 66              | 1584              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 | 1224.00         | 1199.00             |                    |
| WSWA1C2216236  | 22.16         | 2.36        | 910                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 99              | 2376              | 1,5 mm S320          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2055.00         | 2005.00             |                    |
| WSWA1C2216312  | 22.16         | 3.12        | 1203                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 132             | 3168              | 1,85 mm S350         | 1,5 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3103.00         | 3028.00             |                    |
| WSWA1C2216388R | 22.16         | 3.88        | 1496                       | Watertank WSWA1C bottomring coated min 1.0 mm | 0.40m                    | 165             | 3960              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,0 mm          | 1,0 mm          |                 | 4158.00         | 4058.00             |                    |
| WSWA1C2284159  | 22.84         | 1.59        | 651                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 68              | 1632              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 | 1261.00         | 1236.00             |                    |
| WSWA1C2284236  | 22.84         | 2.36        | 967                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 102             | 2448              | 1,5 mm S320          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2116.00         | 2066.00             |                    |
| WSWA1C2284312  | 22.84         | 3.12        | 1278                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 136             | 3264              | 1,85 mm S350         | 1,5 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3195.00         | 3120.00             |                    |
| WSWA1C2284388R | 22.84         | 3.88        | 1590                       | Watertank WSWA1C bottomring coated min 1.0 mm | 0.80m                    | 170             | 4080              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,0 mm          | 1,0 mm          |                 | 4281.00         | 4181.00             |                    |
| WSWA1C2351159  | 23.51         | 1.59        | 690                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 70              | 1680              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 | 1455.00         | 1405.00             |                    |
| WSWA1C2351236  | 23.51         | 2.36        | 1024                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 105             | 2520              | 1,5 mm S320          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 | 2313.00         | 2238.00             |                    |
| WSWA1C2351312  | 23.51         | 3.12        | 1354                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 140             | 3360              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 | 3424.00         | 3324.00             |                    |
| WSWA1C2351388R | 23.51         | 3.88        | 1684                       | Watertank WSWA1C bottomring coated min 1.0 mm | 0.80m                    | 175             | 4200              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 | 4541.00         | 4416.00             |                    |
| WSWA1C2418159  | 24.18         | 1.59        | 730                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 72              | 1728              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 | 1495.00         | 1445.00             |                    |
| WSWA1C2418236  | 24.18         | 2.36        | 1084                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 108             | 2592              | 1,5 mm S320          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 | 2377.00         | 2302.00             |                    |
| WSWA1C2418312  | 24.18         | 3.12        | 1433                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 144             | 3456              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 | 3519.00         | 3419.00             |                    |
| WSWA1C2418388R | 24.18         | 3.88        | 1782                       | Watertank WSWA1C bottomring coated min 1.0 mm | 0.80m                    | 180             | 4320              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 | 4667.00         | 4542.00             |                    |
| WSWA1C2485159  | 24.85         | 1.59        | 771                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 74              | 1776              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 | 1535.00         | 1485.00             |                    |
| WSWA1C2485236  | 24.85         | 2.36        | 1145                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 111             | 2664              | 1,5 mm S320          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 | 2441.00         | 2366.00             |                    |
| WSWA1C2485312  | 24.85         | 3.12        | 1513                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 148             | 3552              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 |                 | 3614.00         | 3514.00             |                    |
| WSWA1C2485388R | 24.85         | 3.88        | 1882                       | Watertank WSWA1C bottomring coated min 1.0 mm | 0.80m                    | 185             | 4440              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          |                 | 4793.00         | 4668.00             |                    |
| WSWA1C2552159  | 25.52         | 1.59        | 813                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 76              | 1824              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 | 1575.00         | 1525.00             |                    |
| WSWA1C2552236  | 25.52         | 2.36        | 1207                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 114             | 2736              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 | 2505.00         | 2430.00             |                    |
| WSWA1C2619159  | 26.19         | 1.59        | 857                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 78              | 1872              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 | 1615.00         | 1565.00             |                    |
| WSWA1C2619236  | 26.19         | 2.36        | 1271                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 117             | 2808              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 | 2569.00         | 2494.00             |                    |
| WSWA1C2687159  | 26.87         | 1.59        | 902                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 80              | 1920              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 | 1655.00         | 1605.00             |                    |
| WSWA1C2687236  | 26.87         | 2.36        | 1338                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 120             | 2880              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          |                 |                 |                 | 2633.00         | 2558.00             |                    |
| WSWA1C2754159  | 27.54         | 1.59        | 947                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 82              | 1968              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 | 1696.00         | 1646.00             |                    |
| WSWA1C2754236  | 27.54         | 2.36        | 1406                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 123             | 2952              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          |                 |                 |                 | 2947.00         | 2847.00             |                    |
| WSWA1C2821159  | 28.21         | 1.59        | 994                        | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 84              | 2016              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 | 1736.00         | 1686.00             |                    |
| WSWA1C2821236  | 28.21         | 2.36        | 1475                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 126             | 3024              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          |                 |                 |                 | 3017.00         | 2917.00             |                    |
| WSWA1C2888159  | 28.88         | 1.59        | 1042                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 86              | 2064              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 | 1776.00         | 1726.00             |                    |
| WSWA1C2888236  | 28.88         | 2.36        | 1546                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 129             | 3096              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          |                 |                 |                 | 3086.00         | 2986.00             |                    |
| WSWA1C2955159  | 29.55         | 1.59        | 1090                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 88              | 2112              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 | 1816.00         | 1766.00             |                    |
| WSWA1C2955236  | 29.55         | 2.36        | 1619                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 132             | 3168              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          |                 |                 |                 | 3156.00         | 3056.00             |                    |

APRIL 2021

| Article no.   | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                                   | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |         |
|---------------|---------------|-------------|----------------------------|---|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|---------|
|               |               |             |                            |   | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |         |
| WSWA1C3022159 | 30.22         | 1.59        | 1140                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 90              | 2160              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1856.00            | 1806.00 |
| WSWA1C3022236 | 30.22         | 2.36        | 1693                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 135             | 3240              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 3225.00            | 3125.00 |
| WSWA1C3090159 | 30.90         | 1.59        | 1192                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 92              | 2208              | 1,2 mm S350          | 1,0 mm          |                 |                 |                 |                 |                 |                     | 1896.00            | 1846.00 |
| WSWA1C3090236 | 30.90         | 2.36        | 1770                       | Watertank WSWA1C bottomring coated min 1.0 mm |                          | 138             | 3312              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 |                     | 3295.00            | 3195.00 |
| WSWAVC0134159 | 1.34          | 1.59        | 2                          | Watertank WSWAVC fully coated min 1.0 mm      |                          | 4               | 96                | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 101.00             | 76.00   |
| WSWAVC0134236 | 1.34          | 2.36        | 3                          | Watertank WSWAVC fully coated min 1.0 mm      |                          | 6               | 144               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 138.00             | 113.00  |
| WSWAVC0134312 | 1.34          | 3.12        | 4                          | Watertank WSWAVC fully coated min 1.0 mm      |                          | 8               | 192               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 176.00             | 151.00  |
| WSWAVC0134388 | 1.34          | 3.88        | 5                          | Watertank WSWAVC fully coated min 1.0 mm      |                          | 10              | 240               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 214.00             | 189.00  |
| WSWAVC0134464 | 1.34          | 4.64        | 7                          | Watertank WSWAVC fully coated min 1.0 mm      |                          | 12              | 288               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 251.00             | 226.00  |
| WSWAVC0201159 | 2.01          | 1.59        | 5                          | Watertank WSWAVC fully coated min 1.0 mm      |                          | 6               | 144               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 138.00             | 113.00  |
| WSWAVC0201236 | 2.01          | 2.36        | 7                          | Watertank WSWAVC fully coated min 1.0 mm      |                          | 9               | 216               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 195.00             | 170.00  |
| WSWAVC0201312 | 2.01          | 3.12        | 10                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 12              | 288               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 251.00             | 226.00  |
| WSWAVC0201388 | 2.01          | 3.88        | 12                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 15              | 360               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 308.00             | 283.00  |
| WSWAVC0201464 | 2.01          | 4.64        | 15                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 18              | 432               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 364.00             | 339.00  |
| WSWAVC0269159 | 2.69          | 1.59        | 9                          | Watertank WSWAVC fully coated min 1.0 mm      |                          | 8               | 192               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 176.00             | 151.00  |
| WSWAVC0269236 | 2.69          | 2.36        | 13                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 12              | 288               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 251.00             | 226.00  |
| WSWAVC0269312 | 2.69          | 3.12        | 18                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 16              | 384               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 326.00             | 301.00  |
| WSWAVC0269388 | 2.69          | 3.88        | 22                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 20              | 480               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 402.00             | 377.00  |
| WSWAVC0269464 | 2.69          | 4.64        | 26                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 24              | 576               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 477.00             | 452.00  |
| WSWAVC0336159 | 3.36          | 1.59        | 14                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 10              | 240               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 214.00             | 189.00  |
| WSWAVC0336236 | 3.36          | 2.36        | 21                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 15              | 360               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 308.00             | 283.00  |
| WSWAVC0336312 | 3.36          | 3.12        | 28                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 20              | 480               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 402.00             | 377.00  |
| WSWAVC0336388 | 3.36          | 3.88        | 34                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 25              | 600               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 496.00             | 471.00  |
| WSWAVC0336464 | 3.36          | 4.64        | 41                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 30              | 720               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 590.00             | 565.00  |
| WSWAVC0403159 | 4.03          | 1.59        | 20                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 12              | 288               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 251.00             | 226.00  |
| WSWAVC0403236 | 4.03          | 2.36        | 30                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 18              | 432               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 364.00             | 339.00  |
| WSWAVC0403312 | 4.03          | 3.12        | 40                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 24              | 576               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 477.00             | 452.00  |
| WSWAVC0403388 | 4.03          | 3.88        | 49                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 30              | 720               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 590.00             | 565.00  |
| WSWAVC0403464 | 4.03          | 4.64        | 59                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 36              | 864               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 703.00             | 678.00  |
| WSWAVC0470159 | 4.70          | 1.59        | 28                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 14              | 336               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 289.00             | 264.00  |
| WSWAVC0470236 | 4.70          | 2.36        | 41                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 21              | 504               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 421.00             | 396.00  |
| WSWAVC0470312 | 4.70          | 3.12        | 54                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 28              | 672               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 552.00             | 527.00  |
| WSWAVC0470388 | 4.70          | 3.88        | 67                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 35              | 840               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 684.00             | 659.00  |
| WSWAVC0470464 | 4.70          | 4.64        | 81                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 42              | 1008              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 816.00             | 791.00  |
| WSWAVC0537159 | 5.37          | 1.59        | 36                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 16              | 384               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 326.00             | 301.00  |
| WSWAVC0537236 | 5.37          | 2.36        | 53                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 24              | 576               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 477.00             | 452.00  |
| WSWAVC0537312 | 5.37          | 3.12        | 71                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 32              | 768               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                     | 627.00             | 602.00  |
| WSWAVC0537388 | 5.37          | 3.88        | 88                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 40              | 960               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                     | 778.00             | 753.00  |
| WSWAVC0537464 | 5.37          | 4.64        | 105                        | Watertank WSWAVC fully coated min 1.0 mm      |                          | 48              | 1152              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                     | 928.00             | 903.00  |
| WSWAVC0537537 | 5.37          | 5.37        | 122                        | Watertank WSWAVC fully coated min 1.0 mm      |                          | 56              | 1344              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                     | 1079.00            | 1054.00 |
| WSWAVC0604159 | 6.04          | 1.59        | 46                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 18              | 432               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |                     | 364.00             | 339.00  |
| WSWAVC0604236 | 6.04          | 2.36        | 68                         | Watertank WSWAVC fully coated min 1.0 mm      |                          | 27              | 648               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |                     | 533.00             | 508.00  |

APRIL 2021

| Article no.   | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                              | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 |        | Gross weight<br>kgs | Nett Weight<br>kgs |
|---------------|---------------|-------------|----------------------------|--|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|--------|---------------------|--------------------|
|               |               |             |                            |  | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |        |                     |                    |
| WSWAVC0604312 | 6.04          | 3.12        | 89                         | Watertank WSWAVC fully coated min 1.0 mm |                          | 36              | 864               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |        | 703.00              | 678.00             |
| WSWAVC0604388 | 6.04          | 3.88        | 111                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 45              | 1080              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |        | 872.00              | 847.00             |
| WSWAVC0604464 | 6.04          | 4.64        | 133                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 54              | 1296              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |        | 1041.00             | 1016.00            |
| WSWAVC0604537 | 6.04          | 5.37        | 154                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 63              | 1512              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |        | 1211.00             | 1186.00            |
| WSWAVC0672159 | 6.72          | 1.59        | 56                         | Watertank WSWAVC fully coated min 1.0 mm |                          | 20              | 480               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |        | 402.00              | 377.00             |
| WSWAVC0672236 | 6.72          | 2.36        | 84                         | Watertank WSWAVC fully coated min 1.0 mm |                          | 30              | 720               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |        | 590.00              | 565.00             |
| WSWAVC0672312 | 6.72          | 3.12        | 111                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 40              | 960               | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |        | 778.00              | 753.00             |
| WSWAVC0672388 | 6.72          | 3.88        | 138                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 50              | 1200              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |        | 966.00              | 941.00             |
| WSWAVC0672464 | 6.72          | 4.64        | 165                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 60              | 1440              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |        | 1154.00             | 1129.00            |
| WSWAVC0672537 | 6.72          | 5.37        | 190                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 70              | 1680              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |        | 1367.00             | 1317.00            |
| WSWAVC0739159 | 7.39          | 1.59        | 68                         | Watertank WSWAVC fully coated min 1.0 mm |                          | 22              | 528               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |        | 439.00              | 414.00             |
| WSWAVC0739236 | 7.39          | 2.36        | 101                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 33              | 792               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |        | 646.00              | 621.00             |
| WSWAVC0739312 | 7.39          | 3.12        | 134                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 44              | 1056              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |        | 853.00              | 828.00             |
| WSWAVC0739388 | 7.39          | 3.88        | 166                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 55              | 1320              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |        | 1060.00             | 1035.00            |
| WSWAVC0739464 | 7.39          | 4.64        | 199                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 66              | 1584              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |        | 1267.00             | 1242.00            |
| WSWAVC0739537 | 7.39          | 5.37        | 230                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 77              | 1848              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |        | 1541.00             | 1494.00            |
| WSWAVC0806159 | 8.06          | 1.59        | 81                         | Watertank WSWAVC fully coated min 1.0 mm |                          | 24              | 576               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |        | 477.00              | 452.00             |
| WSWAVC0806236 | 8.06          | 2.36        | 120                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 36              | 864               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |        | 703.00              | 678.00             |
| WSWAVC0806312 | 8.06          | 3.12        | 159                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 48              | 1152              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |        | 928.00              | 903.00             |
| WSWAVC0806388 | 8.06          | 3.88        | 198                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 60              | 1440              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |        | 1154.00             | 1129.00            |
| WSWAVC0806464 | 8.06          | 4.64        | 237                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 72              | 1728              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |        | 1451.00             | 1401.00            |
| WSWAVC0806537 | 8.06          | 5.37        | 274                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 84              | 2016              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |        | 1722.00             | 1672.00            |
| WSWAVC0873159 | 8.73          | 1.59        | 95                         | Watertank WSWAVC fully coated min 1.0 mm |                          | 26              | 624               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |        | 515.00              | 490.00             |
| WSWAVC0873236 | 8.73          | 2.36        | 141                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 39              | 936               | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |        | 759.00              | 734.00             |
| WSWAVC0873312 | 8.73          | 3.12        | 187                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 52              | 1248              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |        | 1004.00             | 979.00             |
| WSWAVC0873388 | 8.73          | 3.88        | 232                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 65              | 1560              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |        | 1248.00             | 1223.00            |
| WSWAVC0873464 | 8.73          | 4.64        | 278                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 78              | 1872              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |        | 1567.00             | 1517.00            |
| WSWAVC0873537 | 8.73          | 5.37        | 321                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 91              | 2184              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |        | 1861.00             | 1811.00            |
| WSWAVC0940159 | 9.40          | 1.59        | 110                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 28              | 672               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |        | 552.00              | 527.00             |
| WSWAVC0940236 | 9.40          | 2.36        | 164                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 42              | 1008              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |        | 816.00              | 791.00             |
| WSWAVC0940312 | 9.40          | 3.12        | 217                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 56              | 1344              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |        | 1079.00             | 1054.00            |
| WSWAVC0940388 | 9.40          | 3.88        | 269                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 70              | 1680              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |        | 1367.00             | 1317.00            |
| WSWAVC0940464 | 9.40          | 4.64        | 322                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 84              | 2016              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |        | 1684.00             | 1634.00            |
| WSWAVC0940537 | 9.40          | 5.37        | 373                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 98              | 2352              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm | 2000.00             | 1950.00            |
| WSWAVC1007159 | 10.07         | 1.59        | 127                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 30              | 720               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |        | 590.00              | 565.00             |
| WSWAVC1007236 | 10.07         | 2.36        | 188                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 45              | 1080              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |        | 872.00              | 847.00             |
| WSWAVC1007312 | 10.07         | 3.12        | 248                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 60              | 1440              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |        | 1154.00             | 1129.00            |
| WSWAVC1007388 | 10.07         | 3.88        | 309                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 75              | 1800              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |        | 1518.00             | 1468.00            |
| WSWAVC1007464 | 10.07         | 4.64        | 370                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 90              | 2160              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |        | 1858.00             | 1808.00            |
| WSWAVC1007537 | 10.07         | 5.37        | 428                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 105             | 2520              | 1,5 mm S320          | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm | 2243.00             | 2193.00            |
| WSWAVC1075159 | 10.75         | 1.59        | 144                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 32              | 768               | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 |        | 627.00              | 602.00             |
| WSWAVC1075236 | 10.75         | 2.36        | 214                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 48              | 1152              | 1,0 mm               | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 |        | 928.00              | 903.00             |
| WSWAVC1075312 | 10.75         | 3.12        | 283                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 64              | 1536              | 1,0 mm               | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 |        | 1229.00             | 1204.00            |

**GENAP TANK BUILD SPECIFICATIONS**

WS - Long Panel minimum 0.8mm  
 WSA - Long Panel minimum 1.0mm  
 WSW - Short Panel minimum 0.8mm  
 WSWA - Short Panel minimum 1.0mm



APRIL 2021

| Article no.    | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                              | Bury Tank<br>minimum | Total<br>Plates | Total<br>Boltsets | Plate Thickness per Ring |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |
|----------------|---------------|-------------|----------------------------|--|----------------------|-----------------|-------------------|--------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|
|                |               |             |                            |  |                      |                 |                   | Bottom Ring<br>0,81m     | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |
| WSWAVC1075388  | 10.75         | 3.88        | 352                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 80              | 1920              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1616.00             | 1566.00            |
| WSWAVC1075464  | 10.75         | 4.64        | 421                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 96              | 2304              | 1,2 mm S350              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 1978.00             | 1928.00            |
| WSWAVC1075537  | 10.75         | 5.37        | 487                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 112             | 2688              | 1,5 mm S320              | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 2389.00             | 2339.00            |
| WSWAVC1142159  | 11.42         | 1.59        | 163                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 34              | 816               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 665.00              | 640.00             |
| WSWAVC1142236  | 11.42         | 2.36        | 242                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 51              | 1224              | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 985.00              | 960.00             |
| WSWAVC1142312  | 11.42         | 3.12        | 320                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 68              | 1632              | 1,0 mm                   | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1305.00             | 1280.00            |
| WSWAVC1142388  | 11.42         | 3.88        | 397                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 85              | 2040              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1714.00             | 1664.00            |
| WSWAVC1142464  | 11.42         | 4.64        | 475                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 102             | 2448              | 1,5 mm S320              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 2151.00             | 2101.00            |
| WSWAVC1142537  | 11.42         | 5.37        | 550                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 119             | 2856              | 1,5 mm S350              | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 2613.00             | 2538.00            |
| WSWAVC1209159  | 12.09         | 1.59        | 183                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 36              | 864               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 703.00              | 678.00             |
| WSWAVC1209236  | 12.09         | 2.36        | 271                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 54              | 1296              | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1041.00             | 1016.00            |
| WSWAVC1209312  | 12.09         | 3.12        | 358                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 72              | 1728              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1473.00             | 1423.00            |
| WSWAVC1209388  | 12.09         | 3.88        | 445                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 90              | 2160              | 1,2 mm S350              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1880.00             | 1830.00            |
| WSWAVC1209464  | 12.09         | 4.64        | 533                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 108             | 2592              | 1,5 mm S320              | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 2368.00             | 2293.00            |
| WSWAVC1209537  | 12.09         | 5.37        | 616                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 126             | 3024              | 1,85 mm S350             | 1,5 mm S320     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 2955.00             | 2855.00            |
| WSWAVC1276159  | 12.76         | 1.59        | 203                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 38              | 912               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 740.00              | 715.00             |
| WSWAVC1276236  | 12.76         | 2.36        | 302                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 57              | 1368              | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1098.00             | 1073.00            |
| WSWAVC1276312  | 12.76         | 3.12        | 399                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 76              | 1824              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1552.00             | 1502.00            |
| WSWAVC1276388  | 12.76         | 3.88        | 496                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 95              | 2280              | 1,2 mm S350              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 1982.00             | 1932.00            |
| WSWAVC1276464  | 12.76         | 4.64        | 593                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 114             | 2736              | 1,5 mm S350              | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 2496.00             | 2421.00            |
| WSWAVC1276537  | 12.76         | 5.37        | 687                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 133             | 3192              | 1,85 mm S350             | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 3113.00             | 3013.00            |
| WSWAVC1343159  | 13.43         | 1.59        | 225                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 40              | 960               | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 778.00              | 753.00             |
| WSWAVC1343236  | 13.43         | 2.36        | 334                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 60              | 1440              | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1154.00             | 1129.00            |
| WSWAVC1343312  | 13.43         | 3.12        | 442                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 80              | 1920              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1631.00             | 1581.00            |
| WSWAVC1343388  | 13.43         | 3.88        | 550                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 100             | 2400              | 1,5 mm S320              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 2146.00             | 2096.00            |
| WSWAVC1343464  | 13.43         | 4.64        | 657                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 120             | 2880              | 1,5 mm S350              | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 2685.00             | 2610.00            |
| WSWAVC1343537  | 13.43         | 5.37        | 761                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 140             | 3360              | 1,85 mm S350             | 1,5 mm S350     | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 3334.00             | 3234.00            |
| WSWAVC1410159  | 14.10         | 1.59        | 248                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 42              | 1008              | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 816.00              | 791.00             |
| WSWAVC1410236  | 14.10         | 2.36        | 369                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 63              | 1512              | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1211.00             | 1186.00            |
| WSWAVC1410312  | 14.10         | 3.12        | 487                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 84              | 2016              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1711.00             | 1661.00            |
| WSWAVC1410388  | 14.10         | 3.88        | 606                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 105             | 2520              | 1,5 mm S320              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 2250.00             | 2200.00            |
| WSWAVC1410464  | 14.10         | 4.64        | 725                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 126             | 3024              | 1,85 mm S350             | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 2931.00             | 2856.00            |
| WSWAVC1410537  | 14.10         | 5.37        | 838                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 147             | 3528              | 1,85 mm S350             | 1,85 mm S350    | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 3611.00             | 3511.00            |
| WSWAVC1478159  | 14.78         | 1.59        | 273                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 44              | 1056              | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 853.00              | 828.00             |
| WSWAVC1478236  | 14.78         | 2.36        | 405                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 66              | 1584              | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1267.00             | 1242.00            |
| WSWAVC1478312  | 14.78         | 3.12        | 535                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 88              | 2112              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1790.00             | 1740.00            |
| WSWAVC1478388  | 14.78         | 3.88        | 666                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 110             | 2640              | 1,5 mm S320              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 2355.00             | 2305.00            |
| WSWAVC1478464  | 14.78         | 4.64        | 796                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 132             | 3168              | 1,85 mm S350             | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 1,0 mm          | 3067.00             | 2992.00            |
| WSWAVC1478537R | 14.78         | 5.37        | 921                        | Watertank WSWAVC fully coated min 1.0 mm | 0.40m                | 154             | 3696              | 1,85 mm S350             | 1,85 mm S350    | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 3779.00             | 3679.00            |
| WSWAVC1545159  | 15.45         | 1.59        | 298                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 46              | 1104              | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 891.00              | 866.00             |
| WSWAVC1545236  | 15.45         | 2.36        | 442                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 69              | 1656              | 1,0 mm                   | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1349.00             | 1299.00            |
| WSWAVC1545312  | 15.45         | 3.12        | 585                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 92              | 2208              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 |                 | 1869.00             | 1819.00            |
| WSWAVC1545388  | 15.45         | 3.88        | 727                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 115             | 2760              | 1,5 mm S350              | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 |                 | 2485.00             | 2410.00            |

**GENAP TANK BUILD SPECIFICATIONS**

**WS - Long Panel minimum 0.8mm**  
**WSA - Long Panel minimum 1.0mm**  
**WSW - Short Panel minimum 0.8mm**  
**WSWA - Short Panel minimum 1.0mm**



APRIL 2021

| Article no.    | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                              | Plate Thickness per Ring |                 |                   |                      |                 |                 |                 |                 |                 |                 |         | Gross weight<br>kgs | Nett Weight<br>kgs |
|----------------|---------------|-------------|----------------------------|--|--------------------------|-----------------|-------------------|----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------|---------------------|--------------------|
|                |               |             |                            |  | Bury Tank<br>minimum     | Total<br>Plates | Total<br>Boltsets | Bottom Ring<br>0,81m | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |         |                     |                    |
| WSWAVC1545464  | 15.45         | 4.64        | 870                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 138             | 3312              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          |                 | 3228.00 | 3128.00             |                    |
| WSWAVC1545537R | 15.45         | 5.37        | 1007                       | Watertank WSWAVC fully coated min 1.0 mm | 0.40m                    | 161             | 3864              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 1,0 mm          | 3971.00 | 3846.00             |                    |
| WSWAVC1612159  | 16.12         | 1.59        | 325                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 48              | 1152              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 928.00  | 903.00              |                    |
| WSWAVC1612236  | 16.12         | 2.36        | 482                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 72              | 1728              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1496.00 | 1446.00             |                    |
| WSWAVC1612312  | 16.12         | 3.12        | 637                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 96              | 2304              | 1,2 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2039.00 | 1989.00             |                    |
| WSWAVC1612388  | 16.12         | 3.88        | 792                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 120             | 2880              | 1,5 mm S350          | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 2681.00 | 2606.00             |                    |
| WSWAVC1612464  | 16.12         | 4.64        | 947                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 144             | 3456              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 3455.00 | 3355.00             |                    |
| WSWAVC1612537R | 16.12         | 5.37        | 1096                       | Watertank WSWAVC fully coated min 1.0 mm | 0.80m                    | 168             | 4032              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 4229.00 | 4104.00             |                    |
| WSWAVC1679159  | 16.79         | 1.59        | 352                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 50              | 1200              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 966.00  | 941.00              |                    |
| WSWAVC1679236  | 16.79         | 2.36        | 523                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 75              | 1800              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1556.00 | 1506.00             |                    |
| WSWAVC1679312  | 16.79         | 3.12        | 691                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 100             | 2400              | 1,5 mm S320          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2199.00 | 2149.00             |                    |
| WSWAVC1679388  | 16.79         | 3.88        | 859                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 125             | 3000              | 1,85 mm S350         | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3004.00 | 2929.00             |                    |
| WSWAVC1679464  | 16.79         | 4.64        | 1027                       | Watertank WSWAVC fully coated min 1.0 mm |                          | 150             | 3600              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 3810.00 | 3710.00             |                    |
| WSWAVC1679537R | 16.79         | 5.37        | 1189                       | Watertank WSWAVC fully coated min 1.0 mm | 0.80m                    | 175             | 4200              | 1,85 mm S350         | 1,85 mm S350    | 1,85 mm S350    | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          | 4615.00 | 4490.00             |                    |
| WSWAVC1746159  | 17.46         | 1.59        | 381                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 52              | 1248              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 1004.00 | 979.00              |                    |
| WSWAVC1746236  | 17.46         | 2.36        | 565                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 78              | 1872              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1617.00 | 1567.00             |                    |
| WSWAVC1746312  | 17.46         | 3.12        | 747                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 104             | 2496              | 1,5 mm S320          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2285.00 | 2235.00             |                    |
| WSWAVC1746388  | 17.46         | 3.88        | 929                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 130             | 3120              | 1,85 mm S350         | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3122.00 | 3047.00             |                    |
| WSWAVC1746464R | 17.46         | 4.64        | 1111                       | Watertank WSWAVC fully coated min 1.0 mm | 0.40m                    | 156             | 3744              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 3958.00 | 3858.00             |                    |
| WSWAVC1813159  | 18.13         | 1.59        | 410                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 54              | 1296              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 1041.00 | 1016.00             |                    |
| WSWAVC1813236  | 18.13         | 2.36        | 609                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 81              | 1944              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1677.00 | 1627.00             |                    |
| WSWAVC1813312  | 18.13         | 3.12        | 805                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 108             | 2592              | 1,5 mm S320          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2396.00 | 2321.00             |                    |
| WSWAVC1813388  | 18.13         | 3.88        | 1002                       | Watertank WSWAVC fully coated min 1.0 mm |                          | 135             | 3240              | 1,85 mm S350         | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3264.00 | 3164.00             |                    |
| WSWAVC1813464R | 18.13         | 4.64        | 1198                       | Watertank WSWAVC fully coated min 1.0 mm | 0.40m                    | 162             | 3888              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 4132.00 | 4007.00             |                    |
| WSWAVC1881159  | 18.81         | 1.59        | 442                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 56              | 1344              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 1079.00 | 1054.00             |                    |
| WSWAVC1881236  | 18.81         | 2.36        | 656                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 84              | 2016              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1737.00 | 1687.00             |                    |
| WSWAVC1881312  | 18.81         | 3.12        | 867                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 112             | 2688              | 1,5 mm S320          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2482.00 | 2407.00             |                    |
| WSWAVC1881388  | 18.81         | 3.88        | 1078                       | Watertank WSWAVC fully coated min 1.0 mm |                          | 140             | 3360              | 1,85 mm S350         | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3381.00 | 3281.00             |                    |
| WSWAVC1881464R | 18.81         | 4.64        | 1289                       | Watertank WSWAVC fully coated min 1.0 mm | 0.80m                    | 168             | 4032              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 4280.00 | 4155.00             |                    |
| WSWAVC1948159  | 19.48         | 1.59        | 474                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 58              | 1392              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 1117.00 | 1092.00             |                    |
| WSWAVC1948236  | 19.48         | 2.36        | 703                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 87              | 2088              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1797.00 | 1747.00             |                    |
| WSWAVC1948312  | 19.48         | 3.12        | 930                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 116             | 2784              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2568.00 | 2493.00             |                    |
| WSWAVC1948388  | 19.48         | 3.88        | 1156                       | Watertank WSWAVC fully coated min 1.0 mm |                          | 145             | 3480              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3498.00 | 3398.00             |                    |
| WSWAVC1948464R | 19.48         | 4.64        | 1383                       | Watertank WSWAVC fully coated min 1.0 mm | 0.80m                    | 174             | 4176              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 4428.00 | 4303.00             |                    |
| WSWAVC2015159  | 20.15         | 1.59        | 507                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 60              | 1440              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 1154.00 | 1129.00             |                    |
| WSWAVC2015236  | 20.15         | 2.36        | 753                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 90              | 2160              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1858.00 | 1808.00             |                    |
| WSWAVC2015312  | 20.15         | 3.12        | 995                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 120             | 2880              | 1,5 mm S350          | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2654.00 | 2579.00             |                    |
| WSWAVC2015388  | 20.15         | 3.88        | 1237                       | Watertank WSWAVC fully coated min 1.0 mm |                          | 150             | 3600              | 1,85 mm S350         | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3615.00 | 3515.00             |                    |
| WSWAVC2015464R | 20.15         | 4.64        | 1480                       | Watertank WSWAVC fully coated min 1.0 mm | 0.80m                    | 180             | 4320              | 1,85 mm S350         | 1,85 mm S350    | 1,5 mm S350     | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 | 4577.00 | 4452.00             |                    |
| WSWAVC2082159  | 20.82         | 1.59        | 541                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 62              | 1488              | 1,0 mm               | 1,0 mm          |                 |                 |                 |                 |                 | 1192.00 | 1167.00             |                    |
| WSWAVC2082236  | 20.82         | 2.36        | 803                        | Watertank WSWAVC fully coated min 1.0 mm |                          | 93              | 2232              | 1,2 mm S350          | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1918.00 | 1868.00             |                    |
| WSWAVC2082312  | 20.82         | 3.12        | 1062                       | Watertank WSWAVC fully coated min 1.0 mm |                          | 124             | 2976              | 1,85 mm S350         | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 2910.00 | 2835.00             |                    |
| WSWAVC2082388R | 20.82         | 3.88        | 1321                       | Watertank WSWAVC fully coated min 1.0 mm | 0.40m                    | 155             | 3720              | 1,85 mm S350         | 1,85 mm S350    | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 3903.00 | 3803.00             |                    |



APRIL 2021

| Article no.    | Diameter<br>m | Height<br>m | Capacity<br>m <sup>3</sup> | Description                              | Bury Tank<br>minimum | Total<br>Plates | Total<br>Boltsets | Plate Thickness per Ring |                 |                 |                 |                 |                 |                 | Gross weight<br>kgs | Nett Weight<br>kgs |
|----------------|---------------|-------------|----------------------------|--|----------------------|-----------------|-------------------|--------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------|--------------------|
|                |               |             |                            |  |                      |                 |                   | Bottom Ring<br>0,81m     | Ring 2<br>1,59m | Ring 3<br>2,36m | Ring 4<br>3,12m | Ring 5<br>3,88m | Ring 6<br>4,64m | Ring 7<br>5,37m |                     |                    |
| WSWAVC2149159  | 21.49         | 1.59        | 577                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 64              | 1536              | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 1229.00             | 1204.00            |
| WSWAVC2149236  | 21.49         | 2.36        | 856                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 96              | 2304              | 1,2 mm S350              | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 1978.00             | 1928.00            |
| WSWAVC2149312  | 21.49         | 3.12        | 1132                       | Watertank WSWAVC fully coated min 1.0 mm |                      | 128             | 3072              | 1,85 mm S350             | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 3002.00             | 2927.00            |
| WSWAVC2149388R | 21.49         | 3.88        | 1407                       | Watertank WSWAVC fully coated min 1.0 mm | 0.40m                | 160             | 3840              | 1,85 mm S350             | 1,85 mm S350    | 1,2 mm S350     | 1,0 mm          | 1,0 mm          |                 |                 | 4026.00             | 3926.00            |
| WSWAVC2216159  | 22.16         | 1.59        | 613                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 66              | 1584              | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 1267.00             | 1242.00            |
| WSWAVC2216236  | 22.16         | 2.36        | 910                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 99              | 2376              | 1,5 mm S320              | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 2141.00             | 2091.00            |
| WSWAVC2216312  | 22.16         | 3.12        | 1203                       | Watertank WSWAVC fully coated min 1.0 mm |                      | 132             | 3168              | 1,85 mm S350             | 1,5 mm S320     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 3196.00             | 3121.00            |
| WSWAVC2216388R | 22.16         | 3.88        | 1496                       | Watertank WSWAVC fully coated min 1.0 mm | 0.40m                | 165             | 3960              | 1,85 mm S350             | 1,85 mm S350    | 1,5 mm S320     | 1,0 mm          | 1,0 mm          |                 |                 | 4251.00             | 4151.00            |
| WSWAVC2284159  | 22.84         | 1.59        | 651                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 68              | 1632              | 1,0 mm                   | 1,0 mm          |                 |                 |                 |                 |                 | 1305.00             | 1280.00            |
| WSWAVC2284236  | 22.84         | 2.36        | 967                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 102             | 2448              | 1,5 mm S320              | 1,0 mm          | 1,0 mm          |                 |                 |                 |                 | 2204.00             | 2154.00            |
| WSWAVC2284312  | 22.84         | 3.12        | 1278                       | Watertank WSWAVC fully coated min 1.0 mm |                      | 136             | 3264              | 1,85 mm S350             | 1,5 mm S320     | 1,0 mm          | 1,0 mm          |                 |                 |                 | 3290.00             | 3215.00            |
| WSWAVC2284388R | 22.84         | 3.88        | 1590                       | Watertank WSWAVC fully coated min 1.0 mm | 0.80m                | 170             | 4080              | 1,85 mm S350             | 1,85 mm S350    | 1,5 mm S320     | 1,0 mm          | 1,0 mm          |                 |                 | 4376.00             | 4276.00            |
| WSWAVC2351159  | 23.51         | 1.59        | 690                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 70              | 1680              | 1,2 mm S350              | 1,0 mm          |                 |                 |                 |                 |                 | 1500.00             | 1450.00            |
| WSWAVC2351236  | 23.51         | 2.36        | 1024                       | Watertank WSWAVC fully coated min 1.0 mm |                      | 105             | 2520              | 1,5 mm S320              | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 2425.00             | 2350.00            |
| WSWAVC2351312  | 23.51         | 3.12        | 1354                       | Watertank WSWAVC fully coated min 1.0 mm |                      | 140             | 3360              | 1,85 mm S350             | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          |                 |                 |                 | 3543.00             | 3443.00            |
| WSWAVC2351388R | 23.51         | 3.88        | 1684                       | Watertank WSWAVC fully coated min 1.0 mm | 0.80m                | 175             | 4200              | 1,85 mm S350             | 1,85 mm S350    | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          |                 |                 | 4660.00             | 4535.00            |
| WSWAVC2418159  | 24.18         | 1.59        | 730                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 72              | 1728              | 1,2 mm S350              | 1,0 mm          |                 |                 |                 |                 |                 | 1542.00             | 1492.00            |
| WSWAVC2418236  | 24.18         | 2.36        | 1084                       | Watertank WSWAVC fully coated min 1.0 mm |                      | 108             | 2592              | 1,5 mm S320              | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 2492.00             | 2417.00            |
| WSWAVC2418312  | 24.18         | 3.12        | 1433                       | Watertank WSWAVC fully coated min 1.0 mm |                      | 144             | 3456              | 1,85 mm S350             | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          |                 |                 |                 | 3641.00             | 3541.00            |
| WSWAVC2418388R | 24.18         | 3.88        | 1782                       | Watertank WSWAVC fully coated min 1.0 mm | 0.80m                | 180             | 4320              | 1,85 mm S350             | 1,85 mm S350    | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          |                 |                 | 4790.00             | 4665.00            |
| WSWAVC2485159  | 24.85         | 1.59        | 771                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 74              | 1776              | 1,2 mm S350              | 1,0 mm          |                 |                 |                 |                 |                 | 1583.00             | 1533.00            |
| WSWAVC2485236  | 24.85         | 2.36        | 1145                       | Watertank WSWAVC fully coated min 1.0 mm |                      | 111             | 2664              | 1,5 mm S320              | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 2560.00             | 2485.00            |
| WSWAVC2485312  | 24.85         | 3.12        | 1513                       | Watertank WSWAVC fully coated min 1.0 mm |                      | 148             | 3552              | 1,85 mm S350             | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          |                 |                 |                 | 3739.00             | 3639.00            |
| WSWAVC2485388R | 24.85         | 3.88        | 1882                       | Watertank WSWAVC fully coated min 1.0 mm | 0.80m                | 185             | 4440              | 1,85 mm S350             | 1,85 mm S350    | 1,5 mm S320     | 1,2 mm S350     | 1,0 mm          |                 |                 | 4919.00             | 4794.00            |
| WSWAVC2552159  | 25.52         | 1.59        | 813                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 76              | 1824              | 1,2 mm S350              | 1,0 mm          |                 |                 |                 |                 |                 | 1625.00             | 1575.00            |
| WSWAVC2552236  | 25.52         | 2.36        | 1207                       | Watertank WSWAVC fully coated min 1.0 mm |                      | 114             | 2736              | 1,5 mm S350              | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 2627.00             | 2552.00            |
| WSWAVC2619159  | 26.19         | 1.59        | 857                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 78              | 1872              | 1,2 mm S350              | 1,0 mm          |                 |                 |                 |                 |                 | 1666.00             | 1616.00            |
| WSWAVC2619236  | 26.19         | 2.36        | 1271                       | Watertank WSWAVC fully coated min 1.0 mm |                      | 117             | 2808              | 1,5 mm S350              | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 2694.00             | 2619.00            |
| WSWAVC2687159  | 26.87         | 1.59        | 902                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 80              | 1920              | 1,2 mm S350              | 1,0 mm          |                 |                 |                 |                 |                 | 1707.00             | 1657.00            |
| WSWAVC2687236  | 26.87         | 2.36        | 1338                       | Watertank WSWAVC fully coated min 1.0 mm |                      | 120             | 2880              | 1,5 mm S350              | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 2761.00             | 2686.00            |
| WSWAVC2754159  | 27.54         | 1.59        | 947                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 82              | 1968              | 1,2 mm S350              | 1,0 mm          |                 |                 |                 |                 |                 | 1749.00             | 1699.00            |
| WSWAVC2754236  | 27.54         | 2.36        | 1406                       | Watertank WSWAVC fully coated min 1.0 mm |                      | 123             | 2952              | 1,85 mm S350             | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 3079.00             | 2979.00            |
| WSWAVC2821159  | 28.21         | 1.59        | 994                        | Watertank WSWAVC fully coated min 1.0 mm |                      | 84              | 2016              | 1,2 mm S350              | 1,0 mm          |                 |                 |                 |                 |                 | 1790.00             | 1740.00            |
| WSWAVC2821236  | 28.21         | 2.36        | 1475                       | Watertank WSWAVC fully coated min 1.0 mm |                      | 126             | 3024              | 1,85 mm S350             | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 3151.00             | 3051.00            |
| WSWAVC2888159  | 28.88         | 1.59        | 1042                       | Watertank WSWAVC fully coated min 1.0 mm |                      | 86              | 2064              | 1,2 mm S350              | 1,0 mm          |                 |                 |                 |                 |                 | 1832.00             | 1782.00            |
| WSWAVC2888236  | 28.88         | 2.36        | 1546                       | Watertank WSWAVC fully coated min 1.0 mm |                      | 129             | 3096              | 1,85 mm S350             | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 3224.00             | 3124.00            |
| WSWAVC2955159  | 29.55         | 1.59        | 1090                       | Watertank WSWAVC fully coated min 1.0 mm |                      | 88              | 2112              | 1,2 mm S350              | 1,0 mm          |                 |                 |                 |                 |                 | 1873.00             | 1823.00            |
| WSWAVC2955236  | 29.55         | 2.36        | 1619                       | Watertank WSWAVC fully coated min 1.0 mm |                      | 132             | 3168              | 1,85 mm S350             | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 3296.00             | 3196.00            |
| WSWAVC3022159  | 30.22         | 1.59        | 1140                       | Watertank WSWAVC fully coated min 1.0 mm |                      | 90              | 2160              | 1,2 mm S350              | 1,0 mm          |                 |                 |                 |                 |                 | 1915.00             | 1865.00            |
| WSWAVC3022236  | 30.22         | 2.36        | 1693                       | Watertank WSWAVC fully coated min 1.0 mm |                      | 135             | 3240              | 1,85 mm S350             | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 3369.00             | 3269.00            |
| WSWAVC3090159  | 30.90         | 1.59        | 1192                       | Watertank WSWAVC fully coated min 1.0 mm |                      | 92              | 2208              | 1,2 mm S350              | 1,0 mm          |                 |                 |                 |                 |                 | 1956.00             | 1906.00            |
| WSWAVC3090236  | 30.90         | 2.36        | 1770                       | Watertank WSWAVC fully coated min 1.0 mm |                      | 138             | 3312              | 1,85 mm S350             | 1,2 mm S350     | 1,0 mm          |                 |                 |                 |                 | 3442.00             | 3342.00            |